AD

US ARMY MEDICAL RESEARCH LABORATORY FORT KNOX, KENTUCKY 40121

118622 11



ANNUAL PROGRESS REPORT, FY 1971

RCS MEDDH-288(R1)

30 June 1971



Approved for public release; distribution unlimited.

NATIONAL TECHNICAL INFORMATION SERVICE

UNITED STATES ARMY
MEDICAL RESEARCH AND DEVELOPMENT COMMAND

118

DISPOSITION

Destroy this report when no longer needed.

Do not return it to the originator.

In conducting the research described in this report,
the investigators adhered to the
"Guide for Laboratory Animal Facilities and Care,"
as promulgated by the Committee on the Guide for
Laboratory Animal Facilities and Care of the
Institute of Laboratory Animal Resources,
National Academy of Sciences - National Research Council.

Citation of specific commercial equipment, material, or trade names in this report does not constitute an official endorsement or approval of the use of such commercial products.

ADDERION TO	 N	
CLS11	WHITE	SECTION C
		SECTION A
THE AMERICAN		믜
JUS 11-IGATION	************	
	(1990 1921 1970 1	***************************************
31 .		المتنف بالأخ
- The second	/	niera
300	Tall. Wil	Ver 878844
10		
1' '		199

UNCLASSIFIED		
Security Classification	DOCUMENT CONTROL DATA .	24.0
(Security classification of title, body of		be entered when the everall report is classified)
1. ORIGINATING ACTIVITY (Corporate author)		UNCLASSIFIED
US Army Medical Research La	boratory	UNCLASSIFIED
Fort Knox, Kentucky 40121		IS. SHOUP
REPORT TITLE		
ANNUAL PROGRESS REPORT, FY	1971	
. DESCRIPTIVE HOTES (Type of report and Incl	fuelre dates)	
Progress Report (1 July 197		
s. AUTHORIS) (First name, middle initial, last no	=)	
MEPORT DATE	TA. TOTAL NO	O. OF PAGES 75. NO. OF REFS
30 June 1971	112	
M. CONTRACT OR SHANT NO.		ON'S REPORT NUMBER(S)
S. PROJECT NO.		Progress Report, FY 1971
		DDH-288(R1)
	98. OTHER RE	PORT HOISI (Any other numbers that may be assigned
O. DISTRIBUTION STATEMENT		
Approved for public release	; distribution unlimite	d.
11. SUPPLEMENTARY NOTES	12. SPONSORI	NG MILITARY ACTIVITY
	IIS Am	y Medical Research and Development
	Comman	d. Washington, D. C. 20314
E. ADSYMACY		u,
\		
		Medical Research Laboratory,
Fort Knox, Kentucky, is con	icerned with studies in	sensory psychophysiology, the
biological effects of laser	radiation, and methodo	logy related to the preserva-
tion, transfusion, collecti	ng, processing, and sni	pment of human blood.
The progress during Fiscal	Year 1971 and the curre	nt status of the various work
units are reported herein.		
7).		

KEY WORDS	LINI	K A	LINK B		LINKC	
AET WORDS	ROLE	**	ROLE	WT	ROLE WT	
Psychophysiology					1	
/isual Performance						
luman Factors						
Auditory Performance						
Motivation Skills						
Psychomotor Skills						
Hearing Loss Color Vision						1
Disorientation						
Target Discrimination						1
Depth Perception						
Sterensconic Vision						
Temporary Threshold Shift (TTS)						
Fibrinolysis						
Hormones						
Enzyme Synthesis					1	
Antibody						
Antigen						
Blood Banks						
Blood Groups						
Blood Donors'						
Blood Transfusion Blood Preservation						
Adenine						
Inosine						
Sickle Cell Disease						
Australian Antigen						
Australian Antibody						
Methylene Blue						
Automation						
Incompatible Blood Transfusion						
Carboxyhemoglobin						
Histocompatibility						
Protein Biosynthesis					1	
Cell Membrane Integrity Membrane Stabilizers						
Logistics						
Biophysics		`\				
Instrumentation						
laser						
Diseases of Animals						
Annual Progress Report						(
						1
					1	
		No. 3			1	

AD					

HEADQUARTERS
US ARMY MEDICAL RESEARCH LABORATORY
Fort Knox, Kentucky 40121

ANNUAL PROGRESS REPORT, FY 1971

RCS MEDDH-288(R1)

30 June 1971

FY 1971 Projects:

3A061101A91C In-House Laboratory Independent Research

3A061102B71P Basic Research in Support of Military Medicine

> 3A061102B71R Research in Biomedical Sciences

> > 3A062110A821 Combat Surgery

Approved to public release; distribution unlimited.

1

SUMMARY

The research and development effort at the US Army Medical Research Laboratory, Fort Knox, Kentucky, is concerned with studies in sensory psychophysiology, the biological effects of laser radiation, and methodology related to the preservation, transfusion, collecting, processing, and shipment of human blood.

The progress during Fiscal Year 1971 and the current status of the various work units are reported herein.

FOREWORD

The mission of the laboratory has remained unchanged during the past year. Notable accomplishments toward these goals are outlined.

In the area of blood banking research, trace amounts of methylene blue added to optimal concentrations of inosine and adenine in CPD blood will extend the shelf life of bank blood to 6 weeks; whereas the levels of 2,3-DPG--a measure of hemoglobin function--are maintained very well, ATP levels are not affected significantly. The salivary anti-A and anti-B isoantibody system in group 0 males has been found to be distinct from the serum antibody system and cannot be applied in differentiating the group 0 universal donor with dangerous levels of serum anti-A and anti-B.

An automated procedure applicable to the field study of sickle cell hemoglobin screening in large populations has been developed; the cost per test for reagents averages \$0.03. The first large field study in Vietnam returnees with reference to the incidence of Australian antigen has been completed. The translation series "Selected Contributions to the Literature of Blood Groups and Immunology" (1962 - 1971) and comprising seven parts has been completed.

In the area of psychophysiology, behavioral tasks have been used successfully to differentiate central and peripheral visual phenomena; one involves the use of the Stroop paradigm with bilingual presentations naming words in one language and interfering words in another. In the application of the "dancing arabesque", wherein an achromatizing lens is moved in front of the eye to correct its chromatic aberration producing an effect of dissociative movement, the resulting phenomenon is clearly retinal. Data derived from the growth and recovery functions of temporary threshold shifts (TTS) after 48 hours of continuous noise exposure provides confirmation of an asymptotic TTS; the slow recovery from low values of TTS under these conditions has important implications in understanding the processes producing temporary and permanent threshold shifts.

Progress in laser research continues. In the evaluation of functional visual impairment incident to ruby laser injury, trained rhesus monkeys exposed to relatively large lasing doses may recover as much as 50% of their preexposure acuity; smaller radiation doses result in greater recovery. Q-switched ruby laser radiation induced skin burns using darkly pigmented pigs and CO2 laser burns in white pigs have provided additional data for use in safety standards. Experiments with the Q-switched erbium laser in rhesus and owl monkeys affirmed that ocular damage is limited to the cornea. With currently available energy levels, corneal damage threshold data for the gallium arsenide laser has

been obtained with the diode cooled to 77° K; when operated at room temperature, the energy was inadequate to induce ocular damage. Corneal damage threshold data for the CO₂ laser has been obtained in rabbits, rhesus, and owl monkeys for a 0.1 to 1.0 second exposure. The bits, rhesus, and owl monkeys for a Safety Team are being coordinated with Air Force and Navy programs.

TABLE OF CONTENTS

	Page No.
Project No. 3A061101A910 - In-House Laboratory Inde-	
pendent Research	
Task No. 00 - In-House Laboratory Independent Re-	
search	
Work Unit No. 145(a) - Biological Control of	
Calcium Absorption	2
Work Unit No. 145(b) - Laser Instrumentation De-	
sign for Military Hazard Evaluation	4
Work Unit No. 146 - Effect of IV Infusions and	
Hypotension on Regulation of Serum Ionic and	
Total Calcium Concentration and on Serum In-	
organic Phosphate Concentration	7
Work Unit No. 151 - Transplantation Antigens in	
Keratoplasty	9
Project No. 3A061102B71P - Basic Research in Support of	
Military Medicine	
Task No. 02 - Biophysics	
Work Unit No. 010 - Mathematical Models for Pre-	
dicting Laser and Thermal Injuries	14
Work Unit No. 013 - Cellular Effects of Laser	
Radiation	17
Task No. 06 - Pathology	
Work Unit No. 056 - Diseases of Laboratory Animals	
Used in Support of Military Medical Research	20
Task No. 08 - Physiology	
Work Unit No. 085 - Military Performance: Psycho-	
physiology of Vision	22
Work Unit No. 088 - Military Performance: Bio-	00
mechanical Aspects	28
Work Unit No. 089 - Military Performance: Auditory	
Perception and Psychophysics	33
Dundant No. 200611020710 December in Diamedical Sciences	
Project No. 3A061102B71R - Research in Biomedical Sciences	
Task No. 01 - Surgery Work Unit No. 102 - Effects of Laser Radiation on	
Immune Mechanisms	38
Work Unit No. 103 - Cutaneous Burns Induced by	36
Laser Radiation	40
Work Unit No. 280 - Laser Effects Upon Visual Per-	40
formance	43
Task No. 03 - Psychiatry	43
Work Unit No. 126 - Military Performance: Trau-	
matic Origins of Hearing Loss	48
macro of ignis of hearing coss	70

	Page No.
Work Unit No. 127 - Military Performance: Psycho- physics of Visual Perception	54
Work Unit No. 128 - Military Performance: Physical Decrement and Endurance	58
Project No. 3A062110A821 - Combat Surgery Task No. 00 - Combat Surgery	
Work Unit No. 155 - Military Blood Banking: Preservation Methods and Logistics	65
in Human Tissue Transplants	69
Stored Blood and Components in the Military Work Unit No. 158 - Military Blood Banking: Auto-	6 72
mated Methodology	74
Cold Storage	79
of Protective Additives on Essential Components of Stored Red Blood Cells	83
Work Unit No. 164 - Military Blood Banking: Evaluation of Changes in Blood During Storage Work Unit No. 170 - Biochemistry of Hormones, Pro-	86
teins, and Nucleic Acids in Military Stressful Conditions	89
Work Unit No. 171 - Military Blood Banking: Bio- chemical Basis of Human RBC Survival	91
Work Unit No. 172 - Military Blood Transfusion Reactions Work Unit No. 174 - Military Blood Banking: The	94
Mechanism of Erythrocyte Catabolism During Stor- age	97
uation of Resuscitation by Transfusion of Blood and Other Substances	100
Methods and Transfusion Practices	104
Identification and Selection of Human Histocom- patibility Antigenic System	107
Additional Publications	109
Distribution List	110
Document Control Data - R&D (DD Form 1473)	111

1

Project No. 3A061101A91C	In-House Laboratory Independent Research
Task No. 00	In-House Laboratory Independent Research
Work Unit No. 145 (a)	Biological Control of Calcium Absorption
Work Unit No. 145 (b)	Laser Instrumentation Design for Military Hazard Evaluation
Work Unit No. 146	Effect of IV Infusions and Hypotension on Regulation of Serum Ionic and Total Calcium Concentration and on Serum Incrganic Phosphate Concentration
Work Unit No. 151	Transplantation Antigens in Keratoplasty

Investigators:

WU No. 145(a)	Robert L. Morrissey, CPT, VC David K. Hysell, MAJ, VC Willie L. Janik, CPT, VC
WU No. 145(b)	Joseph C. Rosenbaum, M.S. Kenneth A. Conard, B.A.
WU No. 146	Robert L. Morrissey, CPT, VC
WI No. 151	Anthony J. Luzzio, Ph.D.

^{*}Terminated 1 Sep 1970; work unit number reassigned to another study.

RESEARCH	AND TECHNOLOG	Y WORK UNIT SU	MARY		OB 6		70 09			CONTROL STREOL
70 07 01	H. TERMINA-	S SUMMARY SCTY	DOWN SECOMAL	NA	-	P 046	NL	ON SPECIFIC OF		A WORK UMT
10 NO COFS .	PROGRAM ELEMENT	PROJECT NO		TASE	-	-96-		WORK UNIT	-	
	61101A	3A061101A9	10	00			145 (
6 CONTRIBUTING										
(U) Biologi	cal Control (•	sorption	(18)						
002600 Biol			Va. Um					111		
69 02		CONT	7100 0416	DA	HIG AGE	IC V		10 PERFORMA	n-Hou	
OF UZ		CONT					 			
- De E1/2778("IVE		E EPIBATION		19 102 5					& Pun	()- (
D. D. W	NA	g = P1 = A = A = A = A = A = A = A = A = A =		PIRCAL	7	0	1	.1		3
C TYPE		-		-	COMMEN.		 		+	
		f. CUM. AMT.			7	1		. 5		14
	REAM PATION			30 PERI	-		7104			
	Army Medica nox, KY 40121		boratory	a pones	US	Army	ogy Div y Medic nox, KY	al Resea	rch L	aboratory
TELEPHONE 50	nte, Nicholas 2-6241759	F., COL		040E	******	Morr 502-6	issey, 5243937	R. L., C		,
	ELLIGENCE CON			BANE BANE		-	ii, D. <, W. L	K., MAJ ., CPT		DA
	ictru: (II) Ri		linical A	Medic	ine:	(11)	Physial	onv: (11)	Radi	ohiology

- 23. (U) To determine the mechanisms involved in regulating the rate of intestinal calcium absorption; to provide for the rationale approach to the treatment of certain disabling disorders of calcium metabolism encountered in military medical practice.
- 24. (U) An attempt was made to detect an endogenous factor responsible for regulating the conversion of vitamin D3 to 25-HCC. Sera from low calcium diet adapted and normal chicks were dialyzed against a common buffer. Normal chick liver tissue was then incubated with the two types of sera in the presence of radioactive vitamin D3. Undialyzed serum from both sources was also tested in a similar manner. After incubation, the lipids were extracted and separated by thin layer chromtography. The ratio of radioactive polar metabolites:radioactive vitamin D3 was measured as an assay for this hypothesized endogenous factor in serum.
- 25. (U) 70 07 01 70 08 31 This work unit was terminated because of the departure from the laboratory of all investigators (Morrissey, Hysell, Janik).

A91C 00 145(a) (cont)

Detail Sheet #1

Progress:

This project was terminated due to personnel transfer to Fitzsimons. Results and conclusions are contained in the publications listed below.

Publications and/or Presentations:

Morrissey, R. L., D. K. Hysell, and W. L. Janik. Control of calcium absorption: Influence of Vitamin D3 hydroxylation on the calcium binding activity of chick duodenal mucosa. USAMRL Report No. 883, Aug 1970 (DDC AD No. 715697).

Selected Bibliography:

Morrissey, R. L. Regulation of intestinal calcium absorption. Ph.D. Thesis, Cornell University, Jun 1970.

Morrissey, R. L., D. K. Hysell, and W. L. Janik. Calcium binding protein: Endogenous induction. USAMRL Report No. 859, Mar 1970 (DDC AD No. 712957).

Morrissey, R. L. and R. H. Wasserman. Adaptation, calcium binding protein (CaBP) and the intestinal absorption of calcium. Fed. Proc. 29: 847, 1970 (Abstract).

RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY			DA OA 6074 71 07 01 DE DEAL AN								
3 CAT - PHE W'RY	E MINC OF SUMMANY	1 SUMMARY SCTUB		_			7'B INSTO'N	104 10501010		10 LEVEL OF SUB	
71 01 22	D. CHANGE	U	U	NA			NL	X ves	D mo	A TOPE UNIT	
13 NO CODES*	PROURANT THENT		HUMBER	TASE	-			-			
	61101A	3A06110	A91C	00			145 (b)				
6 (1001816)1149											
4 4-6 - THE S		Ļ									
(U) Laser I	nstrumentation		r Military	Haza	ard Eval	luat	tion (18	3)			
002400 Bioe	ngineering; 00										
STAR DATE		16 ESTIMATED (Out	LETION DATE		DING AGENCY			16 PERFORMA			
65 07		CONT		DA		لــــــــــــــــــــــــــــــــــــــ		C. In	-Hous	e	
17 CONTRACT BRANT				10 000	OURCES EST M	ATE	. PROFESSIO		b 700	05 (In Annoth)	
P 04 67/84464 .IAE		4 EP-RATION					,	^		26	
N N JWBE III *	иA	4 AMOURT		PISCAL	71		<u> </u>	8	 	26	
* * ***				1,4	72		۱.	D	1	27	
	ORGAN-ZATION	I. CUM. AMT		20 Pg 80	ORNING ORS	W124			<u> </u>	21	
****								<u> </u>		-	
HQ, U	S Army Medical	Research	Laboratory	r' BIODEASICS DIVISION							
Fort	Knox, KY 40121			Fort Knox, KY 40121							
				-		10# /		V 5 410000011 P			
	va.			wame* Rosenbaum, J. C. velephone 502-6243111 social security account number							
Co	nte, Nicholas	F., COL									
	2-6241759										
2: GF=FRA SF				ASSOCIATE INVESTIGATORS							
FOREIGN INT	ELLIGENCE CONS	IDERED		Conard, K. A.							
				Hazards; (U) Instrumentation;							
		(0)	Laser; (U)	Haza	rds; (U) 1	ristrume	ntation	•		
(U) Militar	y; (U) Krypton	; (U) Flas	no i i naness								
					nte for		0 in th	o e eudu	-5-	, ho bio	
	design and dev ts of laser ra										
	this form of										
	techniques, a										
search effor		nd special	1260 1115 676	Jine ii C	HE THE	Hall	Ce III 31	upport t)	13 16-	
	Develop techn										
mentation in	n order to mon	itor insta	ntaneous th	nerma	1 trans	1en	ts in m	odel bio	logi	cal sys-	
	ing from absor										
	ntinuous monit									or et-	
ficient uti	lization and i	mproved ve	rsatility o	or th	e over-	all	laser s	systems.			
25. (U) 71 (01 01 - 71 06	30 1) The	warranted	plasi	ma tube	fo	r the Ki	rypton 1	aser	has been	
replaced and	d satisfactor,	outputs a	t the desir	red w	ave leng	ths	have be	en obta	i ne d	. This	

Krypton system has been incorporated into the flashblindness study. 2) The chiller obtained for the carbon dioxide laser water supply is not acceptable because of an inherent cyclic nature. It is anticipated that by overriding the cooling capacity of the chiller with controlled heat the desired stability will be achieved. 3) Adequate environmental control over the past few weeks has resulted in a very stable carbon dioxide laser output beam. Several animal experiments have been run and additional calibrations of the small apertured (0.05 mm) Eppley thermopile and the dual thermocouple scanner have been underway. These scanning techniques have shown that the ratio of peak power

DD.:::1498

idensity to total beam power becomes very large at higher laser outputs.

A91C 00 145(b) (cont)

Detail Sheet #1

Progress:

Since being re-engineered the Model 41 CO2 laser has performed very satisfactorily. Stable operation at low gas pressure is now possible and the total power output is above quoted specification. At the higher outputs the laser beam is highly peaked, having a measured $1/e^2$ beam diameter of less than 5 mm compared to the manufacturer's specified 10 mm $1/e^2$ diameter. The chiller purchased to control the water supply for the CO2 laser should become acceptable with a planned modification to include a controlled heating element to precisely regulate the temperature. With current environmental controls and moderate weather, reasonable CO2 laser output stability has been achieved, and a series of animal experiments performed.

The dual thermocouple scanning device has been modified several times to correct deficiencies. Larger thermocouples are now in use (0.001 inch versus 0.0005 inch) for ease of installation without apparent loss of resolution or sensitivity; the silver chloride window material exhibited transmission changes with time and has been replaced with a slotted metal reflector that shields the device while illuminating the couples; a temperature controlled combined reference junction and heat sink has been installed to minimize environmental effects.

An Eppley thermopile equipped with a 0.05 mm aperture centered over the receiver disc has also been employed as a $\rm CO_2$ laser beam scanning device. Both this system and the dual thermocouple system are in the process of being calibrated.

A pyro-electric IR detector has been successfully tested for pulse length measurements in the millisecond region. The design and assembly of amplifiers for use with gold-doped germanium detectors for nanosecond pulse length measurements is underway.

The Model 52 Argon laser met the manufacturer's specifications at all wavelengths. Several exchanges with the manufacturer of matched optics (output window and total reflector) were necessary before the Model 52 Krypton laser performed to specifications. Subsequently the Krypton plasma tube failed and was replaced by the manufacturer. Recently a power supply malfunction has reduced outputs to unacceptable levels; corrections are underway.

Publications and/or Presentations:

None.

A91C 00 145(b) (cont)

Detail Sheet #2

Selected Bibliography:

Heard, H. G. <u>Laser Parameter Measurements Handbook</u>. New York: John Wiley and Sons, 1968.

Hudson, R. D., Jr. <u>Infrared System Engineering</u>. New York: John Wiley and Sons, 1965.

Jenkins, F. A. and H. E. White. <u>Fundamentals of Optics</u>. New York: McGraw-Hill, 1950.

DESEABOR	AND TECHNIN OC	WORK JHIT SUMMARY	1 AGE	ICY ACCESSIONS 1	DATE OF SUM	AAAY" A	BPORT CONTROL SYMMA
KESEARCH	AND TECHNOLOG	FORK ONLI JOMARKI	C.	08 6080	70 09 0		DO DESE ARAS
	1 11	S SUMMARY SCTY	PREUR	ADING 0461		AL SPECIFIC DI	C- ESS .
70 07 01		U U	NA		NL :	Clives C	MO A BURA UNIT
IN NO . ODES "	PROGRAM (LEMEN'	PHOJECT NUMBER	TASE	AREA NUMBER		WORK UNIT	NUMBER
. PRIMERY	61101A	3A061101A91C	00	1	146		
C C N T B I B J T I B J							
1 TiTuE Procedo with	Security Classification (add	(U) Effect of I/ In	fus i	ons & Hypo	tension	on Reg.	of Serum
Control Tot	al Calcium Co	nc. 3 on Serum Inorga	nic	Phosphate	Conc. ((8)	
00260 5101	ogy						
11 17447 04 .		IS ESTIMATED COMPLETION DATE	15 700			16 FERFORMAN	
11 57		CONT	DA	1	1	C. In	-House
" CONTRACT GRANT			-	OURCES ESTIMATE	-		b. FURDS (In thousands)
+ 24'11 1 FFEC*IVE		E 4 PIRA TION		AMES OIMS	ı		
.h #0#### #	NA		PISCAL	70		!	4
TYPE		4 400011	VEAR	SOURCEA			
		f. CUM. AMT.		71	. 2	?	9
# 1857-085 BLE 203 (CRG-M- JATION	القنوابية فنديو وزيزية	-		7100		
	C Ammy Madica	l Research Laboratory		Patholog	u Divici	on	
iių, u	knox, KY 4012	Research Laboratory	į	1!S Armu	y Divisi	Dacasec	n Laborator/
ALDRESS OF C	MIUX, KI 4012	•	400AE L	Fort Kno	V KY AC	1121	Laboratory
				TOT C KITO	A, NI 70	,,,,,	
		L	-	AL INVESTIGATOR			- ·
BLE INDIVICA	4.		-			L., 37	Ţ
~••. °g:	nte, Micholas	F., COL	76165	HOME 502-6	243937		
	2-6241759		10514	. SECURITY ACCOUN			
4 - ULN. 44. USI			4150C1A	TE INVESTIGATORS			
		** * * * * * * * * * * * * * * * * * * *					
	ILLIGENCE CON						- M
	. ACH old Locuelle Classific						
J, 1. C. J.	; (d) Control	Processes: (U) Ionic	Cal	cium; (U)	Phosphat	:e; (t)	Hypotension

10. 10. To study the effect on calcium homeostasis of intravenous infusions containing full run, calcium binding agents, and heparin in normal and hypotensive dogs. This will run, de a basis for understanding the mechanisms that lead to osteoporosis and related for a tions as observed in military medical practice.

2. (a) Each of seven dogs would be exposed to the following conditions in a normalized sequence. Shood samples will be drawn in each case (12-14 samples over a 6-hour period, as monitor the concentration of ionic calcium, total calcium, and inorganic phosphate in the serum. a. No treatment; b. Saline (20 mg/kg VW); c. Henarin; d. Saline + Henarin + Calcium; g. Saline + Heparin + Hypotension; h. Henarin + Rypotension; i. Saline + Heparin + Calcium + Hypotension.

25. (0) 70 37 01 - 70 08 31 This work unit was terminated because of the departure from the laboratory of the investigator (Morrissey).

DD. ::: 1498

PRESIDED TONE OF THIS FORM ARE DESULE 1 DE FORMS 1488A 1 NOV 65 AND 1488 1 MAR 88 IFOR ARMY USE! ARE DESULETE

A91C 00 146 (cont)

Detail Sheet #1

Progress:

This project was terminated due to personnel transfer. Results and conclusions are contained in the referenced publication.

Publications and/or Presentations:

Morrissey, R. L., N. I. Birndorf, C. E. Shields, and D. K. Hysell. Effect of heparinized saline infusion and hypotension on calcium homeostasis in the dog. USAMRL Report No. 887, Aug 1970 (DDC AD No. 715703).

Selected Bibliography:

None.

RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY			1		DATE OF SUMMARY		REPORT CONTROL STMMIL		
				2	OA 6117	71 07			AE (ARIAIA
!	TO REND OF SUMMARY	S SUMMARY SCTY	S WORK SECURITY		4DING - DE DI	80°0 14678'N	CONTRACT	TOR ACCESS	A WORK UNIT
71 01 22	(D. CHANGE	U	I U	NA.		NL	(X) ves	U #0	
	161101A	340611017	NUMBER	00		151	WORK U		
. COM************************************	BITUIM	340011017	4316	- 00		131			
	<u> </u>								
	m security Classification Cod	:							
. Transp	luntation Anti	gens in Ker	ratoplasty	(18)					
	*******************			· · ·					
	nical Medicine								
1 5100. 2048				15 FUM				MANCE WE'T	-00
57 39		CONT		DA	. 1 -	1	C. I	n-House	
** COM***** URAN	₹			-			-	786 b FUR	04 (m #europe)
					PRESIDE				16
N number *	NA			PISCAL	71		.1		15
2 1706		4 400007		7840			,		12
		f. CUM. AMT.		20 000	72	4	.1		16
				1			<u> </u>		<u> </u>
ناب المال	S Army Medical	Research L	aboratory		Biophy:				
.Fort	Knox, KY 40121			-				earch La	boratory
				1	Fort Ki	iox, KY	40121		
					*L INVESTIGATOR	-	H W S. 4000	and the state state	
	Du 4 L			-		o, A.	J.		
	onte, Nicholas	F. COL		18189	502-6				
*1 5		• • •		MCIAL	-				
				-	TE :=YESTIGATOR	•			
				-					11.2
CREIC IN	TELLIGENCE CON			b AME					DA
	e act of south flouis	(0,	Cornea; (U) In	juries;	U) Tra	nsplant	ation;	
. Antige	ns; (U) Immurie	<u>; (U) Milii</u>	tary						
	TIVE " 34 APPROACH. 3.								
23. (6) 10	acquire knowl	edge concer	ming the ii	ntera	ctions be	tween	the imm	unotro	್ಷಗಳಿಗೆ ಬೆಲೆ∻
ranse mech	anisms of the corneal graft	nost and tr	ie antigens	יים נ	ne conor	oransp	I dille I li	70:78L	n id-
	corneal graft corneas in the						200062	3 . 4	4:1521411
				•					
24. (U) Tn	is research wi	ll be divid	led into two	o pha	ses: 1)	Prepar	ation a	ind char	acteri-
* * * C * A *	ourified prote	ins from ac	weous extr	acts	of comea	is. 2)	Pertor	mance o	t cor-
,0,0,	acrafts in non	sensitized	rabbits and	d in	rabbits s	ensiti.	zed wit	n the a	onor
neal neter	ogranes in non			. in	e tollowi	תהם מת	amorare		t' Sileti
neal ne ter specific c	orneal protein	s prepared	in phase i		1 41-0 0	ing par	of cr	ft 05=0	
neal neter specific consideration	ormeal protein luate graft re	jection in	both groups	s: 1) time of	onset	of gra	ft opac	ifica-
neal neter specific of ted to eva- tion; 2) c	orneal protein luate graft re linical severi	jection in ty of the r	both groups reaction; 3	s:) time of idence of	onset the r	of gra	ift Opac	ifica-
neal neter specific a fied to eva tion; 2) c 25. (1) 71	omeal protein luate graft re linical severi 01 01 - 71 06	jection in ty of the r 30 Reject	both groups reaction; 3 tion was acc	s: l) inc celer) time of idence of ated in r	onset the reabbits	of gra action immuni	ft Opac zed wit	n cnick-
neal neter specific a fied to eva tion; 2) c 25. (1) 71 en albumin	ormeal protein luate graft re linical severi 01:01 - 71:06 before grafti	jection in ty of the r 30 Reject ng with chi	both groups reaction; 3 tion was ac- icken corne	s: l) inc celer a. G) time of idence of ated in r raft reje	onset the reabbits ction	of gra eaction immuni in rabb	ift opac zed wit its pre	n cnick- sensi-
neal neter specific c fied to eva tion; 2) c 25. (1) 71 en albumin fized with	orneal protein luate graft re linical severi 01 01 - 71 06 before grafti chicken gawma	jection in ty of the r 30 Reject ng with chi globulin p	both groups reaction; 3 tion was ac- icken corne- proceeded a	s: 1) inc celer a. G t a s) time of idence of ated in r araft reje lower rat	onset the reabbits ection	of gra eaction immuni in rabb e data	ft opac zed wit its pre suggest	n cnick~ sensi~ that
neal neter specific c ied to eva tion; 2) c 25. (1) 71 an albumin tized with omeal re	orneal protein luate graft re linical severi 01 01 - 71 06 before grafti chicken gawma jection is eli	jection in ty of the r 30 Reject ng with chi globulin p cited by a	both group reaction; 3 tion was ac- icken corne- proceeded a number of a	s: l) inc celer a. G t a s antig) time of dence of ated in rejectives lower rates	onset the readbits ection to the readbits ection to the read to th	of gra eaction immuni in rabb e data the gra	ft opac zed wit its pre suggest ifted co	n cnick- sensi- that mnca,
neal neter specific c ied to eva tion; 2) c 25. () 71 en albumin tized with omeal re- and that of	orneal protein luate graft re linical severi 01 01 - 71 06 before grafti chicken gamma jection is eli ne antigen-ant	jection in ty of the r 30 Reject ng with chi globulin r cited by a ibody syste	both group reaction; 3 tion was ac- icken corne- proceeded a number of a em may mani	s: 1) inc celer a. G t a s antig fest) time of idence of idence of in reference of in reference of identification of the identification of	onset the reabbits ection to the incident incide cite cite cite cite cite cite cite cit	of graeaction immuni in rabbe data the gra fferent	ft opac zed wit its pre suggest fted co ly clin	n cnick- sensi- that rnea, ically
neal neter specific c ied to eva tion; 2) c 25. () 71 en albumin tized with omeal re and that of from another	orneal protein luate graft re linical severi 01 01 - 71 06 before grafti chicken gamma jection is eli ne antigen-ant er specific im	jection in ty of the range with chi globulin pointed by a libody system on a system of the control of the contr	both groups reaction; 3 tion was ac- icken corner proceeded as number of a em may mani- n also prese	s: l) incceler a. G t a s antig fest ent i) time of idence of idence of in reference of in reference of identification of iden	onset the readbits ection in the cite of t	of graeaction immuni rabbe data the grafferent ost.	eft opac zed wit its pre suggest ifted co ly clin hese st	n cnick- sensi- that rnea, ically
neal neter specific co igd to eva- tion; 2) c 25. (/) 71 en albumin nized with omeal re- and that of from another are being	orneal protein luate graft re linical severi 01 01 - 71 06 before grafti chicken gamma jection is eli ne antigen-ant	jection in ty of the rail 30 Rejecting with chi globulin pointed by a libody system additional	both group reaction; 3 tion was ac- icken corne- proceeded at number of a em may mani- n also prese purified t	s: l) inc celer a. G t a s antig fest ent i) time of idence of idence of in a raft rejection rate of itself quant the grant serum process.	onset the readbits ection in the cities in the cities and the cities are the coteins	of graeaction immuni rabbe data the grafferent ost. T.	zed wit its pre suggest ifted co ly clin hese st ies are	n cnick- sensi- that rnea, ically udies

in comea.

A91C 00 151 (cont)

Detail Sheet #1

Progress:

A soluble (F1) and insoluble (F2) protein fraction has been isolated from chicken comea by various extraction procedures. These fractions possess transplantation antinen activity as demonstrated by their ability to induce specific sensitization in rabbits resulting in accelerated rejection of a subsequent corneal graft. F1 and F2 consist of a mixture of proteins which stimulate the production of circulating antibodies capable of engendering a wide variety of immunological reactions in the presence of specific antigens in donor cornea. These studies have been extended to include the isolation and characterization of the individual components which comprise the soluble fraction. At least eleven different protein components exist in F1. They have been separated by column chromatography with DEAE Sephadex. Currently, these fractions are being collected and concentrated and will be analyzed further for identification and to determine their effect on graft rejection.

Immunodiffusion studies with Fl and antisera specific for purified chicken serum proteins suggest that the cornea contains blood serum proteins. These studies have been supported by the observation that rabbits pre-sensitized with purified chicken serum proteins reject subsequent grafts more violently and at a markedly accelerated rate than unmodified controls. Fl and F2 also elicited Forssman antibody in rabbits. However, even though the presence of Forssman antigen was demonstrated in donor cornea, rabbits with high circulating specific antibody, induced by sensitization with sheep red cells, did not reject corneal grafts in an accelerated manner. These findings imply that in xenogenic keratoplasty the cornea may include transplantation antigens and also other antigens which do not influence the fate of the graft even in the presence of high specific numberal antibody.

An additional implication of these findings is that soluble transplantation antigens diffuse from a graft and are primarily responsible for the sensitization of the host. Meanwhile the insoluble antigens persist within the grafted tissue where they act as targets for sensitized cells or circulating antibodies. The isolation and characterization of the eleven corneal protein components and studies to determine their relationship to the graft rejection phenomenon will add significant information to the meager knowledge available in this area of research.

Publications and/or Presentations:

A91C 00 151 (cont)

Detail Sheet #2

Leibowitz, H. M. and A. J. Luzzio. Transplantation antigens in xenogenic keratoplasty II. Arch. Ophthal. 84: 645, 1970.

Luzzio, A. J. and H. M. Leibowitz. Immunochemical analysis of corneal antigens in xenogenic keratoplasty. Transplantation, 11: 383, 1971.

Selected Bibliography:

Elliott, J. H. and H. M. Leibowitz. Corneal immune rings associated with heterograft rejection. Arch. Ophthal. 73: 519, 1965.

Leibowitz, H. M. and A. J. Luzzio. Transplantation antigens in keratoplasty I. Arch. Ophthal 83: 215, 1970.

Russel, P. S. and A. P. Monaco. The biology of tissue transplantation. New Eng. J. Med. 271: 502, 1964.

Project No. 3A061102B71P	Basic Research in Support of Military Medicine					
Task No. 02	Biophysics					
Work Unit No. 010	Mathematical Models for Predicting Laser and Thermal Injuries					
Work Unit No. 013	Cellular Effects of Laser Radiation					
Task No 06	Pathology -					
Work Unit No 056	Diseases of Laboratory Animals Used in Support of Military Medical Research					
Task No. 08	Physiciaay					
Work Unit No. 085	Military Pertormance: Psychophysiology of Vision					
Work Unit No 038	Military Performance: Biomechanical Arpects					
Work Unit No. 089	Military Performance: Auditory Perception and Psychophysics					

Investigators:

WU No 010	Arnold Brownell, Ph.D. Joseph C Rosenbaum, M.S.
WU No. 013	Edward S. Spoerl, Ph.D. Thomas J. MacVittie, CPT, MSC
WU No 056	John L. Ervin, MAJ, VC Billiam L. Looding, MAJ, VC William H. Shelton, CPT, VC Mark G. Pirns, CPT, VC
WU No. 085	Isaac Fehar, Ph.D. Gregory J. Lewis, CPT, MSC John R. Schlelderup, B.E.E. Frederick J. Dyen, Ph.D. George S. Harker, Ph.D.

MU No 088

Andree J Lloyd, CPT, MSC
Marvin J Herbert, Ph.D.
Lee S. Caldwell, Ph.D.
George S. Harker, Ph.D.
John R. Schjelderup, B.E.E.
Bruce C Leibrecht, CPT, MSC
E. Booker McClaskey, M.S.

MC No CRO

James N. Cronholm, Ph.D. James D. Mosko, Ph.D. John R. Schjelderup, B.E.E.

RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY			DA OA 6072		71 07 01		DD-DR&E(AR)636			
71 01 22	D. CHANGE	S SUMMARY SCTY	ONE SECUMTE		ADING #4 D		ON SPECIFIC D	ACC 435	A TORE UNIT	
TO NO CODES .	PROGRAM ELFMENT		NUMBER			- 110	WORK UNIT			
. PRIMARY	61102A	3A061102	B71P	02		010				
b contains the	6006 1412472			ļ						
10 1116 (1916)	CDOG 1412A(2			<u> </u>					·····	
	tical Models	for Predic	ting Laser	and	Thermal I	njuries	(18)			
1	Ogy; 009600 M				DING AGENCY				· · · · · · · · · · · · · · · · · · ·	
62 11		CONT	LEANON DATE	DA		1	C. In-			
17 CONTRACT/GRANT		,		-	OURCES ESTIMATE	-			Co (Pr Mossessa)	
P DATENEFARCTIVE		EXPIRATION			PRECEDING					
h HUMBER®	NA	4 AMOUNT		PIBCAL	71		.7	60		
S SIND OF AWARD		f. CUM. AMT.			72	1	.7			
	MGANIZATION	11.20	7	10 PER			''	<u> </u>		
Hq, US	Army Medical nox, KY 40121	Research	Laboratory	A DORES	Biophys US Army Fort Kno	Medical	Researc	h Lat	oratory	
nesponsible impivioual name. Conte, Nicholas F., COL velephone. 502-6241759				PRINCIPAL INVESTIGATOR (PUMIN SEAR HU S ANDRONG PRINCIPAL NAME * Brownell, A. S. VELEPHONE 502-6245749 SOCIAL BECURITY ACCOUNT NUMBER						
31 GENERAL USE				ASSOCIA	TE INVESTIGATOR	ibaum, J	^			
FOREIGN INTELLIGENCE CONSIDERED				MAME	V0261	io auiii, o			DA	
(U) Laser;	(U) Models; (U) Injury;								
23. (U) To and tissues serve to pro- plied to the laser system experimenta	study the mec and to corre edict when la e development ms. The math l requirement	hanisms of late these ser injury of laser s ematical mo	interaction changes wincan be exposafety standodels will	n of th re ecte dard be de	laser racespect to d to occurs for milicefined and	mathema . This tary pe I modific	with bio tical mo knowled rsonnel ed to co	logic dels ge wi emplo nform	that will that will that will be appropried to the	
Accession Nical models	data from cu o. DA OA 6103 describing 1 ermal constan l be used to) will be o aser injury ts and them	correlated threshold mal inacti	with s. vati	those pre The result on rates o	dicted l s will l f skin.	by current be analy: Model	nt ma zed t and t	themat- co eval- cissue	
sulting from	01 01 - 71 06 m exposure tr ncorporated 1 include rapi	a carbon o	lioxide las mage integr	er be	eam with a odel. Thi	Gaussia s mather	an power	dist	ribution	

B71P 02 010 (cont)

Detail Sheet #1

Progress:

Heat flow equations have been developed and the corresponding computer programs completed which describe thermal transients in tissue resulting from exposure to laser beams having a radially symmetrical power distribution. The equations also take into account the absorption characteristics of the laser radiation being considered. The mathematical models are being expanded to include the effects of rapid sequential pulsing of the radiation. Testing of the validity of the equations and the accuracy of the assigned thermal constants with both simple physical models and tissues has been delayed because of the nonavailability of the $\rm CO_2$ laser.

Data from cutaneous burn studies (Project No. 3A061102B71R 01 103) using the CO₂ laser are now being generated. These data will be analyzed by means of the mathematical models to determine the appropriate thermal inactivation rate functions and constants for skin. The complete model can then be utilized to predict the extent of thermal damage in skin resulting from exposure to a wide variety of laser radiations and exposure conditions as well as other radiations and modes of thermal input to the skin.

Publications and/or Presentations:

None.

Selected Bibliography:

Davies, J. M. The effect of intense thermal radiation on animal skin. A comparison of calculated and observed burns. Quartermaster Research and Engineering Command Report T-24, 1959 (DDC AD No. 456794).

Davis, T. P. A theoretical and experimental investigation of the temperature response of pig skin exposed to thermal radiation. University of Rochester Atomic Energy Project Report UR-553, 1959.

Fine, S., W. P. Hansen, G. R. Peacock, E. Klein, F. Hust, and Y. Laor. Biophysical studies with the CO₂ laser. NEREM (IEEE) Record, p. 166, 1966.

Fugitt, C. H. A rate process theory of thermal injury. AF Special Weapons Project Report No. 606, 1955 (DDC AD No. 212660).

Henriques, F. C. Studies of thermal injury. AMA Arch. Pathol. 43: 489-509, 1947.

B71P 02 010 (cont)

Detail Sheet #2

46

Mixter, G., Jr., G. P. Delhery, W. L. Derksen, and T. L. Monahom. The influence of time on the death of Hela cells at elevated temperature. In: Temperature, Its Measurement and Control in Science and Industry. New York: Reinhold Publishing Corp., Part 3, pp. 177-182, 1962.

Vos, J. J. A theory of retinal burns. Bull. Math. Biophys. 24: 115-128, 1962.

Wood, T. H. Lethal effects of high and low temperatures on unicellular organisms. Adv. Biol. Med. Physics, 4: 119-165, 1956.

RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY				DA OA 6076		Ol .	DD-DR&E(AR)636		
71 01 22	D. CHANGE	U SUMMARY SCTY	U SECURITY	NA NA	POINC P.	NL NL	ON SPECIFIC CONTRACTOR		
10. NO CODES: PROGRAM ELEMENT PROJECT NUMBER			TASK A	TASK AREA NUMBER WORK UNIT NUMBER					
- PRIMARY	- PRIMARY 61102A 3A061102B71P		02 013						
b. CONTRIBUTING									
c. Edulatiful für für	CDOG 1412A(2								
The desired the state of the st	Effects of L		tion (18))		
	gy; 009600 Ma								
IS START DATE			TED COMPLETION DATE		HIS AGENCY			MANCE METHOD	
52 07	$=$ \checkmark . \land	CONT		I DA			C. In	-House	
17. CONTRACT/SHANT a DATES/EFFECTIVE: b. NUMBER:* NA		EXPIRATION:		10. RES	-	TE & PROFE		b FUNDS (7- thousands)	
				PISCAL	71	1 3	2	131	
C TYPE:		f. CUM. AMT.			72	1 2	2	108	
	DRG ANI EATION			D. PER	-	HEATION			
	Army Medical nox, KY 40121	Research	Laboratory		Fort K	nox, KY	1 Resear 40121	ch Laboratory	
nesponsible individual name: Conte, Nicholas F., COL recephone: 502-6241759			PRINCIPAL INVESTIGATOR (Pumion Main II U.S. Associate mollifoliary) NAME: Special Security Account Number:						
OREIGN INTE	LLIGENCE CONS	IDERED		NAME:	Mac		T. J., C	PT DA	
22. KEYWORDS (Frecade	EACH with society Closelli	collen Code) (U)	Laser: (U)	Inju	rv: (U)	Hazards	; (U) Mil	itary:	

(U) Preventive; (U) Therapeutic; (U) Electron Microscopy; (U) Cell Culture

13 TECHNICAL OBJECTIVE. 24 APPROACH. 25 PROGRESS (Pumids Individual paragraphs Identified by number. Proceeds total of Security Closel Receion Code.)

- 23. (U) To define the extent of injury to human tissues associated with exposure to laser radiation and to define and evaluate the hazards to military personnel. Cell processes affected by absorption of laser radiation will be studied in order to provide useful knowledge concerning the principal physiological and biochemical changes induced. This, in turn, will lead to the development of better preventive and therapeutic measures.
- 24. (U) Cell processes and structures selected for the suitability of their responses to radiation and to heat will be studied in various ways. Effects upon membrane transport, sugar catabolism, and cell division will be examined in mammalian cells and tissues and in microorganisms. A variety of biochemical analyses will be employed. Microsurgery of cell organelles and electron microscopy of cell structures will be used to correlate structural and functional effects.
- 25. (U) 71 01 01 71 06 30 Monolayers of mammalian cells have now been carried through a long series of subcultures, indicating a stable cell line and cultural conditions. The cells have not yet adapted fully to growth in suspension, required for the large numbers used in some experiments. Freeze-etch and thin section preparations of these cells have been examined with the electron microscope to develop and improve techniques for measuring ultrastructural changes induced by laser radiation and acute thermal stress. Measurements of the transport of various compounds into other cells under varying conditions have been made in studying functional alterations. Knowledge of thermosensitive cell activities and structures can lead to the development of compounds which interrupt lethality or lead to repair, matters of high importance in protecting from laser injury.

DD. " 1498

B71P 02 013 (cont)

Detail Sheet #1

Progress:

To characterize effectively the injuries which may occur in human tissues, studies with mammalian cells have had first priority during the past year. Monolayer cultures of strain KB cells are now routinely available for study. Development of a system for culture of these cells, initiated during the latter part of FY 1970, was slowed late last summer as a consequence of incubator malfunction at high ambient temperatures. Equipment changes, including incubator improvements and room cooling procedures, were made to produce a more appropriate growth facility. Problems of airborne contamination and the lack of sterile transfer areas were resolved with other equipment changes. Attempts to adapt monolayer cultures to a suspension type growth have not yet been successful. This more efficient method of culture would permit continued large harvests of cells under uniform growth and sampling conditions and provide a system highly suited for studies to correlate alterations in ultrastructure with cell processes sensitive to laser radiation.

Along with the development and stabilization of a mammalian cell culture system, biochemical and cytological procedures have been standardized for the measurement of cell growth and cell cycle sequences -by nucleic acid and protein assays -- and the use of freeze-etch preparations, as well as thin sections for electron microscopic analyses of injured cells. Because laser radiation injures by the generation of heat, both direct irradiations and heat-shock experiments have been designed. Intracellular mechanisms which lead to cell lethality or repair in tissues exposed to laser radiation probably are initiated immediately upon exposure. A knowledge of these mechanisms and of the nature of laser-induced injury is prerequisite for devising methods to facilitate repair, a matter of increasing significance in military medicine as the use of lasers increases. Experiments with heat shock are underway; injury and repair are being assessed by electron microscopy and by measurements of the transport of essential types of nutrients into the cell.

Though their priority has been reduced to a minimum, some measurements to elucidate changes in yeasts as a result of heat-shock have been made to round out earlier work with these cells. Heat exposures result in altered rates of glycolysis and sugar uptake. These effects appear to be linked to membrane alterations, a type of change important in many cellular responses. Measurements of the uptake of non-metabolized sugars have indicated an effect by added glucose upon membrane structure separate from the utilization of this sugar as an energy source. Clarification of the details of such a glucose effect would

B71P 02 013 (cont)

Detail Sheet #2

help in understanding a number of responses to glucose by cells of various types.

Publications and/or Presentations:

Maxwell, W. A. and E. Spoerl. Ultrastructural changes in Saccharomyces cerevisiae treated with iodoacetic acid. Presented (by Maxwell) at the American Society for Cell Biology Meeting, San Diego, Calif., Nov 1970; J. Cell. Biol. 47: 132a, 1970.

Maxwell, W. A. and E. Spoerl. Mannitol uptake by Saccharomycec cerevisiae. J. Bacteriol. 105: 753-758, 1971; USAMRL Report No. 879, Jul 1970 (DDC AD No. 714187).

Maxwell, W. A. and E. Spoerl. Uranyl nitrate inhibition of transport systems in Saccharomyces perevisiae. J. Bacteriol. 105: 1205-1206, 1971; USAMRL Report No. 883, Jul 1970 (DDC AD No. 715694).

Spoerl, E. Enhanced CO₂ production by yeast exposed to elevated temperatures. J. Gen. Microbiol. 62: 35, 1970.

Spoeri, E. Disruption of yeast membranes by methylphenidate. J. Bacteriol, 105: 1168-1174, 1971.

Selected Bibliography:

Bessis, M. Micro-irradiation of cells. In: Recent Progress in Photobiology. E. J. Bowen (Ed.), New York: Academic Press, pp. 291-309, 1965.

Photophysiology A. C. Giese (Ed.), Vols. I and II. New York: Academic Press, 1964.

REFERRE	III AND TECHNOLOGY	THE REAL PROPERTY.			OB 6081	71 07			&E(AR)636
71 04 09	D. CHANGE	a sumany	SCTY & BOOK SECURI	NA NA	0000°	NL	CONTRACTOR	ACCESS	A WORK UNIT
10. NO./CODES:0	PROGRAM ELEMENT		REGIUM TOSLO		REA NUMBER	1	WORK UNIT		
PRIMARY	161102A			06		056			
		JAOU	1020711			000			
c. Edulpidyhad	CDOG 1412A(2								
I. TITLE (Proced on	A Boartly Classification Code,								
(U) Disease	es of Laborator	ry Anin	als Used in	Support	of Mili	tary Me	dical Res	earch	(18)
2. SCIENTIFIC MID T	SCHOOLOGICAL AREAS								
	mal Husbandry;								
STARY BAYE	1		IN COMPLETION DAVE		MO VOENCA		10. PERFORMA		
70 06		CONT		DA			C. In-	House	<i>y</i>
T. CONTRACT/ORAN				10. RESO	UNCES ESTIMAT	-	SIGNAL MAN YRS	> FUNC	to (In decrease)
- DATES/EFFECTIVE		-	100:		PRECEDING				
-	NA .			PISCAL	71		.2		6
c 74PE:		4 ABOUR	ı r ı	YEAR	CORRECTO				
		1. CUM.	AMT.		72		.2		.2
	ORGANIZATION			M. PERP		EATION			
FOREIGN INT	TELLIGENCE CONSTITUTE DI PARASITIC DI PARASITICO D	SIVERED	(U) Animals;	MAME:	Burn imals, L	ton, W. s, M. G aborato	H., CPT ., CPT ry; (U) D	iseas	DA es of
countered in the directed arising in (e.g., Africa).	identify, char in laboratory a d to those dise animals from g ica, South Amer rveillance of t its, mice, goat	enimals eases t geograp rica).	used by the hat may be chic areas wh	ommunicate our	igator; able to militar laborat	particu man, an y force ory (no	lar atten d to thos s may be nhuman pr	tion e dis deplo	will eases yed , dogs,
carried out ognized, wi	t on a continuo ill be investig	ous bas gated a	is. The pat nd possible	hogenes control	is of th measure	e disea s studi	se state, ed and in	when stitu	rec- ted.
one shipmer spread of three negations been es	01 01 - 71 06 nt of 30 monkey this disease the tive consecutive stablished to a tive tuberculir	vs dest ne anim ve TB t aid in	ined for mil als were qua ests were ob the detection	itary larantine tained.	aser res d for an Routin vanced t	earch p extend e diagn ubercul	rogram. ed period ostic rad osis in w	To pr l, unt liogra hich	event il phy a

REPORT CONTROL SYMBOL

DD, FORM 1498 PREVIOUS EDIT-ONS OF THIS FORM ARE OSSOLETE. DD FORMS 1400A. I NOV 65 AND 1400-1, 1 MAR 65 (FOR ARMY USE) ARE OSSOLETE.

tained from WRAIR, Washington, DC.

the spread of this disease to other valuable military research primates. A study to determine the extent of bacteriological flora in the animal holding facilities is still in progress. This study is an attempt to ascertain both the efficiency of cleaning and disinfecting schedules and to determine the possible contaminating sources both for valuable research animals and animal caretakers. A laboratory breeding colony of beagle dogs for research support has been established to provide healthy animals with known histories on demand. The initial breeding colony was ob-

B71P 06 056 (cont)

Detail Sheet #1

Publications and/or Presentations:

Morrissey, R. L., D. K. Hysell, and W. L. Janik. Transferrin polymorphism of *Ceracoebus torquatus atys* (sooty mangabey). USAMRL Report No. 901, Oct 1970 (DDC AD No. 716353).

Selected Bibliography:

None.

RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY		DA OA 6084		71 07 01		DD-DR&E(AR)636	
71 01 22 D. CHANGE	SUMMARY SCTY® A. WORK BECUMETY®	NA		NL SPECIFIC		DATA- D. LEVEL OF SUM ACCESS A WORK UNIT	
10 NO /CODES PROGRAM EL CHENT	PROJECT NUMBER		REA HUMBER		WORK UNI	THUMBER	
a PAIMARY 61102A	3A061102B71P	08		085			
b. CONTRIBUTING		-					
CDOG 1412A(2)		<u> </u>					
(U) Military Performance:		f Vis	ion (18)				
012000 Optics; 005900 Env	rironmental Biology;		O Physiol	ogy	14 99998	ANCE METHOD	
63 09	CONT	DA	1	1		-House	
17 CONTRACT/SMANT	CONT	-	DURCES ESTIMATE	A 2002514			
4 DATESEPECTIVE:	g II PI BATION		PRECEDING				
N HUMBER NA		PISCAL	71	1.	.9	149	
£ TYPE:	& AMOUNT:	YEAR	CONNERS	1		T	
& KIRD OF AWARD:	f. CUM. AMT.		72	1	. 9	165	
IS RESPONSIBLE DOD ORGANIZATION		20. PERI		A 710ts			
Fort Knox, KY 40121	Research Laboratory	A DOAEM	US Army Fort Kr	Medica 10x, KY	Resea 10121	gy Division rch Laboratory	
RESPONSIBLE INDIVIDUAL		NAME .	Denai				
Conte, Nicholas F	., COL	-		242025			
есерноне: 502-6241759		BOCIAL	SECURITY ACCOU	HT HUMBER:		f	
JI GENERAL USE		ASSOCIA	ROTAGITESVAL ST	. G. W	CPT		
FOREIGN INTELLIGENCE CONS	IDERED	Lewis, G. W., CPT Schjelderup, J. R. DA					
11. KEYBORDS (Procedo BACH WISh Boowlin Classific		MAME.					
crimination; (U) Duties;	(U) Binocular: (U) N	icht:	(U) Mili	tary; (l	J) Volu	nteer	
23. (U) Enhanced visual pappropriate use of the mebinocular vision and the pression is necessary to night (highly directional muscle balance and visual directly affects the sold 24. (U) Studies will be dexploring the electrophysform vision. In addition stimulation will be studifor human strabismus by sfancy. The visual decren 25. (U) 71 01 01 - 71 06 reduction and analysis of tended refinement of the for stereoscopic presentatis being taken. The initial the depth displacements pain to point. Behar, I. Inegative stimulus on the Mar71; Adams, C. K. and I. G. S. The Mach-Dyorak prat the Ann Mtg of the Ass	chanisms underlying neurophysiological p secure maximal visua or non-directional) disorders, with the dier's ability to execonducted, predominantiological correlates, using cortical and ed. Primate behavious evering the lateralment and changes in e 30 Final hardware is vision electrophysicomputer program for ation of moving stimutial objective shall included by a single the effect of differe aversiveness of the aversiveness of the senomenon and binoculate for Res in Vis and	ntinuvision vision vision vision vision vision varially indeptractured the control of the contro	ous milit n. Knowl ses of vi ormation mination. ety of mi his assig n monkeys and cort h electro reparatio s muscle ophysiolo acing and cal data data ara s been co evaluate g stimulu overtrai ive stimu ivity in sion of m	ary openedge of sual resunder the inline of the injury of	rations the mentions the mention of the condition of the complete studies and the postantitation below the postantitation below the postantitation in the complete condition or below the postantitation in the condition or below the condition of the cond	depends upon chanisms of n and sup- itions of ion of ocular instruments ing humans, tentialsof ts of central d as a model ing early indied. or computer eted. Ex- vay. A setup iminary data tive measures ow the fixa- sitive and ep. No. 923, nkey; Harker, Presented	

Detail Sheet #1

Progress:

A computer program (software) has been developed which will allow digitized electrophysiological vision data to be loaded into a large computer buffer, or core area, from digital magnetic tape. The program follows a system approach incorporating load, digital tape to disc (core) conversion, power spectral analysis, and analysis of variance subroutines. All system control may be made remotely, via a local teletype terminal.

Compatibility between the local digital magnetic tape unit hardware and the large contracted computer facility has been established. The software system necessitated designing-in the capability to convert basic digitized data on the magnetic tape into a format which the computer could accept. Data handling is checked by inputing calibration data before and after the experimental data. Compensatory factors are being included in the software in such a way that two preamplifiers, with differential output may be utilized. The pre-amplifier discrepancies will be accepted or rejected by pre-established criteria for variability. The compensated data is scaled to a calibration record and voltage parameters. Transformation of the scaled data is obtained using a Fast Fourier Transformation (FFT) algorithm. Print-out of the data before and after calibration, before and after scaling, and before and after transformation can be obtained. Transformed data may then be statistically analyzed by calling a completely factorialized, analysis of variance subroutine. Use of analysis of variance allows interpretation of the transformed data (power spectral analysis) in the much more powerful realm of statistics.

In the future, coherence and regression analysis may be incorporated in the software system. In addition to frequency information, carrier frequency and phase information will be incorporated into the computer analysis of the electrophysiological data.

Several specific problems with hardware have been encountered. The digital magnetic tape unit did not accept data to an acceptable tolerance due to skewing of the write and read magnetic tape heads. Parity, the internal check made for correct data input, was also inaccurate, due to the excessive skewing. Acceptable tolerance with the current computer processing of the digital data is much tighter than previously. To achieve the higher tolerance levels the digital tape transport, data electronics, and control unit were returned to a manufacturer's service center for examination and repair. Currently, the interfacing between the local averaging computer-analog-to-digital converter is undergoing a similar upgrading.

Detail Sheet #2

This reduction and analysis system for visual electrophysiology data has been assembled to handle extremely varied types and amounts of analog data. The investigation of tarnet detection and acquisition, comparing periodic and aperiodic visual stimulation, is now underway. In the future, potential clinical usage of this system will be examined. Such usage would include computerized pattern recognition of visual records under biomedical stress, ophthalmic fatigue, and ophthalmic disease conditions. Three papers describing this hardware and software system are in preparation.

Two studies on visual discrimination learning in non-human primates were completed. In one, the effect of differential overtraining of the positive and negative stimulus on the aversiveness of the negative stimulus was compared. It was found that differential overtraining significantly altered the relative aversiveness of the negative stimuli. In the second study, the effects of two types of pretraining were compared on subsequent learning-set formation. Neither win-stay nor lose-shift pretraining when given alone facilitate such learning although the effects of each are quite different.

The initial study of the Mach-Dvorak phenomenon has been completed. Data taking was finished early in the year. Analysis and writeup progressed slowly with recent completion of the manuscript titled Mach-Dvorak phenomenon and binocular fusion of moving stimuli." The major conclusions of this research are: 1) Manipulation of exposure duration demonstrated an equivalence of the relative depth perceived due to eye sequence with that predicted by the rule. The short exposure precedes the long exposure in perception time. Conceivably, the neural characteristics operative in determining the effective eye sequence of short and long exposures are also effective in eye sequencing when the exposures are equal; 2) The simultaneous and alternate neutral points, much as their occurrence is concomitant to the cyclic nature of the stimulation, are not conjugate in their response to experimental manipulations. Both neutral points are responsive to exposure duration though to a different degree and in a manner suggestive of the operation of multiple processes: 3) Manipulation of the luminance level viewed by the referent eye; to reverse the direction of the concomitant interocular illumination difference, produced changes both consistent and inconsistent with the conduction latency explanation offered for the Pulfrich phenomenon. The physical upper limit of perceived depth with manipulation of exposure duration was consistent with that obtained with Δ log 1 differences alone and evidence no discontinuity as the limit of intermittence was approached; 4) Evidence to: a time-locked fusion contour was not obtained. Rather, the data indicate a complex

Detail Sheet #3

interrelation of several possible experimental manipulations though interocular delay, the primary experimental manipulation, requires a zero referent or "fusion contour" for the generation of positive and negative disparity, the presumed mechanism of its functioning; 5) Nasal-temporal conduction-time differences seem to be clearly evident in the divergent-convergent categorization of the obtained data; 6) Simple additivity of the disparities from interocular illumination difference and intermittence was not demonstrated. Rather, the manipulation of intermittence and ruminance produced interactive effects. Thus, the latency explanation of Pultrich is not directly generalizable to Mach-Dvorak; however, no barrier is aftered by the obtained data to the generalization of an explanation of the Mach-Dvorak to the Pulfrich phenomenon.

A new experimental setup providing for electronic control of stereoscopically presented stimuli has been completed. Pilot work has verified the equivalence of this situation to that used in the initial study.

Publications and, or Presentations:

- Adams, C. K. and I. Behar. Spectral sensitivity in the neonate monkey. Presented (by Adams) at the annual meeting of the Association for Research in Vision and Ophthalmology, Sarasota, Fla., Apr. 1971.
- Behar, I. The effect of differential overtraining of the positive and negative stimulus on the eversiveness of the negative stimulus. USAMRL Peport No. 923, Mar 1971 (DDC AD No. 724143)
- Harken, G. S. Vision: Monocular, bi-ocular, binocular Presented at the 16th annual Army Human Factors Conference, ft. Bliss, Tex., Oct 1970.
- Harken, G. S. History and current research program of Experimental Psychology Division, USAMRE, Ft. Knox, Sy. Presented at AMEDD Annual Conference in Psychology, Denver, Coio 1046, 1970.
- Harker, G. S. Ine Mach-Dyeral phenomenon and binecular fusion of moving stimuli. Presented at the annual meeting of the Association for Research in Vision and Chithalmology. Scrasota, Fla., Apr. 1971
- Lewis, G. Willisson research at USAMRL Presented at AMEDD Anual Conference in Psychology, Devier, colo., Dec 1970

Selected 5:50 length of t

Detail Sheet #4

Benignus, V. A. Estimation of coherence spectrum of non-Gaussian time series populations. IEEE Trans. on Aud. and Electroacoust. <u>AU-17</u>: 198-201. 1969.

Benignus, V. A. Estimation of the coherence spectrum and its confidence interval using the Fast Fourier Transform. IEEE Trans. on Aud. and Electroacoust. AU-17: 145-150, 1969.

Deutsch, J. A. and G. B. Biederman. The monotonicity of the negative stimulus during learning. Psychon. Sci. 3: 391-392, 1965.

Dvorak, Uber Analoga der persönlichen differenz zwischen beiden Augen und den Netzhautstellen desselben Auges (On analogies of the personal difference between both eyes and the retinal points of the same eye.) Submitted by Prof. Mach. Sitzgsber. d. k. böhm. Gesell. d. Wiss. in Prag: (Jan.-June): 65-74, 1872.

Efron, R. Effect of stimulus duration on perceptual onset and offset latencies. Percept. & Psychophys. 8: 231-234, 1970.

Engel, G. R. An investigation of visual responses to brief stereoscopic stimuli. Quart. J. Exp. Psychol 22: 148-166, 1970.

Enroth, C. The mechanism of flicker and fusion studied on single retinal elements in the dark adapted eye of the cat. Acta Physiol. Scand. 27 (Suppl. 100): 5-67, 1952.

Harkter, M. R. Evoked cortical responses to checkerboard patterns: effect of check-size as a function of retinal eccentricity. Vis. Res. 10: 1365-1376, 1970.

Julesz, B. and B. White. Short term visual memory and the Pulfrich phenomenon. Nature, 222: 639-641, 1969.

Lee, D. N. Spatio-temporal integration in binocular-kinetic space perception. Vis. Res. 10: 65-78, 1970a.

Lee, D. N. A stroboscopic stereophenomenon. Vis. Res. <u>10</u>: 587-593, 1970b.

Lit, A. The magnitude of the Pulfrich stereophenomenon as a function of binocular differences of intensity at various levels of illumination. Amer. J. Psychol 62: 159-181, 1949.

B71P 08 085 (cont)

Detail Sheet #5

Maffei, L. and F. W. Campbell. Neurophysiological localization of the vertical and horizontal visual coordinates in man. Science, 167: 386-387, 1970.

Ricciardi, A. M. and F. R. Treichler. Prior training influences on transfer to learning set by squirrel monkeys. J. Comp. Physiol. Psychol. 73: 314-319, 1970.

Ruchkin, D. S. An analysis of average response computations based upon aperiodic stimuli. IEEE Trans. on Bio-Med. Engng. BME-12: 87-94, 1965.

Sokol, S. and L. A. Riggs. Electrical and psychophysical responses of the human visual system to periodic variation of luminance. Invest. Ophthal. 10: 171-180, 1971.

To 10 12 D. CHANGE U U WAN NL CORREST PROJECT NUMBER TO A WARD TO THE TOWN OF	RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY			DA OA 6083 71 07 01				DD-DRAE(AR)636			
**************************************								ON SPECIFIC	DATA-	A TORE UNT	
L CONTINUENCE CONSIDERED TO STREET AND A CONSIDERED TO S						DEA NUMBER	NL				
Continue					The second second		088				
(U) Military Performance: Biomechanical Aspects (18) 1 EXEMPTION AND Human Factors Engineering 1	. CONTRIBUTING										
U) # Nittary Performance: Biomechanical Aspects (18)		the state of the latest st									
10.7500 Human Factors Engineering 156 01 CONT DA C. In-House 157 02 CONT DA	(U) Militar	y Performance		anical Aspe	cts (18)					
The company of the control of single and its influence on performance demanded of the individual soldier, a research program has been pursued to study fatigue and its influence on performance. The areas considered include skill deligned as means of allaying the onset of fatigue. 24. (U) A study is being made of the effect of auditory feedback on the efficiency of gross muscle activity. Single motor unit research is concerned with acquisition and acquisition (practice), fatigue, and stress. 25. (U) 71 01 01 - 71 06 30 Studies are also being made of possible sources of interference in learning to acquire and maintain control of multiple motor units. Surface electromyographic assession than the intrial task. Caldwell, L.S. Decrement in learning to acquire and maintain control of multiple motor units. Surface electromyographic studies studies are transferred from one task to another dependent upon the level of fire records that the intrince of facting the components are transferred from one task to another dependent upon the level of fire records. Heaville and interesting the control of single and multiple units. Effort is contributed to surface in learning to acquire and maintain control of multiple motor units. Surface shall be a surfaced to the response of the surfaced to the record of proper that is the first draft stage of preparation. One paper reports support for the regression theory of skill attained in the initial task. Caldwell, L.S. Serial is sometic fatigue function with variable intertral intervals. J. Mot. Behav. 3:17, 1971; Caldwell, L.S. Decrement and recovery in repetitive maximal work sessions. Human factors, 12:547, 1970; Cloyd, A. J., and E.B. McClaskey. Subjective assessions. Human factors, 12:547, 1970; Cloyd, A. J., and E.B. McClaskey. Subjective assessions. Human factors, 12:547, 1970; Cloyd, A. J., and E.B. McClaskey. Subjective assessions.	007500 Huma										
**************************************				PLETION DATE		HIG AGENCY				••	
**************************************			CONT				4				
A ADDITION OF THE PROPERTY OF			EXPIRATION:		10. RES		L & PROFESS		b run		
**************************************					PISCAL	71	2	.8		206	
**************************************	c 77PE:		4 400007:		YEAR	COMMENT					
**************************************	AND RESIDENCE OF THE PARTY OF T		f. CUM. AMT				and the second second	.8		199	
US Army Medical Research Laborator Fort Knox, KY 40121 **********************************	19. RESPONSIBLE 800	GROAM EATION			DO. PERI	ORMING ORGANI	ATION			Superior Section	
FOREIGN INTELLIGENCE CONSIDERED TREVIOUR (Training across in Internal Constitution Code) TO BE STATE INVESTIGATION Herbert, M. J. Caldwell, L. S. DA TREVIOUR (Training across in Internal Code) TO BE STATE INVESTIGATION Herbert, M. J. Caldwell, L. S. DA TREVIOUR (Training across in Internal Code) TO BE STATE INVESTIGATION Last Caldwell, L. S. DA TREVIOUR (Training across in Internal Code) TO BE STATE INVESTIGATION Last Caldwell, L. S. DA TREVIOUR (Training across in Internal Code) To Be State Investigation Herbert, M. J. Caldwell, L. S. DA TREVIOUR (U) Effectiveness; (U) Fatigue; (U) Stress; (U) Motor Unit; (U) Volunteer To Caldwell, L. S. DA TREVIOUR (U) The soldier's mode of response to stress in Using Internal Code) To Stress Internal Code Internal Code To Caldwell, L. S. DA TREVIOUR (U) Performance; (U) Military; (U) Dec Tennal Code To Stress Internal Code To Stress Intern	Fort Knox, KY 40121				-	Fort Kn	Medical ox, KY 4 d, A. J.	Resear 0121	ch Lab	oratory	
FOREIGN INTELLIGENCE CONSIDERED TREATMENT OF THE PROPERTY OF	50	2-6241759			내 그가 없는 그 그는 사람들이 가려면 가려면 하면 생각이 하게 되었다면 하면 사람들이 되었다.						
FOREIGN INTELLIGENCE CONSIDERED TREVEORS (PUTING ACCUSTOR STORMS) CONSIDERED TREVEORS (PUTING ACCUSTOR SERVICE C	Charles of the Control of the Contro										
FOREIGN INTELLIGENCE CONSIDERED INTELLIGENCE CONSIDERED INTELLIGENCE CONSIDERED INTELLIGENCE CONSIDERED INTELLIGENCE ACCOUNTED CONSIDERED INTELLIGENCE ACCOUNTED CONSIDERED INTELLIGENCE (U) Britains (U) Performance; (U) Motor Unit; (U) Volunteer 23. (U) The soldier's mode of response to stressful situations affects his efficiency of promance demanded of the individual soldier, a research program has been pursued to study fatigue and its influence on performance. The areas considered include skill of velopment and degradation of basic and complex tasks through fine motor unit training and military related tasks; and the electromyographic assessment of muscle efficiency of gross muscle activity. Single motor unit research is concerned with acquisition and maintenance of control of single and multiple units. Effort is continuing to identifying basic abilities in complex skills, and changes in skill composition as a function of acquisition (practice), fatigue, and stress. 25. (U) 71 01 01 - 71 06 30 Studies are also being made of possible sources of interference in learning to acquire and maintain control of multiple motor units. Surface electromyographic studies have revealed progressive changes in the amplitude and frequency of potentials related to differences in load and contraction time. Two papers on complex skills are in the first draft stage of preparation. One paper reports that differe skill action i					-	Herb	ert, M.	J.			
ment; (U) Effectiveness; (U) Fatique; (U) Stress; (U) Motor Unit; (U) Volunteer 13. **Technical Conference of the Military Mission. With the increased complexity of per formance demanded of the individual soldier, a research program has been pursued to study fatigue and its influence on performance. The areas considered include skill d velopment and degradation of basic and complex tasks through fine motor unit training and military related tasks; and the electromyographic assessment of muscle efficiency as a means of allaying the onset of fatigue. 24. (U) A study is being made of the effect of auditory feedback on the efficiency of gross muscle activity. Single motor unit research is concerned with acquisition and maintenance of control of single and multiple units. Effort is continuing to identif ing basic abilities in complex skills, and changes in skill composition as a function of acquisition (practice), fatigue, and stress. 25. (U) 71 01 01 - 71 06 30 Studies are also being made of possible sources of inter ference in learning to acquire and maintain control of multiple motor units. Surface electromyographic studies have revealed progressive changes in the amplitude and fre- quency of potentials related to differences in load and contraction time. Two papers on complex skills are in the first draft stage of preparation. One paper reports sup port for the regression theory of skill fatigue. A second paper reports that differe skill components are transferred from one task to another dependent upon the level of skill attained in the initial task. Caldwell, L.S. Serial isometric fatigue functio with variable intertrial intervals. J. Mot. Behav. 3:17, 1971; Caldwell, L.S. Decre ment and recovery in repetitive maximal work sessions. Human Factors, 12:547, 1970; Lloyd, A.J. and E.B. McClaskey. Subjective assessment of effort in dynamic work. J.	FOREIGN INT	ELLIGENCE CON	SIDERED								
23. (U) The soldier's mode of response to stressful situations affects his efficiency and the accomplishment of the military mission. With the increased complexity of per formance demanded of the individual soldier, a research program has been pursued to study fatigue and its influence on performance. The areas considered include skill d velopment and degradation of basic and complex tasks through fine motor unit training and military related tasks; and the electromyographic assessment of muscle efficiency as a means of allaying the onset of fatigue. 24. (U) A study is being made of the effect of auditory feedback on the efficiency of gross muscle activity. Single motor unit research is concerned with acquisition and maintenance of control of single and multiple units. Effort is continuing to identify ing basic abilities in complex skills, and changes in skill composition as a function of acquisition (practice), fatigue, and stress. 25. (U) 71 01 01 - 71 06 30 Studies are also being made of possible sources of interference in learning to acquire and maintain control of multiple motor units. Surface electromyographic studies have revealed progressive changes in the amplitude and frequency of potentials related to differences in load and contraction time. Two papers on complex skills are in the first draft stage of preparation. One paper reports support for the regression theory of skill fatigue. A second paper reports that differe skill components are transferred from one task to another dependent upon the level of skill attained in the initial task. Caldwell, L.S. Serial isometric fatigue function with variable intertrial intervals. J. Mot. Behav. 3:17, 1971; Caldwell, L.S. Decrement and recovery in repetitive maximal work sessions. Human Factors, 12:547, 1970; Lloyd, A.J. and E.B. McClaskey. Subjective assessment of effort in dynamic work. J.	II. KEVBORDS (Procedo	BACH -IA Sowily Closell	come code) (U)	Efficiency	; (U)	Perform	ance; (U) Milit	ary; (U) Decre-	
23. (U) The soldier's mode of response to stressful situations affects his efficiency and the accomplishment of the military mission. With the increased complexity of per formance demanded of the individual soldier, a research program has been pursued to study fatigue and its influence on performance. The areas considered include skill divelopment and degradation of basic and complex tasks through fine motor unit training and military related tasks; and the electromyographic assessment of muscle efficiency as a means of allaying the onset of fatigue. 24. (U) A study is being made of the effect of auditory feedback on the efficiency of gross muscle activity. Single motor unit research is concerned with acquisition and maintenance of control of single and multiple units. Effort is continuing to identifying basic abilities in complex skills, and changes in skill composition as a function of acquisition (practice), fatigue, and stress. 25. (U) 71 01 01 - 71 06 30 Studies are also being made of possible sources of interference in learning to acquire and maintain control of multiple motor units. Surface electromyographic studies have revealed progressive changes in the amplitude and frequency of potentials related to differences in load and contraction time. Two papers on complex skills are in the first draft stage of preparation. One paper reports support for the regression theory of skill fatigue. A second paper reports that differe skill components are transferred from one task to another dependent upon the level of skill attained in the initial task. Caldwell, L.S. Serial isometric fatigue function with variable intertrial intervals. J. Mot. Behav. 3:17, 1971; Caldwell, L.S. Decrement and recovery in repetitive maximal work sessions. Human Factors, 12:547, 1970; Lloyd, A.J. and E.B. McClaskey. Subjective assessment of effort in dynamic work. J.	ment; (U) E	ffectiveness;	(U) Fatig	ue: (U) Str	ess;	(U) Moto	r Unit;	(U) VOI	unteer		
port for the regression theory of skill fatigue. A second paper reports that differe skill components are transferred from one task to another dependent upon the level of skill attained in the initial task. Caldwell, L.S. Serial isometric fatigue functio with variable intertrial intervals. J. Mot. Behav. 3:17, 1971; Caldwell, L.S. Decre ment and recovery in repetitive maximal work sessions. Human Factors, 12:547, 1970; Lloyd, A.J. and E.B. McClaskey. Subjective assessment of effort in dynamic work. J.	23. (U) The soldier's mode of response to stressful situations affects his efficiency and the accomplishment of the military mission. With the increased complexity of performance demanded of the individual soldier, a research program has been pursued to study fatigue and its influence on performance. The areas considered include skill development and degradation of basic and complex tasks through fine motor unit training and military related tasks; and the electromyographic assessment of muscle efficiency as a means of allaying the onset of fatigue. 24. (U) A study is being made of the effect of auditory feedback on the efficiency of gross muscle activity. Single motor unit research is concerned with acquisition and maintenance of control of single and multiple units. Effort is continuing to identifying basic abilities in complex skills, and changes in skill composition as a function of acquisition (practice), fatigue, and stress. 25. (U) 71 01 01 - 71 06 30 Studies are also being made of possible sources of interference in learning to acquire and maintain control of multiple motor units. Surface electromyographic studies have revealed progressive changes in the amplitude and frequency of potentials related to differences in load and contraction time. Two papers										
Mot. Behav. 3:49, 1971; Lloyd, A.J., et al. Subjective and electromyographic assessment of duration during an isometric muscle contraction. Ergonomics, 13:685, 1970.	ifferent vel of unctions Decre- 1970; k. J. ssess-										

B71P 08 088 (cont)

Detail Sheet #1

Progress:

The electromyographic analysis of muscle activity during continuous isometric exercises has indicated that this measure has the potential to provide information regarding the normal development of a fatigue state in a muscle as well as influences from various parameters related to the subject's attitude toward the specific task at hand. The development of fatigue results in a pattern change of muscle activity from a normal random pattern to one of motor unit synchronization. The enset of synchronized signals correlated with the onset of muscle tremors which further interferes with skilled responses. Normal synchronization results during later stages of fatigue. The introduction of some stressors has been demonstrated previously to produce an early onset of the synchronization phenomenon.

Physical performance has been proposed to be an aversive condition to a large number of ambulatory psychiatric patients with the hyperventilation syndrome. This condition was studied as a potential stressor which would produce a decrement in physical performance as a result of inefficient muscle utilization produced by early synchronization. The results indicated that hyperventilators respond aversively to physical activity, yet are more efficient in the isometric exercise than control subjects. A new treatment for immediate symptom alleviation was proposed as a potential means to reduce their military ineffectiveness.

If synchronization could be allayed, sustained performance should improve. Subjects who were provided with immediate feedback of their muscle activity did not increase in the endurance of an isometric contraction but demonstrated that the same performance could be conducted with significantly less muscle activity. It was proposed that this reduced activity would result in an efficiency which would be significant in a long performance series.

Studies have been conducted to relate the synchronization of the muscle activity to central origins. The analysis will consist of the relationship of the neuromuscular signals to EEG signals of the cortical motor area in an attempt to obtain more information regarding central and peripheral contributions to the muscle response.

A further analysis is being made on data where men were required to perform a strenuous task for a predetermined period of time. Preliminary results indicate that men voluntarily suppress the synchronization phenomenon and pace their performance in order to successfully complete the task.

B71P 08 088 (cont)

Detail Sheet #2

Electromyographic analysis of dynamic work represented by treadmill walking has demonstrated a significant difference in muscle activity when compared to a sustained isometric contraction. The men demonstrated a consistent reduction in muscle activity as they approached a maximum voluntary state of fatique. Further analyses are required before any definitive statements can be made. Similar preliminary findings were obtained when a phasic isometric task was introduced.

Research on the general question of the similarities and differences in training or transfer phenomena existing when complex psychomotor tasks are compared to the well-documented data on verbal tasks was suspended during the third quarter, FY 1971, due to breakdown of the Modified Mashburn Apparatus. This work will resume when the contact plates can be rebuilt. Work is progressing on three papers: Performance decrement produced by nine hours of driving, a study of the regression hypothesis of skill fatigue involving shifts in ability patterns, and transfer of training as revealed by changes in ability measures from the training to the transfer task. The transfer study which employed the Modified Mashburn Apparatus (SAM Complex Coordinator) is closest to completion.

The investigation of fine motor skills had advanced in a continuing series of studies on single motor unit training. The basic technique monitors bioelectric activity of motor units by means of fine-wire intramuscular electrodes and has considerable potential in the area of myoelectrically controlled prosthetic devices. Recent efforts have focused on concurrent control of multiple units. Results indicate that with direct auditory feedback of motor unit activity subjects find learning to control a second motor unit considerably more difficult than learning to control the first. In order to determine the reason for this, followed experiments are in progress to examine transfer and retention of training. The results of these experiments should illuminate possible sources of interference encountered when training two or more units concurrently.

Data taken during constant speed walking at two preset mile per hour values has drivenstrated that data taken on the original short treadmill were in some way contaminated. The present data provided the expected relationship that tall men take long strides and short men take short strives, where the previous data had shown that tall men take short numerous strides and short men take long albeit fewer strides. The basic problem apparently was the length of the treadmill and control of drive motor noise. The new treadmill is of the longer version. With problem of noise control, the study will be reinitiated.

B71P 08 088 (cont)

Detail Sheet #3

Publications and/or Presentations:

- Caldwell, L. S. Decrement and recovery in repetitive maximal work sessions. Human Factors, 12(6): 547-552, 1970.
- Caldwell, L. S. Serial isometric fatigue functions with variable intertrial intervals. USAMRL Report No. 886, Aug 1970 (DDC AD No. 714190); J. Mot. Behav. $\underline{3}(1)$: 17-30, 1971.
- Caldwell, L. S. Review of scaling of pain and effort in strenuous physical performance. Presented in a colloquium series for USARIEM, Natick, Mass., May 1971.
- Leibrecht, B. C. Physical performance assessment: motor skills. Presented at AMEDD Annual Conference in Psychology, Denver, Colo., Dec 1970.
- Lloyd, A. J. and E. B. McClaskey. Subjective assessment of effort in dynamic work. USAMRL Report No. 890, Aug 1970 (DDC AD No. 715695); J. Mot. Behav. 3(1): 49-56, 1971.
- Lloyd, A. J. and B. C. Leibrecht. Conditioning of a single motor unit. USAMRL Report No. 904, Oct 1970 (DDC AD No. 716357); presented (by Lloyd) at the 11th annual meeting of the Psychonomic Society, San Antonio, Tex., Nov 1970.
- Lloyd, A. J. Surface electromyography during endurance of isometric contractions. USAMRL Report No. 906, Oct 1970 (DDC AD No. 715746); J. Appl. Physiol. 30(5): 713-719, 1971.
- Lloyd, A. J., J. H. Voor, and T. Thieman. Subjective and electromyographic assessment of isometric muscle contractions. Ergonomics, 13(6): 685-691, 1970.

Selected Bibliography:

- Bigland, B. and O. C. J. Lippold. Motor unit activity in the voluntary contraction of human muscle. J. Physiol. 125: 322-335, 1954.
- Buchthal, F. and A. Madsen. Synchronous activity in normal and atrophic muscle. EEG Clin. Neurophysiol. 2: 425-444, 1950.
- Clamann, H. P. Activity of single motor units during isometric tension. Neurology, 20: 254-260, 1970.

Detail Sheet #4

- Close, J. R. Motor Function in the Lower Extremity. Springfield, Illinois: Charles C. Thomas, 1964.
- Eagles, J. B., A. M. Halliday, and J. W. T. Redfearn. The effects of fatigue on tremor. In: W. F. Floyd and A. T. Welford (Eds.), Fatigue. London: H. K. Lew and Co., Ltd., 1953.
- Eason, R. G. Electromyographic study of local and generalized muscular impairment. J. Appl. Physiol. 15: 479-482, 1960.
- Humphreys, P. W. and A. R. Lind. The blood flow through active and inactive muscles of the forearm during sustained hand-grip contractions. J. Physiol. 166: 120-135, 1963.
- Inman, V. T., H. J. Ralston, J. B. Saunders, B. Feinstein, and E. W. Wright, Jr. Relation of human electromyogram to muscular tension. EEG Clin. Neurophysiol. 4: 187-194, 1952.
- Lippold, O. C. J., J. W. T. Redfearn, and J. Vuco. The rhythmical activity of groups of motor units in the voluntary contraction of muscle. J. Physiol. 137: 473-487, 1957.
- Lippold, O. C. J., J. W. T. Redfearn, and J. Vuco. The electromyography of fatigue. Ergonomics, $\underline{\mathbf{3}}$: 121-131, 1960.
- Olson, C. B., D. O. Carpenter, and E. Henneman. Orderly recruitment of muscle action potentials. Arch. Neurol. 19: 591-597, 1968.
- Reid, C. The mechanism of voluntary muscular fatigue. Quart. J. Exp. Physiol. 19: 17-42, 1928.
- Scott, R. N. Myo-electric energy spectra. Med. and Biol. Engng. 5: 303-305, 1967.
- Wilcot, R. C. and H. G. Beenken. Relation of integrated surface electromyography and muscle tension. Percept. Mot. Skills, 7: 295-298, 1957.

RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY			1	0A 60		71 07			AE(AR)636	
71 01 22	D. CHAN.	S SUMMARY SC TY	U TORR SECURITY	NA NA	ADING	0 0 D10	NL	CONTRACTOR	ACCESS HO	A WORK UNIT
10 40 COES *	PROGRAM FLEMENT	PROJECT			AREA NUM	964		WORK UNIT	NUMBER	
. *****	61102A	3A061T02	B71P	08			089			
1114141	CDOG 1412A(2			 						
	Security Classification Code			Ь						
(U) Militar	y Performance	: Auditor	y Perceptio	n an	d Psyc	hoph	nysics	(18)		
	hology (indiv	idual and	group behav	ior)	; 0129	00	Physiol	gy		
55 01		CONT	CETION DATE	DA		•		C. In-		
17 CONTRACT BRANT		CONT		-	OURCES 85	TIMATE		COUAL MAN YES		i (r- Rossands)
& D4 * # 8/8 F # 8 C * 1 VE		EXPIRATION		-			1		-	,,,
h numbes *	NA			PISCAL	71		2	2.1	<u> </u>	103
L TYPE		4 ABOURT		-	CORRECT					
4 4 40 67 49490		I. CUM. AMT.			72			2.1	<u> </u>	116
19 461POWBIBLE 000 0		<u> </u>		i -	PORMUS OF	464M124	17104			l
• • •	S Army Medica Knox, KY 4012		Laboratory		US A	rmy	ental Ps Medical ox, KY 4	sychology Researc 0121	Divi h Lab	sion oratory
****** 502	te, Nicholas -6241759	F., COL		10C1A	HOME 50	2-62	1m, J. 242025	N .	ne il fu tion	
FOREIGN INT	FOREIGN INTELLIGENCE CONT TRED ***BOCKATE INVESTIGATION** **BOCKATE INVES						DA			
(U) Hearing	(U) Hearing Conservation; (U) Volunteer; (U) Communication									
23. (U) The sounds of combat, radio "static," vehicular, and engine noise are typical backgrounds which degrade the soldier's ability to give and receive necessary commands by voice and electronic means. This research is designed to assess the effects of these sounds on the soldier's performance of military tasks, to evaluate and improve the predictive value of models of processes involved in the communication of auditory messages and to promote hearing conservation in military personnel.										

- 24. (U) Factors influencing attention are being studied using simple signals. The listener acts as an information relay detecting and retransmitting signals. Comparisons between the transmitted and retransmitted signal trains yield readily quantifiable measures of performance. Independent variables include stress induced by competition and instructions, signal-masker parameters, and response bias. Auditory perception is being studied with vocal and voice-like signals and maskers. Emphasis is on the identification of complex signal parameters and their relation to auditory communication and binaural unmasking. Response related factors such as reaction and decision times are regularly monitored.
- 75. (U) 71 01 01 71 06 30 Data collection is complete on a study of the effects of mean signal rate, signal to noise ratio, and intersignal interval distribution on the detection of randomly occurring signals; analysis of the data is underway. Studies of binaural unmasking of discrete frequency signals with pulsed and continuous maskers continue. Mosko, J. D. and A. S. House. Binaural unmasking of vocalic signals. J. Acoust. Soc. Amer., 49, No. 4 (Part 2): 1203-1212, 1971.

DD. TOOK 1498 PREVIOUS EDIT THIS FORM ARE DESOLETE DO FORMS 1496A 1 NOV 66

B71P 08 089 (cont)

Detail Sheet #1

Progress:

Work in the area of attentional processes has resulted in the completion of computer hardware and software comprising a signal generation, experimental control, and data acquisition system. Once calibrated, this system was used to conduct a parametric study of auditory signal detection with random intersignal intervals. The experiment was designed to determine the effects of three variables on detection performance: 1) mean signal rate (two levels), 2) signal to noise ratio (four levels), and 3) intersignal interval probability distribution (two levels: exponential and gamma). The data collected under these 16 treatments are in the form of temporal histograms which in turn are estimates of certain conditional probability distributions related to hits, misses, correct negatives, and false alarms. Analysis is underway. A model of the processes underlying signal detection with random intersignal intervals is under development and is an outgrowth of earlier work (Cronholm, 1968). A paper by Cronholm, "Probability gate statistics," describing some general properties of probability gates used in several models (Luce, 1970; Cronholm, 1968) has been published.

Continued effort in the area of perceptual processes has been devoted to the acquisition and development of equipment because of certain interesting inconsistencies discovered in the binaural unmasking data gathered during the previous year. However, a paper with A. S. House from Dr. Mosko's dissertation on the "Binaural unmasking of vocalic signals" has been published. In addition, Dr. Mosko has produced two USAMRL reports evaluating earplugs, one of which has been published in the open literature. In this study it was shown that the Gundefender earplug offers both improved speech intelligibility and protection from temporary threshold shift equivalent to the standard issue Army plug. Work continues on other problems of speech intelligibility. These studies are concerned with the acoustic parameters of speech signals which govern intelligibility in the presence of unwanted noise.

Work in the third area, response processes involved in auditory communication, is exemplified by pilot studies by Dr. Cronholm of response patterning in the signal detection setting without signals. This work was undertaken to explore how false alarm responses are produced as a function of noise level alone. Mean false alarm rates have been obtained at one noise level. In future experiments interresponse time histograms will be obtained at several noise levels.

Publications and/or Presentations:

B71P 08 089 (cont)

Detail Sheet #2

Cronholm, J. N. Probability gate statistics. Behav. Res. Methods & Instrumentation, 2(4): 160-161, 1970.

Mosko, J. D. Real-ear evaluation of earplugs using one-third octave bands of noise. USAMRL Report No. 907, Oct 1970 (DDC AD No. 715748).

Mosko, J. D. and A. S. House. Binaural unmasking of vocalic signals. J. Acoust. Soc. Amer. 49, No. 4 (Part 2): 1203-1212, 1971.

Selected Bibliography:

Cronholm, J. N. A stochastic model of signal detection under conditions of temporal uncertainty. USAMRL Report No. 782, 1968 (DDC AD No. 693868).

Green, D. M. and J. A. Swets. <u>Signal Detection and Psychophysics</u>. New York: Wiley, 1966.

Grice, G. R. Stimulus intensity and response evocation. Psychol. Rev. 75: 359-373, 1968.

Jerger, J. F. (Ed.). <u>Modern Developments in Audiology</u>. New York: Academic Press, 1963.

Jerison, H. J., R. M. Picket, and H. H. Stenson. The elicited observing rate and decision processes in vigilance. Human Factors, 7: 107-128, 1965.

Luce, R. D. and D. M. Green. Detection of auditory signals presented at random times, II. Percept. & Psychophys. 7(1): 1-13, 1970.

Nickerson, R. S. and D. W. Burnham. Response times with nonaging foreperiods. J. Exp. Psychol. <u>79</u>: 452-457, 1969.

Project No. 3A061102B71R Research in Biomedical Sciences

Task No. 01 Surgery

Work Unit No. 102 Effects of Laser Radiation on Immune Mechanisms

Work Unit No. 103 Cutaneous Burns Induced by Laser Radiation

Work Unit No. 280 Laser Effects Upon Visual Performance

Task No. 03 Psychiatry

Work Unit No. 126 Military Performance: Traumatic Origins of Hearing Loss

Work Unit No. 127 Military Performance: Psychophysics of Visual Perception

Work Unit No. 128 Military Performance: Physical Decrement and Endurance

Investigators

WU No. 102

Anthony J. Luzzio, Ph.D.

WU No. 103

Arnold S. Brownell, Ph.D.

Wordie H. Parr, Ph.D.

David K. Hysell, MAJ, VC

WU No. 280

David I. Randolph, Ph.D.

Wordie H. Parr, Ph.D.

John T. Ervin, MAJ, VC

WU No. 126

George A. Luz, CPT, MSC

James H. Patterson, CPT, MSC

James D. Mosko, Ph.D.

John R. Schjelderup, B.E.E.

WU No. 127

Isaac Behar, Ph.D.
Frederick N. Dyer, Ph.D.
George S. Harker, Ph.D.
John R. Schjelderup, B.E.E.

WU No. 128

Lee S. Caldwell, Ph.D.
Samuel C. Shiflett, CPT, MSC
Andree J. Lloyd, CPT, MSC
John R. Schjelderup, B.E.E.
E. Booker McClaskey, M.S.

RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY					DA OA 6075 71 01 22 DD-DRECAR					
70 10 20	H. TERMINA-	S. SUMMARY SCTY®	4. DONE SECURITY	NA NA	300° 00 0	NL	ON SPECIFIC		A WORK WHT	
10. NO./CODES:0	PROGRAM ELEMENT	PROJECT	NUMBER	TASK AF		2	-	-		
. PRIMARY	61102A	3A061102B7	'IR	01	•	102				
. CONTRIBUTIONS										
c. F########	CDOG 1412A(2									
(U) Effects		iation on I		anisms	(18)					
002600 B1016	ogy; 009600 M		LETION BATE		na aggrey					
			CETION DAVE	DA	No MOERCY		C I			
59 10		CONT				C. In-House				
		EMPIRATION:		IL RESOL	MECES ESTIMAT	C & PROFESS		6 6 7M	Appendix all his	
h oussen:*	NA .	4 AMOUNT:		PISCAL	70	.9		60		
& KING OF AUARO:		f. CUM. AMT.		D. P. 010	71	A STATE OF THE PARTY OF THE PAR	9 .		94	
Hq, US Army Medical Research Laboratory Fort Knox, KY 40121					Biophys US Army Fort Kn	ics Divi Medical	Resear 10121		boratory	
mesponsible impivioual name: Conte, Nicholas F., COL YELEPHONE: 502-6241759				NAME: ** LUZZIO, A. J. TELEPHONE: 502-6246630 BOCIAL BECURITY ACCOUNT NUMBER:						
FOREIGN INTELLIGENCE CONSIDERED				MAME: DA						

- (U) Laser, Injury, Biological; (U) Antibody; (U) Antigen; (U) Immunity
- 23. (U) To investigate, by immunological techniques, the mechanisms that are involved in the production of opacities in the lens of the eye induced by laser radiation. Information in this area will permit a more accurate prediction of the amount of laser energy necessary to cause lens damage, thereby providing better standards for the safety of military personnel employing laser systems.
- 24. (U) Normal proteins of the cornea and lens will be characterized by standard immunochemical techniques. Changes in the antigenic structure of these tissues following laser irradiation will be sought and the relationship of these changes to cataractogenesis will be determined.
- 25. (U) 70 10 01 70 12 31 Column chromatographic and electrophoretic studies to compare protein fractions separated from normal and laser-induced cataractous lenses have been terminated; the decreasing emphasis in laser biology research has prompted this action. The data from these studies are being analyzed for a final report.

B71R 01 102 (cont)

Detail Sheet #1

Progress:

Ocular exposure to high levels of unfocused, pulsed ruby laser radiation results in cataract formation in rabbits. Soluble lens extracts from laser induced cataractous and normal rabbit lenses were studied by electrophoresis, column chromatography, and immunological, and carbohydrate analytical methods. The electrophoretic, immunological, and chromatography data provided no evidence for the occurrence of additional or altered specificity of proteins in laser induced cataractous lenses. However, it was shown that proteins from cataracts behave antigenically the same as heat denatured lens protein. The increase in reactivity is probably due to the increase in antigen combining sites brought about by the aggregation of protein molecules. Hexose and polyol concentrations did not differ significantly between normal and cataractous lenses.

The clinical resemblance of laser induced cataracts to the socalled "glassblower's cataract" along with the aforementioned findings strengthens the contention that laser induced cataractogenesis results from heat alone.

A final report is in preparation.

Publications and/or Presentations:

None.

Selected Bibliography:

François, J., M. Rabaey and L. Stockmans. Gel filtration of the soluble proteins from normal and cataractous humans lens. Exp. Eye Res. 4: 312-318, 1965.

Kabat, E. E. and M. M. Mayer. <u>Experimental Immunochemistry</u>. Springfield, Illinois: Charles C. Thomas, 2d Edition, 1961.

23. (U) To investigate the potential of high intensity laser radiation of a given frequency to induce skin lesions as a function of power density and exposure time; to provide pertinent data for safety standards in military laser systems application; to study laser induced skin burns in animals with respect to susceptibility to systemic bacterial infection. 24. (U) Thermal damage produced in porcine skin by carbon dioxide laser radiation with millisecond and nanosecond exposure times will be determined. Injuries resulting from rapid sequential pulsing of subthreshold exposures will also be investigated. Threshold values in pigmented porcine skin for other laser radiation will be determined. 25. (U) 7: 01 01 - 71 06 30 Two detector systems for scanning the high intensity carbon dioxide laser beam have been completed and tested. The skin of seven pigs has been ex-	RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY			10	4 OA 6103	71 07			ONTROL STUBOL			
(U) Cutaneous Burns Induced by Laser Radiation (18) Octoor Biology; O09600 Masers and Lasers CONT DA	1	D. CHANGE	UU	N/	4		CONTRACTOR	ACC ESS				
(U) Cutaneous Burns Induced by Laser Radiation (18) O02600 Biology; 009600 Masers and Lasers 66 07 CONT DA C. In-House	10 40 - 0014			-	REMUM ASRA	102	BORK UNIT					
(U) Cutaneous Burns induced by Laser Radiation (18) 002600 Biology; 009600 Masers and Lasers (CONT DA C. In-House C. In	6 / UNTRIBUTING	61102A	3A061 1023/1P			103						
(U) Cutaneous Burns Induced by Laser Radiation (18) 002600 Biology; 009600 Masers and Lasers 1								-	<u></u>			
CONT DA C. In-House	(U) Cutaneo	ous Burns Inde		tion (1	8)							
Content of the conten	002600 Bio											
NA ***********************************	i					1						
NA ***********************************	1			10 RES				L 7040	l (for shows anda)			
Hq, US Army Medical Research Laboratory Fort Knox, KY 40121 **********************************	# (-4 #\$/####C *IVE	NΔ	ESPIRATION	8185.81		,	5	1	85			
Hq, US Army Medical Research Laboratory ***********************************		110	4 AMOUNT					 	- 03			
Hq, US Army Medical Research Laboratory Fort Knox, KY 40121 **********************************			f. CUM. AMT.				.5	<u> </u>	60			
FOREIGN INTELLIGENCE CONSIDERED FOREIGN INTELLIGENCE CONSIDERED TECHNOLOGY Is A PROBABLE (Fundamental paragraphs formitted by making in a property of induces skin lesions as a function of power density and exposure time; to provide pertinent data for safety standards in military laser systems application; to study laser induced skin burns in animals with respect to susceptibility to systemic bacterial infection. 24. (U) Thermal damage produced in porcine skin by carbon dioxide laser radiation with millisecond and nanosecond exposure times will be determined. Injuries resulting from rapid sequential pulsing of subthreshold exposures will also be investigated. Threshold values in pigmented porcine skin for other laser radiation will be determined. 25. (U) 7: 01 01 - 71 06 30 Two detector systems for scanning the high intensity carbon dioxide laser beam have been completed and tested. The skin of seven pigs has been exposed to 6 millisecond pulses of carbon dioxide laser radiation. The damage ranged from erythema to steam blebs. The data are now being processed to determine threshold doses	11 985PUBSIBLE 000 (DAG AMIZATION			FORMING ORGANIZ	ATION						
Conte, Nicholas F., COL Conte, Section Content of Society Society Content Second File Scool Conten	Hq, US	Army Medical Knox, KY 40121	Research Laborator	V 1	. US Army	Medical	Researc	h Lab	oratory			
Conte, Nicholas F., COL ***Content** 502-6241759 ***Content** 502-6245749 ***Content** 502-62				PRINCIP				no ilito Hang				
FOREIGN INTELLIGENCE CONSIDERED (U) Laser; (U) Skin Lesions; (U) Safety; (U) Infection; (U) Military (U) Laser; (U) To investigate the potential of high intensity laser radiation of a given frequency to induce skin lesions as a function of power density and exposure time; to provide pertinent data for safety standards in military laser systems application; to study laser induced skin burns in animals with respect to susceptibility to systemic bacterial infection. 24. (U) Thermal damage produced in porcine skin by carbon dioxide laser radiation with millisecond and nanosecond exposure times will be determined. Injuries resulting from rapid sequential pulsing of subthreshold exposures will also be investigated. Threshold values in pigmented porcine skin for other laser radiation will be determined. 25. (U) 7. 01 01 - 71 06 30 Two detector systems for scanning the high intensity carbon dioxide laser beam have been completed and tested. The skin of seven pigs has been exposed to 6 millisecond pulses of carbon dioxide laser radiation. The damage ranged from erythema to steam blebs. The data are now being processed to determine threshold doses			F., COL	781.65								
FOREIGN INTELLIGENCE CONSIDERED (U) Laser; (U) Skin Lesions; (U) Safety; (U) Infection; (U) Military 23. (U) To investigate the potential of high intensity laser radiation of a given frequency to induce skin lesions as a function of power density and exposure time; to provide pertinent data for safety standards in military laser systems application; to study laser induced skin burns in animals with respect to susceptibility to systemic bacterial infection. 24. (U) Thermal damage produced in porcine skin by carbon dioxide laser radiation with millisecond and nanosecond exposure times will be determined. Injuries resulting from rapid sequential pulsing of subthreshold exposures will also be investigated. Threshold values in pigmented porcine skin for other laser radiation will be determined. 25. (U) 7. 01 01 - 71 06 30 Two detector systems for scanning the high intensity carbon dioxide laser beam have been completed and tested. The skin of seven pigs has been exposed to 6 millisecond pulses of carbon dioxide laser radiation. The damage ranged from erythema to steam blebs. The data are now being processed to determine threshold doses	******* 502			10014								
(U) Laser; (U) Skin Lesions; (U) Safety; (U) Infection; (U) Military 23. (U) To investigate the potential of high intensity laser radiation of a given frequency to induce skin lesions as a function of power density and exposure time; to provide pertinent data for safety standards in military laser systems application; to study laser induced skin burns in animals with respect to susceptibility to systemic bacterial infection. 24. (U) Thermal damage produced in porcine skin by carbon dioxide laser radiation with millisecond and nanosecond exposure times will be determined. Injuries resulting from rapid sequential pulsing of subthreshold exposures will also be investigated. Threshold values in pigmented porcine skin for other laser radiation will be determined. 25. (U) 7. 01 01 - 71 06 30 Two detector systems for scanning the high intensity carbon dioxide laser beam have been completed and tested. The skin of seven pigs has been exposed to 6 millisecond pulses of carbon dioxide laser radiation. The damage ranged from erythema to steam blebs. The data are now being processed to determine threshold doses	21 GENERAL USE			ABSOCIA		-			ļ			
(U) Laser; (U) Skin Lesions; (U) Safety; (U) Infection; (U) Military 23. (U) To investigate the potential of high intensity laser radiation of a given frequency to induce skin lesions as a function of power density and exposure time; to provide pertinent data for safety standards in military laser systems application; to study laser induced skin burns in animals with respect to susceptibility to systemic bacterial infection. 24. (U) Thermal damage produced in porcine skin by carbon dioxide laser radiation with millisecond and nanosecond exposure times will be determined. Injuries resulting from rapid sequential pulsing of subthreshold exposures will also be investigated. Threshold values in pigmented porcine skin for other laser radiation will be determined. 25. (U) 7. 01 01 - 71 06 30 Two detector systems for scanning the high intensity carbon dioxide laser beam have been completed and tested. The skin of seven pigs has been exposed to 6 millisecond pulses of carbon dioxide laser radiation. The damage ranged from erythema to steam blebs. The data are now being processed to determine threshold doses				WAME	1							
23. (U) To investigate the potential of high intensity laser radiation of a given frequency to induce skin lesions as a function of power density and exposure time; to provide pertinent data for safety standards in military laser systems application; to study laser induced skin burns in animals with respect to susceptibility to systemic bacterial infection. 24. (U) Thermal damage produced in porcine skin by carbon dioxide laser radiation with millisecond and nanosecond exposure times will be determined. Injuries resulting from rapid sequential pulsing of subthreshold exposures will also be investigated. Threshold values in pigmented porcine skin for other laser radiation will be determined. 25. (U) 7: 01 01 - 71 06 30 Two detector systems for scanning the high intensity carbon dioxide laser beam have been completed and tested. The skin of seven pigs has been exposed to 6 millisecond pulses of carbon dioxide laser radiation. The damage ranged from erythema to steam blebs. The data are now being processed to determine threshold doses	(U) Laser;	(U) Skin Lesi	ons; (U) Safety; (U									
	23. (U) To investigate the potential of high intensity laser radiation of a given frequency to induce skin lesions as a function of power density and exposure time; to provide pertinent data for safety standards in military laser systems application; to study laser induced skin burns in animals with respect to susceptibility to systemic bacterial infection. 24. (U) Thermal damage produced in porcine skin by carbon dioxide laser radiation with millisecond and nanosecond exposure times will be determined. Injuries resulting from rapid sequential pulsing of subthreshold exposures will also be investigated. Threshold values in pigmented porcine skin for other laser radiation will be determined. 25. (U) 7: 01 01 - 71 06 30 Two detector systems for scanning the high intensity carbon dioxide laser beam have been completed and tested. The skin of seven pigs has been exposed to 6 millisecond pulses of carbon dioxide laser radiation. The damage ranged from erythema to steam blebs. The data are now being processed to determine threshold doses					to on; to temic on with ng from Thresh- ed. ty carbon been ex- nged from						

DD resultable to contractors upon originator's approval.

DD resultable to contractors upon originator's approval.

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE. DO FORMS 1498A 1 NOV 69
AND 1498 1 1 MAR 60 (FOR ARMY USE) ARE OBSOLETE.

B71R 01, 103 (cont)

Detail Sheet #1

Progress:

The skin of darkly pigmented pigs was exposed to Q-switched ruby laser radiation with an exposure time of 20 nanoseconds. The resulting damage was evaluated by gross visual observation as well as histological techniques. Depigmentation of the skin at the site of impact of the laser beam was used for visual assessment of damage. Histological evaluation of tissue damage has now been completed by MAJ David K. Hysell, VC, presently on duty at the US Army Research Institute of Environmental Medicine. The measured absorption of visible and near infrared radiation by this porcine skin closely resembles that of darkly pigmented American Negroes. The measured threshold values for damage induced by ruby laser radiation in dark porcine skin can be considered a "worse case" for military personnel.

Progress in the study of skin damage by CO₂ laser radiation was delayed for several months because of an inoperable laser. Upon the repair and return of the laser by the manufacturer, work was initiated to stabilize both the total power output and beam geometry of the laser. Careful control of the temperature environment of the laser head produced reasonable stability of the laser beam.

Two detectors for scanning the high intensity CO₂ laser beam have been completed and tested. Absolute calibration of the devices has presented some problems. However, work is continuing and calibration is expected to be completed shortly.

The skin of seven white pigs has been exposed to 6 millisecond pulses of high intensity laser radiation. The gross damage ranged from erythema to explosive steam blebs. The histological evaluation of the lesions is nearly complete. Final analysis of the data to determine the threshold doses for various levels of injury cannot be completed until the absolute calibration of the scanning devices is complete.

Publications and/or Presentations:

None.

Selected Bibliography:

Brownell, A. S., W. H. Parr, D. K. Hysell, and R. S. Dedrick. Threshold lesions induced in porcine skin by CO₂ laser radiation. USAMRL Report No. 732, 1967 (DDC AD No. 659347).

B71R 01 103 (cont)

Detail Sheet #2

- Davies, J. M. The effect of intense radiation on animal skin. A comparison of calculated and observed burns. Quartermaster Research and Engineering Command Report T-24, 1959 (DDC AD No. 456794).
- Derksen, W. L., J. Bracciavanti and G. Mixter, Jr. Burns to skin by millisecond light pulses. NAVAPLSCIENLAB Project 9400-12, Report 1, 1964.
- Fine, S., W. P. Hansen, G. R. Peacock, E. Klein and Y. Laor. Biophysical studies with the CO₂ laser. NEREM Record, p. 166, 1966.
- Helevig, E. G., W. A. Jones, J. R. Hayes, and E. H. Zeitler. Anatomic and histochemical changes in skin after laser irradiation. First Annual Conference on Biological Effects of Laser Radiation. Fed. Amer. Soc. Exp. Biol. Proc., Suppl. 14, 1965.
- Henriques, F. C., Jr. and A. R. Moritz. Studies of thermal injury. I. The conduction of heat to and through skin and the temperature attained therein. A theoretical and an experimental investigation. Amer. J. Pathol. 23: 531, 1947.
- Lyon, J. L., T. P. David, and H. E. Pearse. Studies on flash burns. The relation of thermal energy applied and exposure time to burn severity. Univer of Rochester Atomic Energy Report UR-394, 1955.
- Moritz, A. R. Studies of thermal injury. III. The pathology and pathogenesis of cutaneous burns. An experimental study. Amer. J. Pathol. 23: 915, 1947.
- Moritz, A. R. and F. C. Henriques, Jr. Studies of thermal injury. II. The relative importance of time and surface temperature in the causation of cutaneous burns. Amer. J. Pathol. 23: 695, 1947.
- Perkins, J. B., H. E. Pearse, and H. D. Kingsley. Studies on flash burns: the relation of the time and intensity of applied thermal energy to the severity of burns. Univer. of Rochester Atomic Energy Report UR-217, 1952.

ALSEARCH AND TE - LEGY HORA UNIT SUHHARY			OB 6070	71 07 (1	DD DRAF (AR)636	
	A PUMPERA BELLANGE TO BE MODE SECONITA	į .	DI-6" PA DH		BE SPECIFIC I	ACCESS	LEVEL OF SUM
71 21 22	PROJECT NUMBER	NA		NL	WORK UNIT NUMBER		A VOIL UNIT
Delines. Delines.	34061102B71R	- 01	HEA HUMBER	280			
a contained as	340011020714	1 01		200			
. come p 1 3 121 2 2							
to the process of the write a destitution cade.		`	<u>`</u>				
(a) Lase treats upon Vi	isual Performance (18	}					
222222 1 HOURACE AREAS	ware and larage						
202633 810'0gy; 209622 Ma	19 ESTIMATED COMPLETION DATE	TIE PUME	HNG AGENCY		16 PERFORMA	me # me \ 1	0.0
68 07	CONT	DA	71 -37	1	C. In-		
T CONTRACT GRANT		10 800	DURCES ESTIMATE		-		M (In they and)
& DATANETECTIVE	ENPIRATION		AMAS 8 9.78	1		+	
Names • NA		PISCAL	71	1.	.9	1	45
C **PE	4 AMDUST	YEAR	- TOWNERY		_	1	49
4 4 40 07 4440	F. CUM AMT.		72	1.	. 9	<u> </u>	47
S RESPONSIBLE DOD ORGANIZATION		1	ORMING ORGANIE		<u> </u>		
Hq, US Army Medical	Research Laboratory	n ame "	Biophysi				
Fort Knox, KY 40121		ADDREM	US Army	Medical	Researc	th Lab	oratory
1			fort kno	ox, KY 40	1121		
1			-		_	(me l'Invidenț	
RESPONSIBLE INDIVIDUAL			Rando		I.		
Conta, Vicholas	., COL		-one 502-6				
TELEPHONE 5/12-5241759		1	SECURITY ACCOU				
GENERAL USE		MAME	re investigator Parr	W. H.			
FOREIGN INTELLIGENCE CONS	SIDERED	HAME		J. T.	MAJ		DA
il at vuonos procede gace alle security Caselle	•"• :••• (U) Laser; (U) Vis	ual; (U)	Electrop	hysiolo	gicai	;
(d) Electroretinographics	; (U) Acuity; (U) Fla	shbli	ndness; (U) Milit	ary	Man Cada	
123. (U) To measure and ex	valuate the effects o	f exp	osure to	laser ra	adiation	upon	the
visual and electrophysiol	logical functions of	the e	ve. Know	rledge ir	i this a	rea w	111
contribute to a better un posure on the visual fund	iderstanding of the e	rrect of vi	s, ir any sible dam	ane as i	t annli	es to	mil-
itary laser systems.							
.24. (U) Monkeys will be t	rained by operant co	nditi	oning tec	hniques	to resp	ond p	ositi vely
to the various visual str	muli required for te	sts o	f acuity,	, dark ac	daptatio	n, mo	nochro-
atic and achromatic diff	ference thresholds an	d cri	tical fli	cker tre	quency	thres	nolds.
Ine ability to discrimina the eye to laser and other	nte in these various	162.12	as to mo	acure of	i, ailer	roduc	ed O
The eye to laser and other Electroretinographic and	evoked continual note	ntial	s will be	used to	evalua	te th	e rela-
tively rapid recovery of	the eye to flashblin	ding	stimuli a	s well a	s to pr	ovi de	cor-
relative data for retinal	exposures of more i	ntens	e, struct	urally o	lamaging	ligh	t.
25. (U) 71 01 01 - 7; 16	30 The right eyes o	fsev	en monkey	's have b	een exp	osed	to
laser radiation. Three a	inimals received appr	oxima	tely 1 mi	Ilijoule	per sq	uare	centi-
meter. Subsequent analys preexposure levels. Seve	is snowed an immedia	te lo	SS OT VIS	roturno	ty to 1	o per	a laval
oreexposure levels. Seve	in weeks diter exposu	re in Th	ree other	animale	receiv	ed a	"min-
imal" dose of approximate	ely 164 microioules of	er so	uare cent	imeter.	Each s	howed	foveal
lesions; nowever, visual	acuity did not change	e. I	n the sev	enth ani	mal a d	ose o	f 720
imicrojoules produced an i	mmediate decrement i	n acu	ity which	returne	d to no	rmal	within !
17 weeks. Subsequently, t	the left eyes of thre	e of	the origi	nal test	: animal	s hav	e been 📑
exposed. The data are co	insistent with the ab	ove r	esults.	Flashbli	ndness	resea	rch has
been initiated with the exposure of rhesus monkeys to various wavelengths of light.					gnt.		
Recovery time data have r	not been analyzed to	date.					
The same of the sa	CHEST THIS FORM ARE OF			1488A 1 NO	v 44		

B71R 01 280 (cont)

Detail Sheet #1

Progress:

The study of the effects of Q-switched ruby laser radiation on the visual acuity of the rhesus monkey has continued. In addition, studies have been initiated to determine the effects of the wavelength of a flashblinding source upon the recovery time of rhesus monkeys.

Visual acuity - Seven rhesus monkeys were trained to discriminate a Landolt "C" from an "O" of the same size. The task required the animal to depress a lever at the beginning of a trial, characterized by the onset of a light and tone in the test module. The lever activated a projector shutter system which flashed either a "C" or an "O" onto a screen located approximately 50 cm in front of the animal. If a "C" was presented, the animal was trained to release the lever immediately. If an "O" was presented, the animal continued to hold the lever down until the light and noise were shut off. Various sized Landolt rings were presented to each animal. Acuity thresholds were determined by computing the Landolt gap size which yielded a correct response 75% of the time. After initial training periods, binocular and monocular acuity measures were obtained for approximately 4 months or until the visual acuity values for each animal had stabilized. During July and August (1970) three trained animals (RM 46, RM 65, and RM 49) were given single Q-switched laser exposures of 1.11, 0.12, and 0.170 mg in the right eye (1.0 mg represents the energy level as which there is a 100% probability of producing a visible retinal lesion, while 0.72 mj and 0.170 mj represent the 75 and 50% probability points, respectively). Irradiations were made at the USAMRDC-AMC Laser Safety Team laboratories, Frankford Arsenal. Two other animals (RM 99 and RM 100) were similarly exposed to 1.0 mj and 0.170 mj, respectively, in January 1971. Two additional animals trained at the Frankford Arsenal facility (RM 13 and RM 16) were given laser exposures in November 1970 and May 1971

The effects of these laser exposures upon the visual acuity of the animals varied as a function of the dose levels used. RM 46, RM 100, and RM 13 received approximately I mj of energy incident at the corneal surface. All three animals showed immediate acuity losses. For 1 (RM 13) to 3 weeks (2.46), acuity was not measurable in the exposed eyes, while the left, or control eyes showed normal acuity. Each of the three animals showed gradual improvement in acuity of the exposed eye during the following 6 to 8 weeks. At this time, the acuity in the right eye stabilized at between 40 to 60% of preexposure

Detail Sheet #2

acuity levels and remained at this level for 6 to 8 months. Ophthal-moscopic examination showed large uniform lesions in each eye completely encompassing the fovea and central macular area.

Animals receiving approximately 0.170 mj of energy (RM 16 and RM 49) showed no changes in the exposed eye 1 hour later. Ophthalmoscopic examination revealed lesions in each eye completely encompassing the fovea, but of less severity than in animals receiving the highest dose.

An eccentric lesion developed in the right eye of one animal (RM 65). The dose was calculated at 0.720 mj at the cornea and encompassed an estimated 80% of the fovea. An immediate loss of acuity to 33% of the preexposure level was followed by a rapid improvement to a normal level of acuity within 4 weeks.

Animals RM 46, 65, and 49 were exposed again in February 1971, this time in their left eyes. RM 46 received approximately 0.170 mj, and RM 65 and RM 49, approximately 1.0 mj. RM 46 showed an immediate decrement in visual acuity in the exposed eye, followed by an apparent return to normality within 2 weeks. The left eye of RM 65 also showed an immediate decrease in acuity followed by a return to its preexposed acuity within 3 weeks. RM 49 (1 mj exposure) showed a slight decrease in acuity in a return to normal values within 1 week.

A seventh animal, RM 99, died 2 weeks after receiving a 1.0 mj exposure and the data were not considered sufficient to include in the analysis.

Three rhesus monkeys are in the first stages of acuity training and will be exposed to the Q-switched laser within 1 month. The three animals already exposed in one eye will receive a second exposure in the other eye within 2 months. The three animals previously exposed in both eyes will be sacrificed soon and, in cooperation with the Joint Laser Safety Team, electron and light microscopic studies will be made to evaluate the observed pathological changes and relate these to the observed changes in visual acuity. Eventually, all of the animals involved in visual acuity tests will undergo this latter examination.

b. Flashblindness - Research has been initiated to determine the factors influencing the recovery of the visual system following exposure to high intensity flashes of light. Previous research (Randolph, J. Opt. Soc. Amer. 58: 424, 1968) has shown that recovery from flashblindness is closely related to both the wavelength of the

B71R 01 280 (cont)

Detail Sheet =3

flashblinding stimulus and the wavelength of the target used to measure recovery. In the present research design one of six wavelengths, each equated for equal power at $1.0 \times 10^{-3} \ \text{w/cm}^2$, will be flashed into the eye of a rheads monkey. Recovery of visual response to one of the six different wavelengths applied at $1.0 \times 10^{-5} \ \text{w/cm}^2$ will then be evaluated by measuring the time required for insilateral and contralateral occipital evoked potentials and the electroretinogram to return to their preflashblinding amplitudes and latencies. Monochromatic light, generated by a krypton laser system, at 468, 520, 530, 570, 643, and 676 nm will be used both for flashblinding and for recovery measurements at each of these wavelengths. Evoked cortical potentials from a number of rabbits and two monkeys at several of these wavelengths have been averaged and are currently being evaluated for variability and relative amplitude and latency differences. When these data have been analyzed, daily fluctuations in both evoked occipital potentials and ergs can be controlled to insure independence of the effects of each wavelength upon the recovery from flashblindness.

Unile the electroretinogram and the evoked cortical potentials are reliable measures of flashblindness recovery, direct measures of the temporary effects of flashblindness would be more directly related to military problems. To accomplish this, rhesus monkeys are being trained to discriminate between various wavelengths of light generated by the Krypton laser. Following this training, each animal will have electrodes implanted in the occipital cortex. Flashblindness effects upon the perception of color and the relationship of this perception to the evoked cortical potentials will then be directly evaluated. Recommendations for flashblindness protective devices can then be made based upon perceptual and electrophysiological criteria.

Publications and/or Presentations:

Randolph, D. L., J. L. Campbell, H. S. Zwick, and E. Beatrice. The effect of foveal laser exposures on the visual acuity of rhesus monkeys. Paper presented (by Randolph) at the Association for Research in Vision and Ophthalmology meeting, Sarasota, Fla., Apr 1971.

Selected Bipliography:

Jones, A. E. and A. J. McCartney. Raby laser effects on the monkey eye. Invest. Ophthal. 5: 474, 1966.

Randolph. D. I. Pecovery time of cats following high illuminance stimulation. J. Prt. Scc. Amer. 58: 424, 1960.

371° 01 280 (cont)

Detail Sheet =4

Randolph, D. I. Electroretinographic and behavioral recovery time of cats to high intensity photic stimulation. In: Davies and Randolph (Eds.), Natick Flashblindness Symposium, NAS-NRC Armed Forces Vision Committee, Washington, D. C., Nov 1969.

Vassiliades, A., et al. Investigations of laser damage to ocular tissues. Final Report, USAF, Aerospace Medical Division, Brooks AFB, Tex., Mar 1968.

RESEARCH AND TECHNOLOG	Y WORK LINIT S	III II ADY		Y ACCESSION	J. DATE OF SE			CONTROL SYMBOL
A DATE PREV SUPPRY IS RIND OF SUMMARY S. SUMMARY SCTYS A. WORK SECURITYS			DA	OA 6082	71 07	OT TO SPECIFE		D. LEVEL OF SUM
71 01 22 D. CHANGE	U ·	U	NA		NL	CONTRACTO	MACCESS	A FORE UNIT
o no codes: PROGRAM ELEMENT	3A06115		03	REA NUMBER	126	WORK UN	T NUMBE	
b. CONTRIBUTING	Shoot	<i>,,</i> ,,,			11.0			
c. F###### CDOG 1412A(2								
(U) Military Performance	e: Trauma	tic Origins	of H	earing L	oss (18)		
007500 Human Factors and	Engineeri		Physi	ology				
55 01	CONT		DA	1	1		1-MOUS	
17. CONTRACT/GRANT		*	16. RESO	URCES ESTIMATI	E & PROFES	BIONAL MAN Y	. 6 701	106 (In double)
A BATENEPPECTIVE:	EXPIRATION:			71		2.2		86
h number: NA	4 ABOURT:		PISCAL	EUNRERY		4.6		
₹ 1100 07 40400 ;	f. CUM. AMT.			72	Ser Supplied to the last	2.2		87
19. RESPONSIBLE SOO SABAMIZATION				DREMAG ORGANIZ				
"ADDRESS." Hq, US Army Medica Fort Knox, KY 4012	1 Research	Laboratory	ADDRESS	US Arm Fort K	mental y Medica nox, KY	al Resea 40121	arch L	vision aboratory
nesponsible mentional name: Conte, Nicholas F., COL velephone: 502-6241759 21. GENERAL USE			NAME: LUZ, G. A., CPT TELEPHONE: 502-6245851 SOCIAL SECURITY ACCOUNT HUMBER: ASSOCIATE INVESTIGATORS					
FOREIGN INTELLIGENCE CON	SIDERED		HAME:		ko, J. 1	A CONTRACTOR OF THE PARTY OF TH	CFI	DA
11. KEV BORDS (Prototo BACH with Southly Closelfs	soften Code; (U)	Noise Dama	ge; (U) Heari	ng Loss	; (U) A	iditor	y System;
(U) Combat Effectiveness	; (U) Susci	eptibility;	(U)	Protecti	ve Devi	ces; (U) Volu	nteer
23. (C) Reclassification connected, noise induced addition, increased incito assure military benefical parameters of milit the human auditory syste be used to evaluate and 24. (U) The relation betistics of noise, and sus and animal ears. Human projected through the Artive devices made availa 25. (U) 71 01 01 - 71 06 impulsive noises has bee of novel sound patterns data are being initiated investigation of the parance has been establishe been constructed to stud and audiokinetic nystagm Group Mtg on "A review ovironment, Bethesda, MD, threshold shift and perminoise. USAMRL Rep. No. the chinchilla ear to daily to a sure of the construction of the chinchilla ear to daily the sure of the chinchilla ear to daily the sure of the chinchilla ear to daily the sure of the chinchilla ear to daily the chinchilla ear to daily the sure of the chinchilla ear to daily the c	, hearing dence of he it from speary noise im. These of improve he ween physic ceptibility studies will my 1985 Follower ble to this 30 The arm completed in chinchil. A computameters of d and the ity direction ws. Mosko, f the adver Jun71; Luzanent thres 928, Apr71;	loss critice aring loss ecialized to the psychologopath to the psy	ally amon raini hophy other ction erist o noi the h dy. the d ter-c d to led d ise a in h -title cal e in r and	reduces g induction. I	combat e ees requisive research and end itary pene ear, e will be ined from it progra running ich will effects otained. oosed to present f sound ationship ikeys ex	effective in the posed to Fin the posed to Fin the posed to suscep	enessions sites to behavior so the design of	. In election he phys- vior of a, will racter- human comments crotec- cosed to tection hary stematic perform- ation has comments Ad Hoc ary en- mporary ulse

B71R 03 126 (cont)

Detail Sheet #1

Progress:

In one study (also mentioned in last year's report), no relationship could be found between TTS and PTS in a group of monkeys exposed to impulse noise (USAMRL Report No. 928, Apr 1971). Other relationships did emerge. This study suggested—but did not prove—that a small amount of PTS at one audio frequency may produce an increased sensitive and increased resistance to TTS at some other frequency. Thus, this study confirmed a similar observation for tank crew men, whose low frequency hearing appeared to improve during the course of 20 years service, a period during which their high frequency hearing drops by 40 dB (Paparella and Melnick). The study also supported the clinical concept that high frequency PTS is a more sensitive index of damage to hearing than is low frequency PTS.

At the end of the study, the monkeys were turned over to Drs. Jordan, Pinheiro, Jiminez, and Chiba of the Inner Ear Research Program at Case-Western Reserve University Medical School. These investigators provided USAMRL with cochleograms of the monkey ears. (A cochleogram is a graph of the percentage of sensory cells present in the cochlea as a function of distance within the cochlea.) The results of the eleven analyses were so impressive that it was decided to build the potential for the same type of histology (i.e., the "surface preparation") within the Experimental Psychology Division. The necessary equipment is being purchased and Mr. Carl Guthrie was trained in this technique by Dr. David Lipscomb, Director of the University of Tennessee Noise Study Laboratory.

The surface preparation of histology allows one to make a comparison between the patterns of hair cell damage induced by different types of noise. Thus, it can provide one kind of index of hazardous noise. Although it is a relatively new technique, it is already being used to index the hazard of different kinds of impulse noise. For example, Hamernik et al (1971) have shown how the extent of hair cell damage changes as the number of impulse exposures is increased and how the pattern of damage differs between two different shapes of impulse. A parameter not yet explored which is within the immediate research capacity of USAMRL is the effect of impulse width on the pattern of damage, an experiment which is easily programmed with the variable width impulse generator, developed several years ago through an SGO contract to R. Benson and Associates.

The development of a still more versatile impulse generator was begun in the past year. From the digital to analog converter of the

B71R 03 126 (cont)

Detail Sheet #2

PDP-8 computer, a short transient voltage is fed into a powerful amplifier. The amplifier drives a public address system driver which is closely coupled to the ear. In initial tests, this system produced impulses with peak levels of greater than 150 dB SPL. Although the level of these impulses cannot match those produced by the variable width impulse generator, they can be shaped in rather precise ways, a feature not present in the other system. For example, one can change the shape of the impulse while keeping the total energy of the impulse constant.

Although the development of the capacity for inner ear histology is important, it would be naive to suppose that an adequate index of hazardous noise could be produced from this technique. There are many cases in which hearing loss does not correlate with the loss of hair cells. An obvious example is any hearing loss connected with changes in the ossicles of the middle ear. Even within the category of what is conventionally termed "sensorineural loss", there is often a lack of correlation between audiometric and histological measures. For example, Bredberg, in an important study of the surface preparation histology of human ears, found cases of histological loss without comparable audiometric loss and cases of audiometric loss without comparable histological loss. Assuming that neither the histologist nor the audiologist made a mistake, such cases would suggest that there are more factors underlying sensorineural loss than the loss of hair cells. During the past year, the research program at USAMRL has obtained data that would suggest this is so. When the patterns of PTS in the noisedamaged monkeys were compared with the respective cochleograms, it was apparent that large amounts of hair cell loss can be sustained with only small shifts in thresho'd sensitivity. More than 90% of the outer hair cells had to be destroyed at some point in the cochlea before the monkeys showed a corresponding dip in their pure tone audiogram. These results corresponded to those of a similar study carried out with chinchillas at the Central Institute for the Deaf in St. Louis. On the other side of the coin, a study in which chinchillas were exposed to the same impulses as the monkeys (USAMRL Report No. 921, Mar 1971) yielded small but consistent losses of pure tone sensitivity with insignificant losses of hair cells. This analysis was provided by Dr. Lipscomb and also by our own laboratory.

Conceivably, the chinchillas suffered a displacement of the ossicular chain. On the other hand, there could have been permanent changes in the input impedance of the inner ear. Such changes of impedance within the inner ear have been suggested by several investigators (Beagley, Khanna, and Tonndorf). The possibility of a

B71P 03 126 (cont)

Detail Sheet #3

reversible change in inner ear impedance was also underscored in the model of impulse noise induced ITS published this year in collaboration with Ur. David Hodge of REL, Aberdeen Proving Grounds.

Since the model is speculative (as is the concept of reversible changes in inner ear impedance), effort has been devoted this year to exploring the "S-type" of ITS postulated in the model. Two questions were asked: (1) Can the S-type of ITS be demonstrated in species other than rin and monkey? (2) Is the S-type ITS merely an artifact of behavioral audiometry or does it show up in physiological measures of the auditory system? To answer these questions, evoked potential audiometry was carried out on chinchillas. Most of the year has been devoted to the development of a suitable system for evoked response audiometry. As yet, there is too little data available for any conclusion.

fuced with the lack of correlation between hair cell loss and PTS. many auditory researchers have begun to search for more sensitive measures of auditory sensitivity. During the past year, efforts have been made to find auditory discriminations that are more sensitive to noise than is the detection of pure tones. A program that tests the ability of human ears to discriminate between transients having identical energy spectra (but differing shapes in time) has been adapted for use with the This program runs three subjects simultaneously and performs preliminary analyses of the data. The PDP-8 has also been programmed to test auditory discrimination in the chinchilla. In this program, sounds are presented at regular intervals (e.g., once every 15 seconds). Whenever there is a change in a parameter of the sound, the subject is required to respond. Although this program will eventually be used to study noise damage or the chinchilla, the initial experiments have been directed to answer some basic questions about the nature of this paradigm.

Another problem common to noisy environments is the effect of noise or other sense modalities. Instrumentation is being constructed to study directional hearing in humans exposed to noise environments and audio-kinetic mystagmus.

Publications and/or Presentations:

Jacobson, E. J., M. P. Downs, and 1 L. Fletcher. Clinical findings in high frequency thresholds during ototoxic drug usage. J. Aud. Res. 9: 379-385, 1480

B71R 03 126 (cont)

Detail Sheet #4

- Luz, G. A. Current studies of hearing at USAMPL. Presented at AMEDD Annual Conference in Psychology, Fitzsimons General Hospital, Denver, Colo., Dec 197:
- Luz, G. A., J. L. Fletcher, ... '. Frave), and '. D. Mosko. The relationship between temporary turnshold suift and permanent threshold shift in rhesus monkeys exposed to impulse mosse. "ISAMPL Penart No. 923, Apr 1971.
- Laz, G. A. and C. C. Hodge, Pecovery from impulse-noise induced TTS in monkeys and men: A descriptive model. J. Acoust, Soc. Amer. 49: 1770-1777, 1971.
- Luz, G. A. and J. D. Moske. The susceptibility of the chinchilla ear to damage from impulse noise. "CAMPL Report No. 921, Mar 1971; presented (by Luz) at the Spring Meeting of the Acoustical Society of America, Nashington, D. C., Apr 1971
- Mosko, J. D. A review of the adverse bioredical effects of sound in the military environment. Presented to Federation of the American Society for Exper. Biology Ad Hoc Group Meeting, Bethesda, Md., Jun 1971.
- Mosko, J. D. and D. L. Fletcher. Growth and recovery of temporary threshold shifts following extended exposure to him-level, continuous noise. ASAMO Conference Proceedings No. 82 on Adaptation and Acclimatisation in Aerospace Medicine. pp. 2-1 2-6, 1971; presented (by Mosko) at the 27th Aerospace Medicine Fanel, Garmisch, Germany, Sep 1970.
- Mosko, J. D. and J. L. Fletcher Evaluation of Sundefender earplug: Temporary threshold shift reduction and specch intelligibility. USAMRL Perort No. 903, Oct 1970 (DOC AD No. 716356): 1 facust. Soc. Amer. 49, No. 6 (Part 1): 1732-1733, 1971.
- Mosko, J. O. C. L. Fletcher, and G. A. Luz. Growth and recovery of temporary thrashold shifts following extends Lexposure to high-level, continuous noise. INAMPL Report No. 331, No. 3370 (000 AD No. 717232).
- Patterson, 2 1. and 9. M. Green Discrimination of transient signals having identical energy spectra. . Acoust. Soc. Amer. 48: 894, 1970.

B71R 03 126 (cont)

Detail Sheet "5

Patterson, J. H. and D. M. Green. Masking of transient signals having identical energy spectra. Presented at the Round Table on Auditory Masking at the Tenth International Congress of Audiology, Dallas, Tex., Oct 1970; Audiology, 10: 85-96, 1971.

Peck, A. F. The use of evoked potential audiometry for the rapid assessment of hearing in unanesthetized chinchillas. Presented at the Kentucky and Indiana Psychological Association Meeting, Louisville, Ev., Mar 1971.

Selected Bibliography:

Beagley, H. A. Acoustic trauma in the guinea pig. I. Electrophysiology and histology. Acta Otolaryng. 60: 437-451, 1965.

Bredberg, G. Cellular pattern and nerve supply of the human organ of Corti. Acta Otolaryng., Suppl. 236, 1968.

Hamernik, R. P., D. Henderson, D. S. Dosanjh, and R. Sitler. Impulse noise: Some electrophysiological and anatomical effects. Presented at the Seventh International Congress of Acoustics, Budapest, Aug 1971.

Khanna, S. M. and J. Tonndorf. The vibratory pattern of the round window in cats. Presented at the 81st Meeting of the Acoustical Society of America, Mashington, D. C., Apr 1971.

Lipscomb, D. M. Ear damage from rock and roll music. Arch. Oto-laryng. 90: 29-39, 1969.

Paparella, M. M. and W. Melnick. Stimulation deafness. In: A. B. Graham (Ed.), Sensorineural Hearing Processes and Disorders. Boston: Little, Brown and Co., Ch. 32, pp. 427-433, 1967.

MESEANCH AND TECHNOL OF MOLK UNIT SUBBARY	. thunk o	71 97 91	1 1- 1-m 6 6 m.s.s
The state of the s	H 01 - 0 1 10 0 6 0 0 10	9 0 10 10 0 10 10 10 10 10 10 10 10 10 10	
7) 01 22 9. CHA's 2 1 1	1 1000 0000 000000	11 12 191	1 0 0000
61162A JAOC 1020719		127	
0 401040-1404	-		
16144164 (001 14)			
(U) Military Performance. Psychophysics of	itual Percepti	ion (18)	
1 1 00 1 1 00 16 1000 Dec 0 1000 of			
013400 Paychology (Individual and group inter-	V OF .	431116	TISE STORE
50 08	94 ,		n-11005#
of Theister Super		* ******** *** ***	
6 44 76 LE F 19 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	71	1.4	69
n cropes * NA n nomes *	10.0	1.4	
4 + 15 00 00000	72	1.4	75
i dintel ka matantusa	A PERSONAL SERVE	1-46	
" Hq, US Army Medical Research Laboratory		ental Psycholo	
Fort Knox, KY 40121			rch Laboratory
	Fort Kno	DR. KY 40121	
		-	
Conta Habalas E COI	levere for a	-, 1. 2420 25	
••• Conte, Micholas F., COL ••••• 502-6241759			
1 10100 110			
FOREIGN INTELLIGENCE CONSIDERED	Maria	, f. 4. er, S. S.	<u></u>
W CONTROL TO THE CONTROL OF THE CONT			•
Vision: (U) Target Detection			
15 ********* ********* 16 **************	P-1777		
23. (U) Continuous military operations require under illumination conditions which severely			
ferences in visual skill are studied to enhan			
ization of optical devices. The monkey is us			
sessing potentially hazardous conditions. Pe			
timate determiner of effective visual function lection criteria to identify soldiers with su			provide for se-
24. (U) Experimental set-ups are being develo	ped for the st	uc/ of static	
visual resolution for a wide variety of condi	tions includin	g a broad rand	e of lumi-
nances, target contrasts, spectral composition tion depth and frequency. Results will be ex			
functions to facilitate the determination of			
selection criteria for superior visual skills	. Parallel ex	periments will	be conduct-
ed using infram man primates as subjects. 25. (U) 71 01 01 - 71 06 30 Optical and elec	romic systems	am continuis	o to be devel-
oped for the evaluation of wavelength offects	in visual late	ency and for t	he determina-
tion of visual resolution for synamic targets	at protopic a	nd scotopic le	vels, for fov-
eal and peripheral sites, and at varying cont	rast levels.	Data collection	n is in prog-
ress on studies of central variables in visua puter generated stimuli. The tire between th	i information :	processing, in	couding com-
and interfering stimuli is a potent variable			
tatencies for matching of word-color pains we	in "irrelevant	" words or col	ors. USAMRL
Rep. No. 920, Fet 71; Dyer, F. N. A compariso	on of chromatic	c and achromat	ic versions
of the Stroop color-word tests (sychon, Sci.	22(4): 235, 19	971.	
gratiaNo to controvers own angritude of the			

871R 03 127 (cont)

Detail Sheet #1

Progress:

largely through the Stroop paradigm, i.e., combination of word and color stimuli with resultant difficulty for color naming, the central processing of visual stimuli was studied. Bilinqual performance with interfering words in one language and naming in another indicated that the site of this interference is at a cognitive or perceptual level rather than an overt response level. Manipulation of the relative processing rates of color and word information indicated that precise arrival or the processed word and color stimuli is necessary for high color naming interference. Even by manipulating these timing relationships, however, no appreciable interference could be generated in an analog of the Stroop paradigm where movement direction Inis implies that basic differences and direction names were combined exist between the central processing of color and movement. This appears to be the first demonstration of central processing differences in contrast to well-known peripheral processing for different visual dimensions.

Since the human eye has considerable axial chromatic aberration, it is necessary when studying the sensitivity or resolution of small chromatic stimuli to correct this aberration with the use of an "achromatizing" lens. This lens, when moved laterally in front of the eye while viewing an intricate multicolored pattern, produces an interesting visual effect which has been termed the "dancing arabesque." This consists of a relative change in the spatial position of areas of different color. An explanation of this effect is based on the measured refractive power of the lens as a function of wavelength; below 500 nm the lens is progressively negative while above 500 nm it is progressively positive. Secondary visual effects are an illusion of depth, and the production of a border in the absence of one, or the exaggeration and minimization of borders when present.

Instrumentation, both optical and electronic, has been completed for the study of wavelength effects in visual latency. Whereas prior studies addresse to this question have confounded a luminance change with the onset of the chromatic stimulus, and since there is good electrophysiological evidence that luminance information is carried by separate fiber systems and has precedence at the cortex, the present research system was designed to effect a change from a maximally desaturated stimulus to one of maximum saturation with no change in total luminance.

A pilot stady runniff in tachistoscope utilizing a same and difference task demonstrates are an aribility of differentiating colossal

B71R 03 127 (cont)

Detail Sheet #2

transfer between the two hemispheres of the brain. This work was modeled after existing studies in the arrestature to look at the possibility of using this technique for the lock of a brain function with respect to linguistic, counitive, and percentum tunctions. The technique is confounded by the necessity to port out respect control in order to attribute the findings to the representations.

Publications and/or Presentations

- Bahar, I. The darched arabesium. an unusual visual effect. USAMPL Report No. 913, Nov 1970 (1990 Ab No. 718027).
- Dyer, F. N. Gord reading, color relice and Stroop interference as a function of background leminance. JCATL Peport No. 889, Aug 1270 (DDC AD No. 716351).
- Dyer, F. N. Latencies for matching of word-color pairs with "irrelevant" words or colors. USAMPI Report to 920, Feb 1971 (DDC AU No. 724141).
- Dyer, F. W. Color naming interference in monolinguals and bilinguals with matching and non-matching interfering and naming languages. USAMRL Report No. 908, Oct. 1970 (DDC 4D No. 717239).
- Dyer, F. M. A comparison of chromatic and achromatic versions of the Stroop color-word test. USAME. Report No. 305, Oct 1970 (DDC AD No. 715747); Psychon Sci. 22(4): 235-237, 1371.
- Dyer, F. N. The duration of word maning: Stroop interference for different word to color intervals. Fresented at the 11th annual meeting of the Psychonomic Society, an intenio, Tex., Nov 1970.

Selected Riblinguaphy:

- Bedford, P. I and G. wszell: "Wal shomatic aberration of the human eye -1.0 Dt. Soc. When, 47: 064-565, 1957.
- Klein. G. S. Semantic rowar managed through the interference of words with color nament. Area of Psychol. 7: 576-588, 1964.
- Pollack, J. D. Peaction time to different wavelengths at various luminances. Percept & Psychopia 19 10-4. 1068.

B71P 03 127 (cont)

Detail Sheet "1

Sternberg, 5. The discovery of processing stages: Extensions of bonders' method. In: 11. G. Koster (Ed.), Attention and Performance II. Acta Psychologica, 30: 276-315, 1969.

Stroop, J. R. Studies of interference in serial verbal reactions. J. Exp. Psychol. 18: 643-662, 1935.

RESEARCH AM	D TECHNOLOGY	SORE GAT SU	······································		03 6071	71 07		(1) (1)	167 14 M 16 16
1 01 22 0,	Cichhill	. 1-00101 0. 11	***** ********************************	1.6	\$ 40 G to	til		601. 01.000	A 9944 MMT
				****			-		
	102A	JA061192a	Li*	- 23		126			
	T 14126 C								
(U) Military Po		Physical	Decrement	o e d	1 Obst. Colls	int (18)			
is stidmbibit boğ facmobi									
013400 Psycholo	ogy (indivi		oup behav	100			्य गाम्ह	o Section 1	
68 07		CONT	• • • • • • • • • • • • • • • • • • • •	JÁ	i			-ilous e	
11 18519311 SR351					eran diese in ein ein Nodelde betraste Laaren australie			b Fue(10 (to 00000)
1		(1949-1444		P - 9 E A .	71	2	. 1		88
6 ****		4		7848	PERSONA.	ļ	<u></u>	1	
4 444-444	111/2	ILCUM AMT.		M 886	72		. 1		90
	L	Dog u such d	<u> </u>	1					4400
nq, us ni	rmy medical k, KY 40121	Research L	aboratory		Experinc US Army	hedical	Resear	y Ulyi ch Lab	oratory
**************************************					Fort Kno	. KY 4	0121		,
				-	AL IMVESTIVATOR			pag 1100 - 1004	
	Nicholas F	COL		WAME .	' Caldwo ++++ 502-62	11, L.	S .		
**** 502-624		., COL			87 CU-17 F ACCOU				
)' 66m6 mAL 198				4550C14		•			
FOREIGN INTELLIGENCE CONSIDERED						tt, 5.			11.
Personality; (l	J) Decremen	t; (U) Difi	ferences;	(U) E	ons; (U) indurance;	Effecti (1' ra	veness:	(0)	ork: (J) lunteer
23. (U) Plannin	of for cont	inuous and	sustained	mili	tary oper	allons	requires	know	ledge of
the performance	capabilit	ies of man	and of the	e obs	erved dif	ferer ce	s in ris	resp	onse to
work stress. Swith repeated w									
Individual patt	terns and d	egrees of d	le crement	are e	xamined i	n their	relation	onsnip	to pers-
onality variable to physically of	es to bett	er unders ta	ind the bas	sis f	or indivi	dual di	fference	s in	rasponse
24. (U) Success	iva strëng	th decremen	it function	ns fo	r maximal	work 1	oading w	ith v	ariea
rest intervals for various con	are being	studied to	derive a	gener Ico	al formul	a to pr	edict of	tput	levels
factors which i									
(treadmill walk ables as compet	ing) is co	ncerned wit	n the effe	ects	on perfor	mance c	such s	ocial	vari-
in work output						01177	4 ,40 4	(41111	21011003
25. (U) 71 01 C	11 - 71 06	30 A serie	s of stren	ngth	and endur	ance to	sts were	made	on a
group of ten subjects at 4 hour intervals during a 6 day period including one 36-hour period of continuous work. Between the strength and endurance tests the subjects							ts		
worked on a battery of performance tests involving light physical activities. We ap-							No ap-		
preciable decline in physical output was obtained during the period of continuous per- formance but there was some evidence that the subjects tended to york at less than a									
maximal level in the initial work periods in preparation for the period of high demand.									
A second treadm	nill has be	en installe	d and cali	iorat	ion and p	relimin	ar, test	ing is	s under-
way. Shiflett,									
Rep. No. 917, J physical perfor									
*Available to contractors upor	oricinators agrees						_	ns , 17124	, 11dy/1.
DD *** 1498	PREVIOUS EL	DITIONS OF THIS	FORM ARL ORS	OLET	DO FORMS	400A 1 NO	V 4.		

B71R 03 128 (con:)

Detail Sheet #1

Progress:

Studies of miscular output in serial isometric contractions have shown that with a wide variety of work-rest ratios the shape of the fatigue function tended to remain constant. The effect of shortening the work period on lengthening the rest period was simply to increase the mean level of output. Also, successive fatigue functions tended to be quite similar and the primary effect of repeating the performance with inadequate rest periods was to reduce the mean output. For all conditions or work and rest the adjustment to the work schedule occurred early in the series of trials with the principal decrement evident by the second trial. The results of these studies suggest that with a short sample of performance under a given condition of work and rest times one can predict the decrement which would be produced by lengthy performance at that specific work-rest ratio since the rate of reduction in output tends to remain constant after one or two sessions.

Soveral investigators have reported that strong subjects incur more fatigue than do weaker ones performing under the same conditions. Recent studies in this laboratory have shown that there is an appreciable correlation between the strength of an individual and the absolute reduction in output produced by a period of maximal muscular output but that the relative (percentage-of-maximum) loss is unrelated to strength. Thus, we have not found, as some contend, that strong muscles are less efficient than weak ones. Also, in a study of the fatigue functions of strong and weak muscle groups in the same subjects the relative decrements were found to be quite similar. It has been repeatedly observed that the relative decrement produced by a sustained contraction is wincipally determined by the relative starting point. That is, those subjects who begin near their previously determined maximum output levels have a greater absolute and relative decrement than those who start at lower levels, and the relative starting points are unnilated to strength.

In a recent study muscular strength and endurance were measured at 4-hour intervals during two 12-hour working days followed by a 36-hour period of continuous activity and then two final 12-hour working days. Except when being tested for strength and endurance, the subjects were engaged in primarily sedentary tasks. There was no appreciable reduction in output during the sustained performance phase of the study but this was apparently caused by a reduction in output level in anticipation of the period of maximum stress. The results of this study suggest that even with instancement to work as hard as possible at all times

B71R 03 128 (cont)

Detail Sheet #2

there is a general tendency to maintain a performance reserve in anticipation of future requirements. In this is true, the decrement functions for lengthy work session should not show the initial rapid reduction in output typical of brief work sessions, and the starting points for long sessions should be lower than for brief ones. This interpretation is not supported by the work-rest ratio mata, but there was a limited range of trial durations employed in these studies. Data are now being collected to answer the question of whether trial duration influences the form of the decrement function. In this study durations ranging from 30 to 120 seconds are being employed.

Studies of the influence of social factors on physical performance have shown that prior performance produces strong context effects which may obscure the subtle influences of social variables on performance. In one study audience effects, treadmill speed, and the effects of previous experience on treadmill performance were examined. Audience effects were not significant thus suggesting that this effect is more subtle than presumed by some investigators. The significant sequence effect indicates that one must use repeated measurements designs with caution when manipulating social variables. In the same study it was found that variables may operate in an interactive manner either simultaneously or sequentially and that few, if any, variables are effective under all conditions

Publications and/or Presentations:

Shiflett, S. C. Physical performance assessment: physical decrement and enhancement. Presented at AMESO Annual Conference in Psychology, Denver, Colo., Dec 1970.

Shiflett, S. C. The effect of two variables on treadmill walking speed. USAMRL Peport No. 917, Jan 1971 (DDC AD No. 719703).

Selected Bibliography:

Hettinger, T. Physiology of Strangth. Springfield, Illinois: Charles C. Thomas, 1961.

Humphreys, P. M. and A. R. and the blood flow through active and inactive muscles of the foreign during systemed hand-grip contractions. J. Physiol. 1660, 120-135, 1963

Kroll, W. disometric fat our curve under varied intenthial recuperation periods. For them, 39: 106, 74.39.

B71R 03 128 (cont)

Detail Sheet #3

- McGlynn, G. !!. The relationship between maximum strength and endurance of individuals with different levels of strength. Res. Quart. 40: 529-535, 1969
- Mateev, D. Muscle fatigue. Sechenov: J. Physiol. U.S.S.R. (English translation), 47: 75-78, 1961.
- Merton, P. A. Voluntary strength and fatigue. J. Physiol. 123: 553-564
- Monod, H. and J. Scherrer. The work capacity of a synergic muscular group. Ergonomics, 8: 329-338, 1965.
- Reid, C. The mechanism of voluntary muscle fatigue. Quart. J. Exp. Physiol. 19: 17-42, 1929.
- Rohmert, W. Ermittlung von Erholungspausen für statische Arbeit des Menschen, Internationale Zeitschrift für angewandte Physiologie, 18: 123-164, 1960.

Project No. 3A062110A821	Combat Surgery
Task No. 00	Combat Surgery
Work Unit No. 155	Military Blood Banking: Preservation Methods and Logistics
Work Unit No. 156	Immunologic Effects of Biologics on Donor Blood; Antibody Characterization in Human Tissue Transplants
Work Unit No. 157	Study of Logistic Problems of Stored Blood and Components in the Military
Work Unit No. 158	Military Blood Banking: Automated Methodology
Work Unit No. 161	Military Blood Banking: Biochemical Alterations of Human Red Blood Cells in Cold Storage
Work Unit 10. 162	Military Blood Banking: Effect of Protective Additives on Essential Components of Stored Red Blood Cells
Work Unit No. 164	Military Blood Banking: Evaluation of Changes in Blood During Storage
Work Unit No. 170	Brochemistry of Hormones, Proteins, and Nucleic Acids in Military Stressful Con- ditions
Nork Unit No. 171	Military Fiood Banking: Biochemical Basis of Human RBC Survival
Work Unit No. 172	Military Blood Transfusion Reactions
Nork Unit No. 174	Military Blood Banking: The Mechanism of Erythrocyte Catabolism During Storage
Work Unit No. 175	Military Blood Banking. Evaluation of Resuscitation by Transfusion of Blood and Other Substances
Work Unit No. 176	Ivaluating of R1 6d Canding Methods and Thanstusion Practices
Work Unit No. 177	Thoul Arthores and Their Identification and Selection or Jumen Histocompatibility Antigenic Histocompatibility

Investigators:

WU No.	155	Frank R. Camp, Jr., LTC, MSC Norman I. Birndorf, MAJ, MC Clarence E. Bell, Jr., MAJ, MC R. Ben Dawson, Jr., MAJ, MC Charles E. Shields, LTC, MC
WU No.	156	Frank R. Camp, Jr., LTC, MSC Clarence E. Bell, Jr., MAJ, MC
MU No.	157	Charles E. Shields, LTC, MC Frank R. Camp, Jr., LTC, MSC Clarence E. Bell, Jr., MAJ, MC Dailey W. McPeak, B.S.
WU No.	158	Frank R. Camp, Jr., LTC, MSC Clarence E. Bell, Jr., MAJ, MC
WU No.	161	Frank DeVenuto, Ph.D. Sarah M. Wilson, B.A. Mildred C. Edinger, B.S.
WU No.	162	Walter F. Kocholaty, Ph.D. John L. Gray, B.S. M. Edith Ledford, A.B. Thomas A. Billings, B.S.
WU No.	164	R. Ben Dawson, Jr., MAJ, MC Harry Lopas, LTC, MC Norman 1. Birndorf, MAJ, MC Charles E. Shields, LTC, MC
WU No.	170	Frank DeVenuto, Ph.D.
WU No.	171	Walter F. Kocholaty, Ph.D. John L. Gray, B.S. M. Edith Ledford, A.B. Thomas A. Billings, B.S.
WU No.	172	Frank P. Camp, Jr., LTC, MSC Charles E. Shields, LTC, MC
10 0.	179	deraid L. Moore. Ph.D. John L. Gray, B.S.

WU No. 175	Harry Lopas, LTC, MC Norman I. Birndorf, MAJ, MC R. Ben Dawson, Jr., MAJ, MC Charles E. Shields, LTC, MC
WU No. 176	Charles E. Shields, LTC, MC Frank R. Camp, Jr., LTC, MSC
WU No. 177	Frank R. Camp, Jr., LTC, MSC Clarence E. Bell, Jr., MAJ, MC

RESEARCH AND TECHHOL	I AGENLY ACC		CONTROL ITHBOL										
			DA OA		71 07			R&E(AR)636					
71 01 22 D. CHANGE	U SUMMARY SC	TY A WORK SECURIT	NA	9 % DI	NL	CONTRACTO	D HO	A WORE UNIT					
TO NO / CODES * PROGRAM ELEME	NT PRO	ECT HUMBER	TASK AREA H	UMBER		WORK U	IT NUMBER	•					
62110A	3A0621	10A821	00		155								
& CONTRIBUTING					37 7	5.94	v						
CDOG 1412/						2 A. A.							
(U) Military Blood Bar	king: Pre	servation M	thods and	Logi	stics (18)							
003500 Clinical Medici	ne	-1300 -1300						444					
13. IVANY BAYE	100	COMPLETION BATE	TE PUNDING AD	I#ČY			MANCE WET						
65 11	CONT		DA			[C. 1	n-Hous	e					
IT CONTRACT/GRANT			10 RESOURCES		A PROFES	SIONAL MAN Y	RS & FUR	106 (In throwards)					
A DATES/EFFECTIVE:	EXPRATIO	4:		17.50		. 4	1	99					
	4		VEAR CURRE			. 4	_}_						
G TYPE:	& AMOUNT		72	,		. 4		103					
IS RESPONSIBLE DOD ORGANIZATION	f. CUM.		20. PERFORMINE			· ·							
Hq, US Army Medi Fort Knox, KY 40	cal Resear 1121	ch Laborator	PRINCIPAL INVE	Army t Kno	Medica x, KY	40121 HWS. Aretes	rch Lal	boratory					
TELEPHONE: 502-6241759	Conte, Nicholas F., COL						HAME * Camp, F. R., Jr., LTC TELEPHONE: 502-6241251 BOCIAL SECURITY ACCOUNT NUMBER:						
II GENERAL USE			ASSOCIATE INVE		•	T M/	1 1						
FOREIGN INTELLIGENCE C						. I., M , Jr., I		DA					
	Components		fcs; (U) [onor									
(U) Preservation; (U) Components; (U) Logistics; (U) Donor 1. **YECHNICAL GENERAL PROJECT.*** LE PRODUCT.*** LE PRODUCT.** LE P													
CANADIDATE OF CONTROL TOPS C. LUM OF STREET OF		THIS FORM ARE		700m	1488A 1 M	QV 41							

A821 00 155 (cont)

Detail Sheet #1

Progress:

The effect of storage on the oxygen transport system of the red cell has been under study (also see Nork Unit No. 164, A821).

The ability of adenine to maintain good red cell posttransfusion survival after 35-42 days of storage has not been accompanied by improved oxygen transport capability. In contrast, inosine is associated with improved oxygen transport function. Combinations of these additives are under evaluation.

Fresh blood collected into various anticoagulants was filtered through 4 and 6 mm plastic tubing containing glass beads, with a 90% reduction in platelet count. Reductions in white blood cell counts have also been observed but this finding is inconsistent and requires confirmation. Work in this area continues.

The effects of various salts on the function of human hemoglobin were studied and first reported in abstract form in Clinical Research, 18: 402, 1970. The tentative conclusion was that the salt effects might be explained by either the chloride ion or the pH in the red cell.

Blood CO levels were significantly lowered prior to donation by exercise or oxygen preathing (hyperventilation).

Publications and/or Presentations:

Craycroft, Mary J., F. R. Camb, Jr., F. P. Ellis, N. F. Conte, Margaret E. McPeak, and Ima C. Shinlay. The forensic testing laboratory, 1971--problems, progress and people. USAMPL Report No. 937, Jun 1971.

Dawson, R. D., Jr. Paraglabin function: Effects of salts and glutathrone. Whom, 3:: 29. 4869 (Abstract).

Dawson, R. R., Jr. Hemoglobin function in stored blood: The effects of non-specific ions. Clin. Res. 18: 402, 1970.

McPeak, D. J., C. E. Shielm. For Camp, Jr., 6, H. Seeger, and N. F. Conte. Congo cocino developments in military blood bank logistics. USAMR Deport to MIE. Feb 197: 1000 AD No. 713704); presented (by McPeak) as the LS Camplel Meeting. American Association of Blood Banks, Sun Francia. L. L. Cal 1970

A321 00 155 (cont)

Detail Sheet #2

- Shields, C. I. Studies on stored whole blood. IV. Effects of temperature and mechanical agitation on blood with and without plasma. Transfusion, 10(4): 155, 1970; USAMRi. Report No. 882, Jul 1970 (DDC AD No. 714188).
- Shields, C. E., H. Lonas, and N. I. Birndorf. Investigation of nephrotexic effects of aderine and its metabolic product, 2,8-dioxyadenine, on primates ("Lagran Srus). J. Clin. Pharmacol. $\underline{10}$ (5): 316, Sep-Oct 1970.
- Williams, J. and C. E. Shields. Carbon monoxide and the blood donor. Presented (by LTC F. R. Camp, Jr.) at the 23rd Annual Meeting, American Association of Blood Banks, San Francisco, Calif., Oct 1970.

Selected Bibliography:

- Adolph, E. F. and R. M. Ferry. The oxygen dissociation of hemo-globin and the effect of electrolytes upon it. J. Bioi. Chem. 47: 547, 1921.
- Bartlett, G. R. and H. N. Barnet. Changes in the phosphate compounds of the human red blood cell during blood bank storage. J. Clin. Invest. 39: 56, 1960.
- Benesch, R. E., R. Benesch, and C. I. Yu. The oxygenation of hemoglobin in the presence of 2,3-diphosphoglycerate. Effect of temperature, pH, ionic strength, and hemoglobin concentration. Biochemistry, $\underline{8}$: 2567, 1969.
- Bunn, A. F., Mary H. May, W. F. Kocholaty, and C. E. Shields. Hemoglobin function in stored blood. J. Clin. Invest. 48: 311, 1969; USAMRL Report No. 790, 1968 (DDC AD No. 690802).
- Dawson, R. B., Jr. W. F. Kocholaty, et al. The hemoglobin function of blood stored at 4°C. In: Red Cell Metabolism and Function, G. J. Brewer (Ed.), New York: Plenum Dublishing Co., pp. 305-317, 1970; USAMRL Report No. 836, 1969 (DDC AD No. 701884).
 - Enoki, Y. J. Nara Med Assoc 10: 345, 1959
- Enoki, Y. and I. Tyunia. Further studies of hemoglobin oxygen equilibrium. Jap. 1. Physiol. 4: 380.1964.

A821 00 155 (cont)

Detail Sheet #3

- Hill, A. V. The possible effects of the aggregation of the molecules of hemoglobin on its dissociation curve. J. Physiol. (London), 40: IV, 1910.
- Horejsi, J. and A. Komarkova. The effect of SH-groups on the affinity of haemoglobin to exagen. In Chim. Acta, $\underline{3}$: 131, 1957.
- Horejs: J. and A. Komarkova. The influence of some factors of the red blood cells on the exygen-binding capacity of haemoglobin. Clin. Chim. Acta. 5: 3:3. 1960
- Luque. J., D. Diederich, and S. Grisolia. Binding of 2,3-diphosphoglycerate to oxyhemoglobin. Diochem Biophys. Res. Commun. 36. 1019, 1969.
- Rossi-Fanelli. A., E. Antonini. and A. Gaeuto. Studies on the relations between molecular and functional properties of hemoglobin. II. The effect of salts on the oxygen equilibrium of human hemoglobin. J. Biol. Chem. 236: 397, 1961
- Valtis, D. J. and A. C. Kennedy. The causes and prevention of defective function of stored rea blood folia after transfusion. Glasgow Med. J. 34: 521, 1953

RESEARCH	RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY			DA OA 6096 71 07 01 DD-DRAETAL							
71 01 22	D. CHANGE	S SUMMARY SCTY	4 TORR SECURITY	NA	-DING No. DI	N!	ON SPECIFIC	DATA- B LEVEL OF SUB access A WORL UNIT			
110 40 CORS *	PROGRAM FLEMENT	PROJECT	NUMBER	TASK			WORK UNIT				
	62110A	3A062110	JA821	00		156					
7274777	CDOG 1412A(2)		-							
	Security Closeffication Code	(U) Immu	inologic Ef			gics on	Donor 8	lcod;			
	naracterizatio	n in Human	Tissue Tra	anspl	ants (18)		 .				
003500 Clin	nical Medicine	TA ENVENTED COM		Via racino	HOL AGENCY						
65 04		CONT		DA		1		-House			
TO COMPACE BRANT		00									
1 & DATES, FFFECTIVE	NA	E EPIRATION.		PIEAL	71		5	50			
	NA	4		7640	-						
	5 004	f. CUM. AMT.			72		5	110			
** ****************				PER							
Hq, US	Army Medical	Research	Laboratory	*****	Blood T	ransfusi	on Divi	sion			
-Doness - POPE K	inox, KY 40121			-	Fort Kn	ox, KY 4	nesear	ch Laboratory			
•						Ť					
AFSE ABIBLE INCIA DO	146			# 400 f		F. R.,	Jr. LT	Controllery			
	te, Nicholas	F., COL		-	502-6						
	-6241759			SOCIAL SECURITY SECONDY BURSES							
2. Centus ust				name: Bell, C. E., Jr., MAJ							
FOREIGN INT	ELLIGENCE CON	SIDERED		DAME:	berr,	o. L.,	OI., 1.70) 27.			
	SACH OID SOCIETY Closelle	allan Codo)	(U) There	ру;	A4	. /!!\ 7					
	(U) Blood; (U				tibility						
23. (4) To	more accurate	ly identif	y the group	0 (niversal) donor	whose b	lood can be			
inanstused	safely during ccompatibilit	military testing	operations canability	or or	ner emer	gency si	he use	i for blood			
	narapy or oth										
, 24. (y) Gro	id namud 0 cu	ood contai	ning anti-A	and	anti-B he	emolysin	s will t	e fraction-			
, used into i	of these fract	munoglobul	in fraction	s; tr	e hemoly	tic acti	vity of compare	the native			
or.uteu wit	n routine ser	ological to	ests availa	ble 1	o a blood	proces	sing cer	iter. Iden-			
, ticul sului	es will be pe	rformed wi	th subhuman	prin	nate (Mac	aca irus) blood	containing			
· patent nemo . Tua taconia	lysins with to ue of lymphoc	ne additio	has been s	o ass	ay in our	of Tym	phocyte	typing anti-			
Sora will 5	e gradually a	ccumulated	from comme	rcial	sources	(inmite	d) and 1	from screen-			
ing ocstour	tum women at lucing such se	US Ireland	Army Hospi	tal,	Fort Kno	x (limit	ed). II	ie teasibil-			
. (J) 7ì	01 01 - 71 06	30 In th	e area of h	emoly	tic trans	fusion	reaction	s in monkeys			
incacu inu	s), we have p	repared an	d assayed s	evera	1 monkey	IgG fra	ctions (containing he-			
olytic ant	. Diffic antibodies. Infusing these IgG fractions into monkeys we have shown that a di-										
the amaint	rect correlation exists between the hemolysin content of the IgG fraction infused and the amount of hemolysis and severity of disseminated intravascular coagulation (DIC)										
	produced. Preliminary evidence has been obtained that vigorous preheparinization can										
includes a	is the associated DIC; however, the net benefit to the recipient monkey is unknown.										
	The Rallikhmin (and empirically the kinin) system appears to be involved. With reference to lymphocyte typing, considerable evidence has been obtained that a rabbit										
								a respit and that the			
	ntigens are c										
	. Joseph and an array	eal									
JJ. 22	5 PHE VIOUS		18 FORM ARE OS			1400A NO	• ••				

A821 00 156 (cont)

Detail Sheet #1

Progress:

Studies with saliva agglutinins were completed, indicating that the salivary anti-A and anti-B immunoulobulin system is more or less distinct from that responsible for serum anti-A and anti-B. With respect to hemolytic transfusion reactions (HTR) in monkeys (Macaca irue), technics were developed in preparing and assaying monkey IgM and IgG fractions from immune plasmas containing hemolytic antibodies. Virtually all hemolytic activity appears to reside in the IgG fraction, its infusion into monkeys produces HTR's with associated disseminated intravascular coagulation (DIC), renal damage, and death--the severity of these reactions being directly proportional to the hemolytic content of the 1gG. Preliminary evidence has been obtained that vigorous preheparinization can block the associated DIC; however, the net benefit to the recipient monkey is unknown. The kallikrein (and empirically the kinin) system appears to be involved. In the area of lymphocyte typing several postpartum sera have been screened for valuable lymphocyte isoantibodies. Considerable evidence has been obtained that a rabbit anti-human lymphocyte serum contains antibodies to a human species antigen and that the human HL-A antigens are contained in, or located close to, the human species antigen

Publications and/or Presentations:

Bell, C. E., Jr. and H. P. Fortwengler. The salivary anti-A and anti-B isoartibody system in group C males. USAMPL Report No. 927, Apr 1971.

Camp, F. P., Jr., H. S. Kaplan, F. R. Ellis, C. M. Zmijewski, and N. F. Conte. Tissue transplantation—the universal donor and blood group antibodies. USAMPL Report No. 830, Jul 1970 (DDC AD No. 715696); J. Forensic Sci. 15: 500, 1970.

Selected Biblicaraph.:

Jakobowicz, Pachel, Mira Inclich, and J. U. Graydon. Crossreacting antibody and saliva agglutinins. Vox Sano. 12: 340-353, 1967.

Jakobowicz, Rachel. J. H. Gravdon. and P. Telsmions. Observations on saliva againstines. Mac. Mustralia, H. 3-0-401, 1966.

Jandl, James H. Mecha" of abtriody-induced red cell destruction. Haematological 35 - 465

A821 00 156 (cont.)

Detail Sheet at

Used: James . Richardson Jones, and William B. Castle. The destruction of the cells by antibodies in man. 1. Observations on the sequestruction of itsis of redicells altered by immune mechanisms of the cells of 1422-1459, 1957

Tonis, it is day to a Mullison, and N Veall. Removal of incompatible reduction, the covern Birt J Haemat 3:125-133, 135

of the authory in par exprace of hemoglobinuria (P.C.H.). Transfusion, 3: 27.239. 1963

Morrison, Fig. . Slood or an antibodies and red-cell destruction. Brit Med 3 0.21 -1 1 35 000, 050

Mollison. 9. L. Almod-group antipodies and red-cell destruction. Prit Med = 2:516% 1123-1:79, 1950

Sears. David A., Robert F. Weers, and Scott N. Swisher. Differences in the mechanism of $\alpha=0.5$ immune hemolysis related to antibody specificity. J. Clin. Invest. 43(5): 975-986, 1964.

RESEARCH AND TECHNOLOGY	WORK UNIT SUMMARY	DA DA 6097		DI) DRAL ARIOLO						
70 07 01 H. TESMINA-	SUMMARY SETY & BURE SECURITY	MEJANGHO BA DI	MI XI YES	DATA D LEVEL OF SUM MACCESS A WORK UMT						
a Primano 62110A	3/1062110A821	OO	157	* NUMBER						
// CD06 1412A(2			The second secon							
(II) Study of Logistic Pr	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	nd and Compone	nts in the Mil	itary (18)						
003500 Clinical Medicine										
66 04	CONT	DA .		in-House						
13 CONTRACT GRANT	& A PIRA T.ON		* PROPESSIONAL MAN VA	is & Fullion (In thousands)						
n summer NA	4 AMOUN	VERN PECHAGNE	3	8						
P RESPUSSIBLE DOG OFGANIZATION	f.cum amt	71	.3	9						
Hq, US Army Medical Fort Knox, KY 40121	Research Laboratory	Blood T	ransfusion Div Medical Resea ox, KY 40121	ision rch Laboratory						
ANK Conte, Nicholas NECENHUNE: 502-6241759	F., COL	HAMP Shields, C. E., LTC TELEPHONE 502-6246750 SOCAL SECURITY OF COLAS HUNDER ASSOCIATE INTESTIGATIONS HAME COMO, F. P., Jo., LTC								
FOREIGN INTELLIGENCE CON	SIDERED	HAME 1'C-3'		DA						
(U) Blood; (U) Blood 3an	ks; (U) Blood Jonor,	(1) Equi, her	t and Supplies	: (U) Trans-						
23. (0) To develop—and recommend for implementation—improvements in the logistics for handling and supply of blood and blood products to military field units and CONUS military hospitals. 24. (U) Effects of transportation and temperature on the dare being evaluated in conjunction with the overseas blood program. Studies are being prepared to develop an associated automatic data processing system to use found with the automated mass blood grouping system presently being internated into the Ar violated from for the purposes of closer coordination of overseas demand and national supply.										
25. (U) 70 07 01 - 70 08 work units which have re			and complined w	ith existing						
DD torm 1498 MR Control of	TOP OF THE FORM ARE US	DASTERS	rashe in view							

A821 00 157 (cont)

Detail Sheet #1

Progress:

Technics and materials designed to provide greater mechanical and temperature protection for whole blood and blood products have been studied. The use of air cap for packaging fresh frozen plasma and cryoprecipitate has proven to be an efficient means of preventing breakage in CONUS and overseas shipment to S.E. Asia (see USAMRL Report No. 918, Feb 1971 - Cargo coding developments in military blood bank logistics, by D. W. McPeak, F. R. Camp, Jr., G. Seeger, and N. F. Conte; paper has been accepted for publication in Military Medicine and is in press). The use of a practical, reliable, and inexpensive temperature monitor has been recommended for development.

Publications and/or Presentations:

None.

Selected Bibliography:

Orlina, A. R., L. N. Button, and B. J. Taylor. Effect of transportation on the posttransfusion survival of blood stored in CPD. Transfusion, 8: 165-171, 1968.

RESEARCH AND TECHNILOGY FORK NAIT SUAL ARY	1 1/ JE 6703	The Cr Summany	PEPORT CONTROL STEEDS
71 01 22 S. Chile	A Proposition of the United	in Lies	TO THE PORT OF SUMP
13 NU OFF PROPERTY	TASE PHIA N. MELL	aries um	1 × /m 0 £ H
623364	. 1		
114101K1 - CDOG 14.2 11			
11 1 1 2 Process of a security consists for Code "			
(U) Military Blood Banking. Automoted a			
00350u harral Medicire			
The second the second s	* * * * * * * * * * * * * * * * * * * *	1 P1 H H	1 41 16/1
66 04			
* P3.10 NB 10.70 1	***		2 2 1 23 14 morrand)
NA NA	•		·
4-4-14-			25
TO RESPONDENCE OF UNDERSTATION	· · · · · · · · · · · · · · · · · · ·		25
Fort Knox, KY 40121		"wardal Resear	
where the conta, for cholas (19) seems 502-5241759	34 600 06 - 5 1, - 36 0 36 0 0 0 0 - 376 0 000 0 000	6041251 	
FOREIGN INTELLIGENUE CONSIDERED			
(U) Sickle Cell; (U) Henatitis Asso. atd ant		aind "ct	55 .
23. (U) to find the best metrod are ellipsed in the military and to determine effective mand hematitis in prospective elected or ensignactical frozen aloud process for lineary required in which to-week blood park			and that
24. (U) Various unugram will hooly his case ABO blood group and the tyle at a later recessing of whole oldust prior in the prior of an AutoAnalyzer designed to on or the lumb as Vietnam returnees, will be seed to necessi			out ne proces-
25. (U) 7: 01 01 01 10 h Ar following a globin employare the Ar office and in the agent saponing. The cost of the reasonts are the recruit soldiers arrived at the respective of the published as a treat call report within developing surface employer, to the (HAA).			or testing Li trong will Continu

A821 00 158 (cont)

Detail Sheet #1

Progress:

Four major problem areas have been studied to improve military blood bank methodology. These areas include: sickle cell screening, Australian antigen-HAA testing, an automated military blood grouping and typing system, and a frozen blood bank for military exigencies.

An automated screening test for the detection of hemoglobin S has been developed and field tested on 8,000 military personnel at Fort kno. The test costs .03 per sample and 100% reliability has been demonstrated by electrophoresis.

Collaborative studies concerning detection methodology for Australian antigen are continuing with the National Research Council and the laboratories of Dr. Baruch S. Blumberg. Technics under study include agar gel diffusion, immuno-osmo-electrophoresis and complement-fixation. Search continues for better antigenic and antibody sources. A study just concluded reveals a significant increase of Au(1) and anti-Au(1) in Vietnam returnees.

Study during the past year has resulted in resolution of the various requirements necessary to achieve a fully automated military blood grouping and typing system that would interface with the currently available AutoAnalyzer blood grouping system. This system would provide sample identification, automatic interpretation, and collation of results. Field testing will be accomplished in early 1972 at USAMRL, Fort Knox.

Progress on establishing a frozen blood bank for military exigencies, research, and related areas of development include the decision, resulting from several years of system comparisons, that the Linde liquid nitrogen-low glycerol system is most feasible and economical. One 24 unit retrigerator is planned for installation in late 1971.

Publications and/or Presentations:

Allen, T. E., F. P. Camp, Jr., and C. E. Shields. Newly designed equipment for the blood banks. Exhibit at the 23rd Annual Meeting, American Association of Blood Banks, San Francisco, Calif., Oct 1970.

Camp, F R, Jr and N F Conte. Possible impact of Au/SH antigen detection on blood banking and transfusion services. Vox Sang. $19:178,\ 1970$

Detail Sheet #2

- Camp, F. R., etc. H. P. Fortwengler, and B. F. Meney, Jr. Automated quantitation of A and B blood group substances. Presented (by Fortwengler) at the meeting of Technicon International Congress, New York, N. Y., Nov 1970
- Camb. F. R. Dr., h. S. Kaplan. C. E. Shields, N. F. Conte, Mary J. Craycroft, and B. F. Meney, Pr. Saliva agglutinins and automated methods for universal donor screening. "SAMPL Report No. 891, Aug. 1976 (DOC AC No. 7 6700).
- Graycroft, Mary J., F. R. Camp, Jr., Margaret E. McPeak, and Ima G. Shirley Forence testing in a reference and blood grouping laboratory presented (by Craycroft) at the 23rd Annual Meeting, American Association of Blood Banks, San Francisco, Calif., Oct 1970.
- Herry, R. L., R. M. Nalbandian, B. M. Nichols, P. L. Wolf, and F. R. Camp. or Modified sickledex tube test: A specific test for phemography USAMPL Report No. 327, Sep. 1970 (DDC AD No. 715743)
- Henry, R. L. R. M. Naibandian, B. M. Michols, P. L. Wolf, and F. R. Camp, 3r. An automated screening method for the specific detection of namiczygous and heterozygous Schemuglobin. USAMPL Report No. 898, Sep. 1970 (DFC 40.46 715744)
- Nalbeadrah R. 4. P. L. Henry, O. L. Kessler, P. L. Wolf, and F. R. Carp. or Litteron gelaction tost. New ang. J. Med. 284: 502, 1971
- Nalbandian, P. M., P. E. Henry, E. M. Nichols, F. R. Camb, Jr., and P. E. Cait. The Mulejana test. Fair and Finance for the modified Mulayera hypothesis for the move than mechanism of sickling. USAMRL Penert No. 1931, New 1920, DDC AC No. 7(624%)
- indiband and holds to the control of the control of
- Nathanaras, or Mick _ Jensy, Mickenhart, B. M. Nichols, and F. R. Camp. or _ recent celerate and discassed to urea in invert sugar: optical and electronic property evidence. USAMPL Report No. 895. Sep 1970 1971. No. 21629

A82 + 00 158 (cont)

Detail Sheet =3

Nalbandian, R. M., R. L. Henry, G. Shultz, F. R. Camp, Jr., and P. L. Wolf. Sickle cell crisis terminated by use of urea in invert sugar in two cases. USAMRL Report No. 896, Sep 1970 (DDC AD No. 721005)

Naibandian, R. M., R. L. Henry, T. Evans, F. R. Camp, Jr., P. L. Wolf, and N. F. Conte. Embryonic, fetal, and neonatal hemoglobin synthesis: relationship to abortion and thalassemia. USAMRL Report No. 910, No. 1970 (DDC AD No. 717231).

Naibandian, R. M., R. L. Henry, F. R. Camp, Jr., and D. L. Ressler Consumption coagulopathy: practical principles of diagnosis and management USAMRL Report No. 912, Nov 1970 (DDC AD No. 719700)

Nalbandian, R. M., B. M. Nichols, F. R. Camp, Jr., N. F. Conte, Jeanne M. Lusher, and R. L. Henry. The detection of sickle cell disease in large numan populations by an automated technique. USAMRL Report No. 936, Jun 1971

Radcliffe, J. H., C. E. Shields, F. R. Camp, Jr., and N. F. Conte. Comparison of blood collected by vacuum methods and gravity flow. USA-MRL Report No. 934, May 1971

Selected Sibliography:

Attacles, n A, n V. Bhagavan, and S. P. Masouredis. Influence of ionic strength on the reaction between anti-D and D positive red cells of immun 93: 701, 1964

Hirszfeid, t. and S. Dubiski. Untersuchungen über die Struktur der incompleten Anti-Korper. Schweiz. 2. Path. Bact. 17: 73, 1954.

Huggins, C. E. Reversible agglomeration used to remove dimethyl-sultoxide from large volumes of frozen blood. Science, 139: 504, 1963.

Hughes-Jones, N. C., B. Gardner, and R. Telford. The effect of pH and ionic scrength on the realtion between anti-D and erythrocytes. Immunology, $7:\,72$, 1964

Lalezari, P A polybrene method for the detection of red cell antibodies. Fed Prol 25: 756, 1967

A821 00 158 (cont)

Detail Sheet #4

- Lalezari, P. A new red cell method for the simultaneous detection of hemagglutinins and leukoagglutinins. In: <u>Histocompatibility</u> <u>Testing 1967</u>. Copenhagen: Munksgaard, p. 419, 1967.
- Lalezari, P. A new method for the detection of red cell antibodies. In: Automation in Analytical Chemistry. Technicon Symposia, pp. :72-196, 1967
- Latezari, P. and T. H. Spaet Antiheparin and hemagglutinating activities of polybrene of Lab Clin. Med. <u>57</u>: 868, 1961.
- Litwin, S. D. and F. R. Camp, Jr. Gm typing: Studies on an automated method. Technicon Internat. Congr. $\underline{1}$: 275, 1969.
- Litwin, S. D. and F. P. Camb, Jr. Automated detection of Gm factors of human +6 globulin. USAMRL Report No. 803, Nov 1968 (DDC AD No. 698271); Vox Sang. 17: 194, 1969.
- Naibandian, R. M., R. L. Henry, B. M. Nichols, F. R. Camp, Jr., and P. L. Wolf. Molecular basis for a simple, specific test for S hemoglobin: The Murayama test. Clin. Chem. 16: 945, 1970.
- Pollack, W. Some physicochemical aspects of hemagglutination. Ann 4 %. Acad. Sci 127: 892, 1965.
- Pollack, W., H J. Hager, P. Reckel, D. A. Toren, and H. P. Singher Study of the forces involved in the second stage of hemag-glutination Transfusion, $\underline{5}$: 158, 1965.

RESEARCH	AND TECHNOLOG	WORK UNIT S	UMMARY	0.000	OA 6107	71 07		DD-DR&E(AR)636		
& BATE PREV SUNTRY	I KIND OF SUNMARY	S. SUMMARY SCTY	. BORK SECURITY		DING* DA D	188'H 148TH'N	CONTRACTOR		. LEVEL 67 800	
71 01 22	D. CHANGE	U	U	NA		NL	₩ Yes		A TORE UNIT	
10. NO /CODES:*	PROGRAM ELEMENT	The second of th	NUMBER		REA NUMBER		WORK UNI	-		
-	[62110A .	3A0621107	4821	1 00		161				
. CONTRIBUTING										
c. prography for	CDOG 1412A(2	1								
Human Red B		Cold Store			ng: Bio	chemica	1 Altera	tions	of	
	ical Medicine	Manual Committee of the								
IS STAPE DATE		14. ESTIMATED COM	PLETION DATE	이 경험하는 이 이 시간 아이들의 얼마나를 되었으면 하게 되었다면 하는데 아이를 하고 있었다.				PORMANCE METROS		
67 03		CONT		DA			C. In	C. In-House		
17. CONTRACT/GRAHT				10. RESC	DURCES ESTIMAT	E & PROFE	-	6 6 PW	-	
& DATES/EFFECTIVE:		EXPIRATION			PRESEDING					
-	NA			PISCAL	71		2.5		77	
C 1170:		& AMOUNT:		YEAR	CUMMENY			7		
- 4100 07 ATARD:		f. CUM. AMT.			72		2.5		53	
19. MESPONSIBLE DOD	ORGANIZATION			20 PERF	ORMING ORGAN	TATION				
	S Army Medica Knox, KY 4012		Laboratory	ADDRESS	US Army Fort Kr	Medica nox, KY			oratory	
TESPONSIBLE INDIVIOUAL NAME. Conte, Nicholas F., COL TELEPHONE 502-6241759			HANEL DE VENUTO, F. TELEPHONE: 502-6242053 SOCIAL SECURITY ACCOUNT NUMBER:							
The state of the s	ELLIGENCE CON			HAME:	Edir	on, S.	C.	\\.	DA	
	reservation:	(0)	Red Blood			ormones;	(U) Don	ors;		

- 1). TECHNICAL OBJECTIVE. 10. APPROACH. 25. PROGRESS (Furnish Individual paragraphs Identified by number. Proceeds not of south with Security Classified and Code.) 23. (U) To acquire knowledge concerning the biochemical alterations occurring in human whole blood and red blood cells during cold storage, including a study of the effects of hormones and other additives in preventing or limiting these undesirable changes. The goal is to extend the useful period blood can be stored and used effectively in the treatment of military casualties and other illnesses.
- 24. (U) Units of blood are obtained from healthy male and female donors and stored under blood banking conditions. At designated intervals during storage, aliquots of blood are withdrawn; red blood cells are prepared and membrane preparations are obtained using available procedures. Aliquots of whole membranes or separated components of the membrane are used for interaction studies with labeled progesterone or related hormones. Other aliquots of stored blood obtained from male and female donors are withdrawn at various times of storage for analysis of biochemical parameters such as ATP, hemoglobin, pH, in vitro spontaneous hemolysis, osmotic fragility, and several different enzymes in order to correlate the preservation of blood with endocrine activity of the donor.
- 25. (U) 71 01 01 71 06 30 Biochemical changes occurring during storage of human blood are being investigated. The influence of blood components (platelets and plasma proteins) as well as other additives such as vicamins, thyroid and other hormones are being studied in assessing their role in extending the shelf life of human blood. Young and old red cells from fresh blood have been separated and differences in biochemical parameters have been assayed. A report on the fractionation, chemical analysis, and electron microscopic observations of red cell membranes is in preparation.

DD. 1498

A821 00 161 (cont)

Detail Sheet #1

Progress:

In the investigation of cells of different age groups in human blood it has been found that young (low density) and old (high density) cells, prepared from fresh blood, demonstrate differences in osmotic fragility, spontaneous hemolysis, activity of enzymes, and levels of ATP. When membrane preparations obtained from young and old cells are subjected to fractionation by disc electrophoresis they present electrophoretic patterns which are qualitatively and quantitatively different for the cells in the two age groups; this suggests the possibility that specific membrane proteins are related to particular structural and functional aspects of the red cells. A correlation has been established between the increase in specific gravity and the decrease in osmotic resistance of human red blood cells under blood banking conditions when storage is extended to 42 days.

In the evaluation of the effect of various additives, units of blood have been stored for 42 days under different conditions: 1) packed red cells with addition of progesterone, testosterone, or androsterone, 2) erythrocytes suspended in buffer with addition of adenine or progesterone plus adenine, 3) whole male blood with addition of progesterone. By the criteria of in vitro determinations, progesterone, in physiological concentrations, is effective in protecting the red cells during storage by minimizing the spontaneous lysis, changes in osmotic resistance, and loss of ATP. The greatest effect in this respect was obtained by addition of progesterone plus adenine to erythrocytes suspended in buffer.

The investigation of the biochemical and biophysical parameters involved in the structural integrity of the red cell membrane has shown that some of these parameters, such as blood relative viscosity, seem to be directly correlated to cell deformability; that is, the ability of the red cell to change configuration and survive repeated passages through the microcirculation. From the results obtained it is becoming evident that some of the additives to the blood act as ligands and interact with components of the red cell membrane minimizing the deterioration of the cell permeability during storage of blood under blood banking conditions.

The new procedure, electrophocusing, has been established for the isolation of protein fractions of the cell membrane in quantities necessary for several biochemical analyses.

The influence of blood components (platelets and plasma proteins) on red cells preservation has been studied; the results have shown that

A821 00 161 (cont)

Detail Sheet #2

whereas platelets may have a positive effect, several plasma protein fractions are detrimental to the survival of cells after prolonged storage. The implication of these findings is to be explored.

Publications and/or Presentations:

Devenuto, F., H. L. Wilson, Sarah M. Wilson, and Dorothy F. Ligon. Biochemical alterations during storage of human blood from male and female donors. Proc. Soc. Exp. Biol. Med. 136: 183, 1971.

Devenuto, F. and Sarah M. Wilson. Steroid hormones in the preservation of human blood. USAMRL Report No. 909, Nov 1970 (DDC AD No. 715749).

DeVenuto, F. and D. Santella. Bioparameters of human blood cells of two different age groups. USAMRL Report No. 922, Mar 1971 (DDC AD No. 724142).

Selected Bibliography:

Benbassat, J. Effect of packing and resuspension on the osmotic tragility and rate of autohemolysis of incubated red blood cells. Clin. Sci. 37: 99, 1969.

DeVenuto, F. Interaction of progesterone and aldosterone with red blood cells of the rat. Proc. Soc. Exp. Biol. Med. 124: 478, 1967.

Devenuto, F. Swelling of human red blood cells, preserved with addition of progesterone, as determined by spectrophotometric measurements. Proc. Soc. Exp. Biol. Med. 129: 106, 1968.

Haradin, A. R., R. I. Weed, and C. F. Reed. Changes in physical properties of stored erythrocytes: relation to in vivo survival. Blood, 30: 876, 1967.

Marchesi, V. T. and E. Steers. Selective solubilization of a protein component of red cell membrane. Science, 159: 203, 1968.

Marks, P. A., A. B. Johnson, and E. Hirschberg. Effect of age on the enzyme activity in erythrocytes. Proc. Nat. Acad. Sci. (USA), 44: 529, 1958.

A821 00 161 (cont)

Detail Sheet #3

Nakao, M., T. Nakao, S. Yamazoe, and H. Yoshikawa. Adenosine triphosphate and shape of erythrocytes. J. Biochem. 45: 487, 1961.

Prankerd, T. A. J. The aging of red cells. J. Physiol. 143: 325, 1958.

Shields, C. E. Comparison studies of whole blood stored in ACD and CPD and with adenine. Transfusion, $\underline{8}$: 1, 1968.

Wilmer, E. N. Steroids and cell surfaces. Biol. Rev. 36: 368, 1961.

RESEARCH AND TECHNOLOG	RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY				08	71 07 01			DD-DR&E(AR)&16	
71 01 22 D. CHANGE	S SUMMARY SCTY	U TORK SECUMTY	7 RESA NA	ADING	014	NL	A'#	SA SPECIFIC CONTRACTOR		A WORK UNIT
THE NO CODES PROGRAM FLEMENT	PROJEC	TNUMBER	TASK	-	en !			BORK UNI	NUMBER	
62110A	3A062110	A821	00			16	2			
a comfineding										
- 1941-14114 CDOG 1412A(2										
on Essential Components	of Stored	tary Blood Red Blood (Bank Cells	ing: (18)	Eff(ect	of f	rotecti	ve Ad	ditives
002300 Biochemistry; 003	3500 Clinic	al Medicine				s Pl	nysi			
67 03	PLETION BATE	DA	HO ASENCY		1_		C. In			
IF COMTMACT/BMANT			-		MATE	6 PR	0750	-	L Fun	ne the species of
& DATES/FFECTIVE	ESPIRATION			PRECEDING						00
N NUMBER * NA			FISCAL	7]		1	- 6	2.1	1	82
4 TYPE	4 ABOURT		YEAR							64
4 4190 OF AVARO	I. CUM. AMT			72		<u> </u>	- 4	2.1		64
Hq. US Army Medical Research Laboratory Fort Knox, KY 40121 **********************************										
Conte, Nicholas		NAME: Kocholaty, W. F. TELEPHONE 502-6244350 SOCIAL SECURITY ACCOUNT NUMBER: ASSOCIATE INVESTIGATORS NAME: Gray, J. L.								
FOREIGN INTELLIGENCE CON			NAME:	L'ec	for	rd, t	4. E			DA
(U) Additives; (U) Blood	Preservat		erape	eutic;	(U)	Mi	<u>lita</u>	ry		
23. (U) To investigate the banking conditions. To in the energetics of the of potentially protective cells in storage. Knowlin a useful therapeutic the need for frequent reviding for greater utilically sensitive sites possible binding of various dyes changes in the compositiblood storage conditions ulants, will be investiguants, will be investiguants. In the composition of cell during storage in the composition of cell during storage investigations of varying ence and absence of aden port is being prepared. Anticoagulant pH has bee	he composi quantify a red cell e additive edge in th state for plenishmen ty of the will be i ly involve will be ut on and pos , such as ated. 30 Studi in the pre g phosphat ine on the An experi	tion of hum and characte during prol s in extend is area wil longer peri t in milita available s available s available s investigated d in the co ilized to p sibly viabi pH variatio es on the e sence of ad e concentra viability ment utiliz	nan recrized on geoding of the constant of the	ed bloc the est is store the via the v	od conservation of the con	cells tial tial tial tial tial tial tial tial	s st l co o st o of ood ossind h reac per ion pos noti oag oag	cored un imponent dudy the human r to be m ble, th ospital tive gradili- of sign Modifition of c fragi- ulant in complete	der bis investigation in fluid aintaintaintaintaintaintaintaintaintaint	lood plyed uence bod ined viating dipro- and The ant on of coag- of the pres- i a re-

A821 00 162

Detail Sheet #1

Progress:

Investigations designed to prolong the lifespan of the human red cell under blood banking conditions were continued in CPD blood using individual additives such as methylene blue, adenine, and inosine. Studies of 2,3-DPG, ATP, osmotic fragility, and oxygen-carrying capacity levels disclosed that the optimum concentration of inosine resulted in very high levels of 2,3-DPG and of hemoglobin function after 6 weeks of storage when compared to controls. However, ATP levels could not be increased significantly above control values using various concentrations of inosine and adenine in combination. Several possible approaches to improve ATP levels are, at present, in various stages of completion; these include dependency of added methylene blue, the possible mode of action of CPD versus ACD anticoagulant, and concentration of inorganic phosphate in the preservation medium.

Publications and/or Presentations:

Billings, T. A., D. J. Lenzi, and W. F. Kocholaty. Construction of a vessel for cleaning glassware to be used for fluorometric assays. USAMRL Report No. 885, Aug 1970 (DDC AD No. 715693).

Kocholaty, W. F., R. B. Dawson, Jr., Edith B. Ledford, J. L. Gray, T. A. Billings, and T. J. Ellis. Human blood stored in CPD-methylene blue with addition of adenine and inosine: The effect on hemoglobin function, 2,3-DPG and ATP. USAMRL Report No. 884, Jul 1970 (DDC AD No. 714189).

Selected Bibliography:

Brin, M. and R. H. Yonemoto. Stimulation of the glucose oxidative pathway in human erythrocytes by methylene blue. J. Biol. Chem. 230: 307, 1958.

Bunn, H. F., Mary H. May, W. F. Kocholaty, and C. E. Shields. Hemoglobin function of stored blood. USAMRL Report No. 790, 1968 (DDC AD No. 690802); J. Clin. Invest. 48: 311, 1969.

Chanutin, A. The effect of addition of adenine and nucleosides at the beginning of storage on the concentrations of phosphates of human erythrocytes during storage in acid-citrate-dextrose and citrate-phosphate-dextrose. Transfusion, 7: 120, 1967.

A821 00 162 (cont)

Detail Sheet #2

Dawson, R. B., Jr. The hemoglobin function of blood stored at 4°C. USAMRL Report No. 836, 1969 (DDC AD No. 701884); In: Red Cell Metabolism and Function, G. J. Brewer (Ed.), New York: Plenum Press, pp. 305-317, 1970.

Sass, M. D., C. J. Caruso, and D. R. Axelrod. Accumulation of methylene blue by metabolizing erythrocytes. J. Lab. Clin. Med. 69: 447. 1967.

Sass, M. D., C. J. Caruso, and D. R. Axelrod. Evaluation of stored blood by methylene blue reduction. J. Lab. Clin. Med. 73: 744, 1969.

Seeman, P. M. Membrane stabilization by drugs: tranquilizers, steroids, and anesthetics. Int. Rev. Neurobiol. 9: 145, 1966.

RESEARCH	AND TECHNOLOG	Y WORK UNIT S	UMMARY		OA 6110	71 07		DD-DR&E(AR)636			
		S. SUMMARY SCTY		7. REOR				ACCESS			
71 01 22	D. CHANGE	U	U	NA		NL	I ves	HO A WORK UMP			
10 NO CODES:	PROGRAM ELEMENT	PROJECT		AMERICA CONTROL			WORK UNI	NUMBER			
. PRIMARY	62110A	3A062110	A821	00		164					
1. CONTRIBUTING		\ •									
	CDOG 1412A(2										
	y Blood Banki	SUPPLIED THE STATE OF THE STATE	ation of Ch	ange	s in Bloo	d During	Storag	e (18)			
002300 Bioc	hemistry; 003				2900 Phys	iology					
67 04 CONT			LETION DATE	DA	AGENCY	C. In-House					
17 CONTRACT/GRANT				10. RES	DURCES ESTIMATE	A PROFESS		& FUHDS (In Growands)			
a DATES/EFFECTIVE:		EXPIRATION:			PRESERVE						
P H10068 .	NA			FIECAL	71		1.2	92			
C TYPE		4 ABOUNT		YEAR	SOMMERA						
		f. CUM. AMT.			72		1.2	100			
ADDRESS:* FORT K	Army Medical nox, KY 40121 te, Nicholas		Laboratory	PRINCIP NAME: TELEP SOCIAL	Fort Kn AL INVESTIGATOR Daws HONE: 502- BECUMITY ACCO	ransfus Medica ox, KY on, R. I 6243040	Resear 10121 1012 August 1012	ch Laboratory			
WARE OF THE PARTY	ELLIGENCE CON			mame: Lopas, H., LTC mame: Birndorf, N. I., MAJ DA							

- (U) Blood Transfusions; (U) Additives; (U) Military; (U) Storage; (U) Therapy
- 23. (U) To prolong the storage time of whole blood to be used for transfusion purposes and to assume that the blood will be normally functional.
- 24. (U) Netabolic additives, including adenine and inosine, will be added at various times and in various concentrations.
- 25. (U) 71 01 01 71 06 30 Work continues on determining the optimal pH of a citrate-dextrose solution for maintaining 2,0-DPG for hemoglobin function and ATP for red cell viability. Previous work had indicated that CPD at pH 5.5 was better than ACD at pH 5.0. More recent studies indicate that pH 6.0 may be even superior. A second extensive study, applying automated analytic technics and computer data analysis in which adenine was added to citrate-dextrose preservative, has confirmed the impression that a pH of 6.0 may be desirable. This work is continuing with similar studies with added inosine and, finally, in a joint effort with the biochemists the optimal phosphate concentration is being determined in similar experiments.

A821 00 164 (cont)

Detail Sheet #1

Progress:

Preliminary studies using automated analysis of ten units, including computer analysis of data, suggest that a pH higher than that of ACD (5.5) is optimal.

Phosphate concentrations studied in the range 0 to 20 mM indicate that 2 mM phosphate was clearly the best for maintaining 2,3-DPG; 5 mM was nearly as good. There was very little difference between 2 and 5 mM phosphate with respect to maintaining ATP. The highest phosphate concentration was least effective.

Blood collected into CPD containing adenine, inosine, and methylene blue maintained normal ρ_{50} and 2,3-DPG values (measures of hemoglobin function) through 6 weeks of storage at 4 C.

Publications and/or Presentations:

Dawson, R. B., Jr. The function of human hemoglobin: salt effects. USAMRL Report No. 914, Dec 1970 (DDC AD No. 719701); presented at the Annual Meeting of the Blood Research Institute, Boston, Mass., Dec 1970.

Dawson, R. B., Jr. Hemoglobin function in stored blood: VII. Effects of salts and glutathione. USAMRL Report No. 924, Mar 1971.

Dawson, R. B., Jr. Blood preservation solutions: A review. USAMRL Report No. 926, Apr 1971.

Dawson, R. B., Jr. Rapid adaptation to hypoxia. New Eng. J. Med. 283: 265, 1970 (Letter).

Dawson, R. B., Jr. and T. J. Ellis. Hemoglobin function of blood stored at 4 C in ACD and CPD with adenine and inosine. Transfusion, 10(3): 113, 1970.

Dawson, R. B., Jr., Mildred C. Edinger, and T. J. Ellis. Hemoglobin function in stored blood: IV. Red cell ATP and 2,3-DPG in ACD and CPD with adenine and inosine. J. Lab. Clin. Med. 77: 46, 1971.

Dawson, R. B., Jr., M. R. Loken, and D. H. Crater. Hemoglobin function in stored blood: IX. A modified preservative with optimal pH to maintain red cell 2,3-DPG (function) and ATP (viability). USA-MRL Report No. 932, May 1971; Clin. Res. 19: 416, 1971 (Abstract).

A821 00 164 (cont)

Detail Sheet #2

Dawson, R. B., Jr. and W. F. Kocholaty. Hemoglobin function: Effects of methylene blue and inosine on p₅₀ and 2,3-DPG in CPD-stored blood. Blood, 36: 847, 1970.

Dawson, R. B., Jr. and W. F. Kocholaty. Hemoglobin function in stored blood: VI. The effect of phosphate on red cell ATP and 2,3-DPG. USAMRL Report No. 915, Dec 1970 (DDC AD No. 719702).

Dawson, R. B., Jr. and W. F. Kocholaty. Hemoglobin function in stored blood: VIII. Further effects of phosphate on red cell ATP and 2,3-DPG. USAMRL Report No. 925, Mar 1971.

Dawson, R. B., Jr., W. F. Kocholaty, and J. L. Gray. The hemoglobin function and 2,3-DPG of blood stored at 4°C in ACD and CPD: pH effect. Transfusion, 10: 299, 1970.

Shields, C. E., H. S. Kaplan, and R. B. Dawson, Jr. Biological alterations occurring during red cell preservation. USAMRL Report No. 881, Jul 1970 (DDC AD No. 715702).

Selected Bibliography:

Benesch, R. and R. E. Benesch. The effect of organic phosphates from the human erythrocyte on the allosteric properties of hemoglobin. Biochem. Biophys. Res. Commun. 26: 162, 1967.

Beutler, E., A. Meul, and L. A. Wood. Depletion and regeneration of 2,3-diphosphoglyceric acid in stored red blood cells. Transfusion, 9: 109, 1969.

Chanutin, A. and R. R. Curnish. Effect of organic and inorganic phosphates on the oxygen equilibrium of human erythrocytes. Arch. Biochem. 121: 96, 1967.

Strumia, M. M., P. V. Strumia, and A. J. Eusebi. The preservation of blood for transfusion. VII. Effect of adenine and inosine on the adenosine triphosphate and viability of red cells when added to blood stored from zero to seventy days. J. Lab. Clin. Med. 75: 244, 1970.

Strumia, M. M., P. V. Strumia, and A. J. Eusebi. Effect of multiple additions of adenine and inosine on the function of stored erythrocytes. Proc. Soc. Exp. Biot. Med. 135: 443, 1970.

RESEARCH AND TECHNOLOG	14 0A 6070	71 07 01	DD DRAF(AR)636						
71 01 22 L. CHANGE	S SUMMANY SCTVE & WORK SECURITY	NA NA	ME CONTRACTOR						
10 NO COCES PROGRAM ELEMENT	PROJECT NUMBER	TASK AREA HUMBER	WORK VIII	THUMBER					
62110A	343621104821	00	170						
b contenertin.									
COUG 1412A(2	' (U) Biochemistry o	f Hormones Di	cotains and Nu	claic Acids					
in Military Stressful Col	nditions (18)	normones, ri	Oce ins , and no	CIETC ACTUS					
302300 Biochemistry									
63 11	CONT	: DA		-House					
CONTRACT GRANT				b. Fumblips demands					
NA NA	E EPIRATION	71	.5	38					
h number NA	4 Amount	VEAR PORMERY	 						
4 110 07 48440	f. CUM. AMT.	72	.5	32					
19 RESPONSIBLE 800 BRE MILEATION	1,		A TION						
***** Hq, US Army Medical Fort Knox, KY 40121	Research Laboratory	US Army	stry Division Medical Resear ox, KY 40121	ch Laboratory					
ness Conte, Nicholas recenne 502-6241759	F., COL	name De Venuto, F. TELEPHONE 502-6242053 DOCIF. SECURITY ACCOUNT NUMBER ASSOCIATE INVESTIGATIONS							
FOREIGN INTELLIGENCE CON		name		DA					
(U) Stress; (U) Hormones		Soldier							
23. (U) To investigate the cell and the manner in which moved degree in this area wisoldier and will provide aged tissue is repaired. 24. (U) Preparation and material, which is represented by the common of the c	nich body hormones exill be invaluable in a basis for favorable isolation of cell consented by the nucleic istones and isolation rious enzymes involves, by interacting with prevent this blocking as derepretion of the polyribosocedures developed in 30. An increased proin wounds, burns, fat is sed in the performant thetic activity of the ciated no protein syntenzyme is required by aucleic acid to form is action is regulated by a basis of the performant of the ciated no protein syntenzyme is required by aucleic acid to form is action is regulated by a basis of the ciated by a basis of the cia	ercise their in the treatment y influencing stituents. See acid DNA, sep of cytoplasmid in protein by a ssor. The efforme chains will our laborator tein synthesis igue, and other eliving cells thesis occurs. Y the organism polysome chain y complex medi	nfluence on the of the sick and the manner in we paration of the paration of various components successful confidence of hormones like investigatives. The determinant bear investigatives. The determinant bear investigatives, and protein sand protein sators in the celebrations in the celebrations.	e process. d wounded which dam- e genetic ious nuclear uch as ribo- It is possi- ct as re- ction with s on the ag- ted in an se amount nditions to mining fac- stigated. synthesis somes assoc- synthesis ell and our					

A821 00 170 (cont)

Detail Sheet #1

Progress:

Data from this Taboratory indicate that the action of these hormones is expressed not only in the nucleus of the cell by an interaction with nuclear proteins such as histones, but also in the cytoplasm by an effect on the aggregation of ribosomes in polysome chains. The ribosomes, which represent the factory for protein synthesis in the cell, can be associated in groups of six or more forming polyribosomes which are active in the biosynthesis of proteins. When this activity of the cell is at a steady state the profile shows that the ribosomes are in singles (monosomes), in pairs (duosomes), or in groups of three (trisomes) which are not active in the biosynthesis of proteins or enzymes. Our studies indicate that the association or dissociation of the ribosomes appears to be regulated by the level of adrenocorticosteroid hormones and by the diet which determines the amount of amino acids in the cell. This mechanism is very important in conditions of stress and our efforts are directed to elucidate, at the molecular level. the various factors involved.

Publications and/or Presentations:

DeVenuto, F. RNA - dependent DNA polymerose. Presented at the Medical Faculty Seminar, University of Louisville, Louisville, Ky., Apr 1971.

DeVenuto, F. Challenge to the central dogma of molecular biology. Presented at the Conference Seminar, USAMRL, Fort Knox, Ky., May 1971.

Selected Bibliography:

Crick, F. H. C. The origin of the genetic code. J. Mol. Biol. 38: 367, 1968.

DeVenuto, F. and T. Muldoon. Interactions between corticosteroids and fractions of mitochondria and nuclei from normal rat liver cells. Exper. Cell Res. 50: 338, 1968.

Florini, J. R. and C. B. Brewer. Amino acid incorporation into protein by cell-free preparations from rat skeletal muscle. III. Comparison of activity of muscle and liver ribosomes. Biochemistry, 4: 253, 1965.

White, A., M. Blecher, and L. Jediskin. Mechanism of Action of Steroid Hormones. New York: Pergamon Press, 1961.

### Hq, US Army Medical Research Laboratory Fort Knox, KY 40121 ***Contest*** ***Contest** **	RESEARCH	AND TECHNOLOGY	WORK UNIT SU	HAARY		OB 60	- 1	71 07		DD-DR&F/AR)636			
(U) Military Blood Banking: Biochemical Basis of Human RBC Survival (18) (U) Military Blood Banking: Biochemical Basis of Human RBC Survival (18) (U) Military Blood Banking: Biochemical Basis of Human RBC Survival (18) (U) Military Blood Banking: Biochemical Basis of Human RBC Survival (18) (U) Military Blood Banking: Biochemical Basis of Human RBC Survival (18) (U) Military Blood Banking: Biochemical Basis of Human RBC Survival (18) (E) Military Blood Banking: Biochemical Basis of Human RBC Survival (18) (E) Military Blood Banking: Biochemistry (E) Military Blood Banking: Biochemistry Bivision (E) Military Blood Banking: Biochemistry Division (E) Military Blood Banking: Biochemistry Bivision (E) Military Blood Banking: Biochemistry Blood Banking: B		D. CHANGE	1			A DING	Dis Dis	-	CONTRACTOR	4CC (11			
(U) Military Blood Banking: Biochemical Basis of Human RBC Survival (18) 1. VENT CAPTE VENT TO MINISTERIES COMPLETION DATE VENT CAPTE VENT CA	19 40 CUEF.	PROGRAM E. 1 MEH	PROJECT	eumbe A	TASR	-	E=		WORK UNIT	-			
(U) Military Blood Banking: Biochemical Basis of Human RBC Survival (18) O02300 Biochemistry O03300 Biochemistry		62110A	3A062110A	821	00			171					
(U) Military Blood Banking: Biochemical Basis of Human RBC Survival (18) 002300 Biochemistry 15 FOREIGN INTELLIGENCE CONSIDERED Biochemical Basis of Human RBC Survival (18) 16 FOREIGN INTELLIGENCE CONSIDERED 17 FOREIGN INTELLIGENCE CONSIDERED 18 FOREIGN INTELLIGENCE CONSIDERED 18 FOREIGN INTELLIGENCE CONSIDERED 18 FOREIGN INTELLIGENCE CONSIDERED	1 (00191801186						\Box						
(U) Military Blood Banking: Biochemical Basis of Human RBC Survival (18) 2. 1607 16 1617 16 1	1+1++1+1	CDOG 1:12A(2))										
13 FUNDING AGENCY DA C. In-House 14 PERFORMANCE BETHATE 15 FUNDING AGENCY DA C. In-House 16 CONT 18 PERFORMANCE BETHATE 19 RESOURCES ESTIMATE 19 PERFORMANCE BETHATE 19 RESOURCES ESTIMATE 19 PERFORMANCE BETHATE 19 PERFORMANCE 19 PERFORMANCE BETHATE 19 PERFORMANCE BETHAT	(U) Militar	(U) Military Blood Banking: Biochemical Basis of Human RBC Survival (18) 3. (Entropy of Ambrophical American 002300 Biochemistry											
TOWNTRAT ORDER CONTRACT ORDER NA THE CALL TILL TO TO TOWNTREE TOWN THE CONTRACT ORDER ARROWS FOR KNOWN MEDICAL Research Laboratory FOR KNOWN KY 40121 THE CONTRACT ORDER THE CONTRACT ORDER THE CONTRACT ORDER THE CONTRACT ORDER TO THE CONTRACT ORDER THE CONTRACT ORDER TO THE CONTRACT ORDER TO THE CONTRACT ORDER T	19 50 AMT DATE		IN ESTIMATED COMPL	ETION DATE	15 FUM	HE AGENCY	,		14 PERFORMANCE METHOD				
A ABBOURT STREET ON A STREET O	68 10		CONT		DA C. I				C. In-	1-House			
The content of the co	1 C3M184/1 04447				-	UNCES EST	MATE	-	IONAL MAN YAS	A 7UH	C'S ₍₁ n thousands)		
### Conte, Vicholas F., COL TOTAL CONTENT OF THE C			ERPIRATION			PRECEDING							
Total Mark of the property of	N HUMBER *	NA							1.7		70		
Hq, US Army Medical Research Laboratory Fort Knox, KY 40121 ***Coness** Fort Knox, KY 40121 **********************************	***		4 AMOUNT		VEAR								
Hq. US Army Medical Research Laboratory Fort Knox, KY 40121 Somessa Fort Knox, KY 40121 For			f. CUM, AMT.			72			1.7	1	66		
FOREIGN INTELLIGENCE CONSIDERED US Army Medical Research Laboratory Fort Knox, KY 40121 PRINCIPAL INVESTIGATOR (Pumileth Medical Research Laboratory Make * Kocholaty, W. F. VELEPHONE 502-6241759 ASSOCIATE INVESTIGATORS NAME: Gray, J. L. FOREIGN INTELLIGENCE CONSIDERED US Army Medical Research Laboratory Fort Knox, KY 40121 PRINCIPAL INVESTIGATOR (Pumileth Medical Research Laboratory Fort Knox, KY 40121 PRINCIPAL INVESTIGATOR (Pumileth Medical Research Laboratory Fort Knox, KY 40121 PRINCIPAL INVESTIGATOR (Pumileth Medical Research Laboratory Fort Knox, KY 40121 PRINCIPAL INVESTIGATOR (Pumileth Medical Research Laboratory Fort Knox, KY 40121 PRINCIPAL INVESTIGATOR (Pumileth Medical Research Laboratory Fort Knox, KY 40121 PRINCIPAL INVESTIGATOR (Pumileth Medical Research Laboratory Fort Knox, KY 40121 PRINCIPAL INVESTIGATOR (Pumileth Medical Research Laboratory Fort Knox, KY 40121 PRINCIPAL INVESTIGATOR (Pumileth Medical Research Laboratory Fort Knox, KY 40121 PRINCIPAL INVESTIGATOR (Pumileth Medical Research Laboratory Fort Knox, KY 40121 PRINCIPAL INVESTIGATOR (Pumileth Medical Research Laboratory Fort Knox, KY 40121 PRINCIPAL INVESTIGATOR (Pumileth Medical Research Laboratory Fort Knox, KY 40121 PRINCIPAL INVESTIGATOR (Pumileth Medical Research Laboratory Fort Knox, KY 40121 PRINCIPAL INVESTIGATOR (Pumileth Medical Research Laboratory Fort Knox, KY 40121 PRINCIPAL INVESTIGATOR (Pumileth Medical Research Laboratory Fort Knox, KY 40121 PRINCIPAL INVESTIGATOR (Pumileth Medical Research Laboratory Fort Knox, KY 40121 PRINCIPAL INVESTIGATOR (Pumileth Medical Research Laboratory Fort Knox, KY 40121 PRINCIPAL INVESTIGATOR (Pumileth Medical Research Laboratory Fort Knox, KY 40121 PRINCIPAL INVESTIGATOR (Pumileth Medical Research Laboratory Fort Knox, KY 40121 PRINCIPAL INVESTIGATOR (Pumileth Medical Research Laboratory Fort Knox, KY 40121 PRINCIPAL INVESTIGATOR (Pumileth Medical Research Laboratory Fort Knox, KY 40121 PRINCIPAL INVESTIGATOR (Pumileth Medical Research Laboratory Fort Knox, K	1	HOITASIMADRO			30 PERF	-	AHIZA	1104					
HAME * Kocholaty, W. F. VELEPHONE 502-6244350 * VELEPHONE 502-6241759 VELEPHONE 502-6241759 VELEPHONE 502-6244350 *	Hq, US Army Medical Research Laboratory					US Army Medical Research Laboratory							
FOREIGN INTELLIGENCE CONSIDERED HAME Gray, J. L.	Conte, Nicholas F., COL				HAME * Kocholaty, W. F. TELERHOME 502-6244350 *								
FOREIGN INTELLIGENCE CONSIDERED HAME DA													
The state of the s		E	******		HAME.	Gra	ay,	J. L.			5.		
					HAME						UA .		

(U) Blood Cell; (U) Membrane; (U) Enzymes; (U) Storage

- 23. (U) To devise and evaluate biochemical and physicochemical tests that can be used reliably to determine the metabolic state of stored red blood cells. To identify key metabolic events that are responsible for the aging process of red blood cells in order to develop simple methods for extending the life-expectancy of the red blood cell (whole blood) in storage.
- 24. (U) Intact red cells will be investigated with respect to reactive groups and "sensitive" sites possibly involved in the control of membrane permeability. The binding of various dyes will be utilized to provide identification of significant changes in the composition and possibly viability of the red cell. The possibility of a membrane lesion occurring during storage of the red cell by spontaneous activation of enzymes within the membrane or the red cell internal structure will be studied.
- 25. (U) 71 01 01 71 06 30 Examination in the ultracentrifuge of the proteolytic enzyme extracted from the red cell stroma indicated a potential dissociation in the presence of Triton X-100. This solubilizing agent was shown to have no deleterious effect on the enzyme activity. More highly purified preparations free of hemoglobin are obtained by ammonium sulfate fractionation and subjected to Sephadex chromatography in the presence of Triton X-100. This technique, however, did not indicate dissociation of the proteinase into subunits and failed to improve separation of the enzyme from other stromal proteins.

DD. 1498

A821 00 171 (cont)

Detail Sneet #1

Progress:

With the establishment of optimum sodium chloride requirements for maximum protectivity activity on Azdooti as a substrate for assay and employment of the recently described substrate fluorescenn-tagged human hemoglobin, activation and innibition studies were continued employing these procedures as well as pasein and BIEE on protectivity associated with the human red blood cell membrane. Assay using Azocoil demonstrated complete inhibition of this activity with a low concentration of Coff, but much higher concentrations were required to approach the same degree of inhibition when fluorescein-tagged hemoglobin was used as substrate. However, 2nth appeared to give a greater inhibition using tagged hemoglobin as substrate than with Azocoll.

Comparison of inhibition or activation by cysteine and a variety of metal ions on extracts of membrane preparations obtained by slightly different procedures produced ratios of proteolytic to esterolytic activities that indicated the possible presence of more than one proteinase in the membrane extracts. Chromatography on DEAE-cellulose effected some further purification of the proteolytic activity, but did not remove entirely the contaminating hemography nor did it appear to give any separation of the possible two or more proteinases.

Ultracentrifuge studies on stroma protein preparations and on proteinase extracts subjected to solubilization by sodium dodecyl sulfate or Triton λ -100 indicated a potential dissociation, at least in the presence of Triton λ -100, a surfactant which showed no significant effect on the proteolytic activity using Azocoll as the substrate.

Membrane extracts and st completely trae or hemoglobin were produced by incorporating fractionation by amnonium suitate precipitation and were employed in sephadex chromatography procedures in the presence of Triton X-100. However, to date no separation of the proteinase or their possible subunits has been achieved by this technique. Portions of the central patien studies mentioned were included in the USAMRL Report No. 950 of Dr. Moore et al.

Publications and or Presentations:

None

Selected Bibliography:

A821 00 171 (cont)

Detail Sheet #2

Bernacki, R. J. and H. B. Bosman. Properties of a protease of human erythrocyte plasma membranes. Fed. Proc. 30: 1184, 1971.

DeLumen, B. O. and A. L. Tappel. Fluorescein-hemoglobin as a substrate for cathepsin B and other proteases. Anal. Biochem. 36: 22, 1970.

Dodge, J. T., C. Mitchell and D. J. Hanahan. The preparation and chemical characteristics of hemoglobin-free ghosts of human erythrocytes. Arch. Biochem. Biophys. 100: 119, 1963.

Morrison, W. L. and H. Neurath. Proteolytic enzymes of the formed elements of human blood. J. Biol. Chem. 200: 39, 1953.

Nelson, W. L., E. I. Ciaccio, and G. P. Hess. A rapid method for the quantitative assay of proteolytic enzymes. Anal. Biochem. <u>2</u>: 39, 1961.

RESEARCH AND TECHNULOG	RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY			6073	3 70 U9 01		PREPORT CONTROL STREET.	
70 07 01 B. TI BULLA	S SUMMARY SCTO	O BURF LECURITY	* ** GRADIN		18 B'M 18 8 7 B'M		DATA:	A VORK UNIT
10 NO CODES PROGRAM FLEMENT	PHC , E + 1	NUMIN N	TASK ANE	NUMBER		BOMH UNI		
b. CONTRIBUTING	300621100	321	00		172			
7. 79474474 CDOG 1412A(?		company control of designation of						
(U) Military Blood Trans		tion: (18)	*******				******	
12 SCIENTIFIC AND TECHNIN OGICAL AREAS	103 104 1 644	100						
003500 Clinical Medicine	TA ESTIMATED - OMP	LETION DATE		Afrenc v		16 PERFORM	AN/ E ME TI	100
. 68 07	CONT		114	i	4	C. 1	n-Hous	
A DATES/EFFECTIVE	FEPIRATION		THE	ES ESTIMAT PENNET			b FUR	Di (In thousands)
h number + NA			PISCAL	7() ****	1			1
A KIND OF AWARD	f. CUM AMT		*4*# SAM	71	1			1
19 RESPONSIBLE DOD ORGANIZATION	1.00	T			TATION .	T	<u> </u>	
HAME * Hq. US Army Medical Lagrage Fort Knox, KY 40121	*DDRESS * F	S Army ort Kn	ransfusi Medical ox, KY 4	Resear 0121	cn Lat	oratory		
HISPONSIBLE INDIVIDUAL HANE. Conte, linenolas TELEPHONE 502-611759		NAME * Camp, F. R., Jr., LTC TELEPHONE 502-6241251 BUCIAL SECURITY ACCOUNT NUMBER						
I GENERAL USE		ASSOC ATE IN						
FOREIGN INTELLIGENCE COM	SIDERED		MAMF	Shie	lds, û.	E., Lic		AC
(U) Transfusion Reactions Compatibility	s; (Ü) Huma							d Group
23. (U) To develop a systems occurring plementation, a fail-safe sion reactions occurring	tem for the ng in the m a procedure	dilitary se for the p	n and a rvice. reventi	nalysi To de or and	vise and	a relat recomm	ive to	rim-
24. (U) A feasibility sti area and Walter Reed Send clinical and laboratory of mation and supplemental ed and reported to the re	eral Hospit reports of laboratory	al. Trans transfusio investigat	fusion n react	data f ions,	or the ho Will be	ospital request	, as w ed. C	ell as i onfir-
25. (U) 70 07 01 - 70 08 work units which have re	31 This w lated areas	ork unit war of resear	as term c h	inated	and com	oined w	ith ex	isting
*Available to concrectors upon a phosic				D FORMS				

A821 00 172 (cont.)

Detail Sheet *:

Progress:

Since June 1968 data have been collected concerning the numbers of blood transforces and transform reactions occurring in Army military bisolitals in the First US Army area

Analysis of the data reveals that in excess of 20,000 units of whole blood and $\nu_{\rm c}$ and compensats were transfused to patients in these medical facilities

There were 253 reactions reported in three classifications: a) - Februle reactions - 72; b) Urticarial reactions - 178; c) Hemolytic reactions - 3. No deaths from blood transfusion reaction were reported.

One unit of blood was transfused for every four units crossmatched in the blood banks of the various hospital pathology services, representing 20,000 transfusions actually used of the 80,000 units crossmatched for serologic compatibility. Remaining time of the 21-day shelf life of whole blood allowed many of the blood units to be recrossmatched for other patients. On the other hand, blood continually committed to patients by crossmatch and not used resulted in outdating and loss of the blood.

The use of brood components has sharply increased, especially in the larger hospitals and this upward trend continues. The increased use of blood component therapy is the result of newer, more established medical treatment practices. With the shift in emphasis away from whole blood, the result is the extension of one unit of whole blood into two, three, and four aseful products. Blood wastage from outdating will eventually be eliminated entirely.

The use of Rhodam has been administered in proportion to the number of Rhinegative (eligible) tendles delivering Rhipositive infants. The sharp decrease in hemolytic disease of the newborn is a direct result of ShoGam therapy

Publications and ar presentations:

Camp, F. R., dr., N. F. Conte, F. R. Ellis, R. M. Nalbandian, and D. L. Ressie. Intendadization of blood transfusion reaction studies in the most ry. Detenation of responsibility for a medical team concept. Role of the hospital transfusion board. Milit. Med. 135: 967, 170

A821 00 172 (cont)

Detail Sheet #2

Nalbandian, R. M., F. R. Camp, Jr., N. F. Conte, and D. L. Kessler. A fail-safe approach to incompatible blood transfusions. Lab. Med. $\underline{1}$: 33, 1970; Exhibit at the Medical Society of the State of North Carolina, Pinehurst, N.C., May 1971.

Nalbandian, R. M., R. L. Henry, F. R. Camp, Jr., P. L. Wolf, and N. F. Conte. A practical synopsis of consumption coagulopathy. USAMRL Report No. 892, Aug 1970 (DDC AD No. 715701); Milit. Med. 136: 349, 1971.

Selected Bibliography:

Camp, F. R., Jr., N. F. Conte, F. R. Ellis, R. M. Nalbandian, and . Kessler. Standardization of blood transfusion reaction studies the military. Delegation of responsibility for a medical team concept. Role of the hospital transfusion board. USAMRL Report No. 867, Apr 1970 (DDC AD No. 707395); Milit. Med. 135: 967, 1970.

Nalbandian, R. M., I. J. Mader, R. R. Margulis, and F. R. Camp, Jr. Preventing death from incompatible transfusions. Post Grad. Med. 45: 84, 1969.

RESEARCH AND THE LOGY NORW UNIT SUMMARY			JA 6118	71 07 01 DD DRAF(A)			AF(AR)616			
		P =238	ADING DA DI	0's 14578's	CONTRACTOR ACCESS					
71 01 22		1/1		NL	J ves G no A won					
a raises 50% A 360.20 DAS21			MEA HUMBER	TORK UNIT NUMBER						
• Contain to	Notice (SIMPL)	0)		1/7	1/4					
1 . 40 m A 10 / 10 1 2 2 2 2 7 2 7 2		1								
11 117 & Procedo with Socurity Issailles in Cado	1112417 111000	Sanki	ng: The	Mechanis	sm of Er	ythro	cyte			
Catabolism Luning Storage	2 (15)									
002300 (Hognemistry										
IS STAN TOUT	18 ESTIMATED COMPLETION DATE		HEG 4968CY		16 PERFORMAN					
67 11	(CONT	JA		<u> </u>	C. In-	,				
						L 7040	the fire discussions			
- DATES/FFECTIVE	aD:TABINES	FISCAL	71	1.2		17				
1 - 1100	4 AMOUNT		CORNERY	·		 				
	f. CUM AMT		72	1.2		33				
19 025PONS 0. 6 000 DREAM-24TION		i i			TIQN		·			
	Research Laboratory	-								
Fort Knox, KY 4012		1	US Army			h Lab	oratory			
ADDRESS *		ADDRESS Fort Knox, KY 40121								
· · · · · · · · · · · · · · · · · · ·		PRINCIPAL INVESTIGATOR (PURIOR BEAR NY S. ALAGORIE) PROVINCIAN								
Conte. Gonalas	F., COL	Moore, G. L.								
********* 502-6241759		SOCIAL SECURITY ACCOUNT NUMBER								
21 084800 - 158		ASSOCIATE INVESTIGATORS								
1			• Gray, J. L.							
FOREIGN INTELLIGENCE CONT		NAME JA								
(U) Red Blood Cells; (U) Storage; (U) Preservation; (U) Utilization; (U) Military										
11 " (CHOICA, DO F. T VI " 14 APPROACH 38	PAGUATA (Pumish individual perspruphs 100	merhod by	number Protects to	1 of seth with per						
23. (3) To increase our .	nowledge concerning	the f	actors in	volved 1	in maint	ainin	g the			
functional integrity of mechanisms than lead to	red blood cells durin	d Col	a storage	ion will	l d Studi	y ui n dav	elon-			
mechanisms than lead to	rec cell disruption.	inis uti	lization	of blood	i hevond	the	pres-			
ment of preservation metrods for extending the utilization of blood beyond the pres-										
ent 21 day limit. 24. (2) To study by unemical, physicochemical, and biological means, red cells and										
124. (J) To study by chem	ical, physicochemical	, and	To en acur	al means	o, rea co	ad ch	anges			
red cell membranes from in the biochemical and pi	resn ind Stored D100 nucleachemical araber	tiec	and ctah	ilities	of red	cell	mem-			
in the diotherical and pro- trane. In state the new	aysicounemical proper	and c	control me	chanisms	ofam	embra	ne			
proteinare, and the efficies of platelets on red cell storage properties.										
[25. (3) 71.01.01 = 71.06.30 Cold storage of red cells causes the cell membranes to successe in their stability and their structural flexibility as measured by their										
decreased action, to unde	eras Gezondary Struct	ural	changes a	nd inter	ract with	flo	rescent			
structural inches. Exico	ence was gathered in	*avor	of the p	rotectiv	e bindi	ng of	pro-			
structural trobes. Evidence was gathered in favor of the protective binding of pro- legaterone or the medical surface, and the intermelationship between membrane structure										
changes and no close of function changes in the presence of adenine-inosine was eluci-										
dated. Initial studier were come on the effects of platelets on red cell storage,										
and on platelet contamination of redicell memberane preparations.										
· À										
*4****	Υ									
DD.2911493	4 1 /4 Q 4 UNIO 4 /4 UNIO 10 P	93.17	UD FORMS	1498A 1 NO	v 41					
	T. OF FURNISHED OF THE	2000	•							

A821 00 174 (cont)

Detail Sheet #1

Progress:

Several techniques were developed to measure the catabolic stress of cold storage on red cell membranes. These include fluorescent probe and turbidity techniques as well as several specific assay procedures. Membrane changes in stored red cells were analyzed in three situations:

- a. The storage of whole blood reveals that during storage the membrane is reduced in hydrophobicity and undergoes changes in shape at a molecular level. In addition, lipid, sialic acid, and free nelphydryl groups are lost, as well as the ability of the proteins to maintain a state of molecular flexibility.
- b. An examination of progesterone-treated red cells indicated that the progesterone does stabilize the red cell membrane for at least 28 days after causing an initial change in the membrane analogous to "locking it in" a modified conformation. By 42 days of storage the progesterone effect seems to "wear off". This study also indicated the high sensitivity of the techniques being used.
- c. Red cells were stored with multiple additions of adeninginosine to maintain hemoglobin function as reflected by high levels of
 2,3-DPG. Membrane studies of these cells indicate that catabolism continues at a rate analogous to controls indicating that preservation of
 the membrane is independent from maintenance of hemoglobin function,
 and with the advent of the adenine-inosine procedure may be the limiting
 factor in the length of red cell storage time.

Initial studies were carried out on the effect of platelets and platelet breakdown products on the storage properties of red cells.

Publications and/or Presentations:

- Moore, G. L. and R. S. Antonoff. Two dimensional paper separation of dansyl amino acids. Anal. Biochem. 39: 260, 1971.
- Moore, G. L., R. S. Antonoff, and D. C. Rau. Changes in erythrocyte membranes during cold storage II. USAMRL Report No. 935, May 1971.
- Moore, G. L., R. S. Antonoff, and D. C. Pau. Physicochemical changes in erythrocyte membranes during cold storage in the presence of progesterone. USAMRL Report No. 938, Jun 1971

A821 00 174 (cont)

Detail Sheet #2

Moore, G. L., W. F. Kocholaty, D. A. Cooper, J. L. Gray, and S. L. Robinson. A proteinase from human erythrocyte membranes. Biochem. Biophys. Acta, 212: 126, 1970.

Moore, G. L. and C. D. Purpura. A modified polyacrylamide gel slicer. Anal. Biochem. 39: 258, 1971.

Moore, G. L., D. C. Rau, and J. L. Gray. Turbidity measurements of solubilized human erythrocyte membranes. USAMRL Report No. 930, Apr 1971.

Moore, G. L., D. C. Rau, and Ann S. Wredman. Platelet contamination of erythrocyte membrane preparations. USAMRL Report No. 916, Dec 1970 (DDC AD No. 718626).

Selected Bibliography:

Bakerman, S. and G. Wasemiller. Studies on structural units of human erythrocyte membrane. Biochemistry, $\underline{6}$: 1100, 1967.

Blumenfeld, 0. The proteins of the erythrocyte membrane obtained by solubilization with aqueous pyridine solution. Biochem. Biophys. Res. Commun. 30: 200, 1968.

Morrison, W. L. and H. Neurath. Proteolytic enzymes of the formed elements of human blood. J. Biol. Chem. 200: 39, 1953.

Rosenberg, S. A. and G. Guidotti. The protein of human erythrocyte membranes. J. Biol. Chem. <u>243</u>: 1985, 1968.

Rubalcava, B., D. M. deMunoz, and C. Gitler. Interaction of fluorescent probes with membranes. Biochemistry, $\underline{8}$: 2742, 1969.

Weed, R. I. and C. F. Reed. Membrane alterations leading to red cell destruction. Amer. J. Med. 41: 681, 1966.

		I AGENCY ACCESSION 12	5444 54 4							
RESEARCH AND TECHNOLOG	F FORK UNIT SUMMARY	DA 03 6076		IN I HAT A FIRM						
				i						
5 DATE PAT. 1.4 87 4 515. 7 510 181		7 #FGRADIST DA (HE)	CONTRACT	OR AC 155 (
71 01 22 19 2336		<u> </u>	NL Cores	- HO A WORE UNIT						
10 80 CODE1 " " #+# 1 - W/ "	PROJECT NUMBER	TASE ANTA MUMBER		117 NUMBER						
a Palmany	3406211049.	00	.75							
. CORTAINUTING	-	·								
CAPPAAPPA (5)15 14774										
1) TITLE Process with possity Closeffication and	· Timetary ("coc	1 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Luation of te	SUSC 1 : 1 1 200						
h. Twansfisier of Gio d	and there is not too	121	1000107 07 0)						
by Transfusion of Bing.	ard citer sanstalites	19/								
:										
00001 Olimical Medicine	TA FET MATER COMPLETE MICATE	A Pumbing Actions		WA FUFTHOL						
1 ' ' '	_			r - 1005c						
69 ST	CUN			- 10050						
COM THAC T GRANT		8 MTH - B- 65 FS- MA-FF		81 & FURDS (In Devemb)						
4 1 41 29/EFFEC*148	8 # FIRSTION	INNER ST								
* * * * * * * * * * * * * * * * * * *		***ca. 7 ?	2	188						
c 1100	6 Agous .	ARAN , SABREMA	·							
A SIND O' STARD	f. CUM AMT	7.2	2	144						
18 981PORBIBLE 800 086 ARI 241 04	1	P	100							
	L	•	L							
"" Hq, US Army Mesica	1 Research Laboratory		ansfusion Dra							
Fort Knox, KY 4012		Fort Fnox, AY 40121								
-000485										
		PRINCIPAL IN 48811CA TOR I PURIOR SEAR II E & ALABOUT INCIDENT.								
. MESPONSIBLE IND. HOUSE		**** Lopas, H., LTC								
wave Conte. Wicholas	F (.G.	TELEPHONE 542-6043819								
502-6241759	.,	SOLIA 18 CO TY ALL COUNTY AURAGE								
71 4PHONE 302-02-1737		1								
1. 6644-77 014		TALL I ATE MUTETINATIONS		. ,						
			orf. $\mathbb{N}_{+}:\mathbb{N}_{+}$							
PRETEN INTELLIGENCE CONS		1		, Mai Dh						
I REVOCADO FRICADO DE NOS CIDADOS CADAS CONTRE										
(U) Blood; (U) Transfusio	on; (a) Military. [d)	Pesuscitat "	: inera .v							
11 TECHNICAL DOJECTIVE " 24 APPROACH 26	PROGRESS Pumish 1- di ridual paragrama la	ert flee to number. Procedo tes-	ef park mid jarm b	Ace ter coue ,						
23. (U) The use of blood	and blood swithtie	ther is for in	100, 1000	tre treatment						
of the military combat co										
24. (1) To evaluate the a	ise of binds and to s	er indexalation	0 1 1 5 7 5	tit tes in the						
24. (B) To evaluate the use of blinds and to seek and evaluate the insufficies in the parenthent of blood loss in the military compatitudes alto and other sed co-sumpled con-										
ditions.	the fitted, total									
dicions.										
25. (U) 71 01 01 - 71 76	30 www.experimental	transfusion of	acts on model t	tas Deen es ta b-						
lished in products 2 so	commerciance play a f	raction: in-		ar rected						
against recipient red co	is an area dosa raid	ted intravas	ar nemalistis	and dissemi-						
pated intravascular long.	alus on julyer, nasop	A Seagn - 3 all		to a quonera-						
ian tuits. This work he	, cranacterized and g	reatily entanced	a Krawieda e	title transiu-						
sion reaction with respec	st ic pathophysiolog/	and antibod, s	species respu	is ne. In has						
Asymade a mose available which has a predictorile outcome and can be used to evaluate										
memolytic patential of more ad a small products and fractions used commercially. Pre-										
treatment of exact. Atal as mal, with Repair has not been wholly effective in prevent-										
ing DIC; other specific therapy should be studied, such as mannitolto augment uninary										
ing Dac, ourse Security therapy Shorts as Scholars, Such as manniculate and the arrivary										
blood flow, hexaus ethninesses annabit Hageman factor activation, and disympanciess										
to innibit platelet aggregation										
•										

100

A821 00 175 (cont)

Detail Sheet =1

Progress:

An experimental transfusion reaction model has been established in primates using hyperimmune plasma fractions. Infusions of IgG directed against recipient red cells produce dose related intravascular hemolysis and disseminated intravascular coagulation (DIC). Autopsy studies show fibrin thombi in glomerular tufts.

This work has characterized and greatly refined knowledge of the transfusion reaction with respect to antibody species responsible and pathophysiology. It has also made available a model which has a predictable outcome and can be used to evaluate the hemolytic potential of pooled plasma products and fractions used commercially.

Pre-treatment of experimental animals with heparin has not been wholly effective in preventing DIC; other specific therapy should be studied, such as mannitol, to augment urinary blood flow, hexadimethrine to inhibit Hageman factor activation, and dipyridamole to inhibit platelet aggregation.

Publications and/or Presentations:

Birndorf, N. I. and H. Lopas. Effects of red cell stroma-free hemoglobin solution on renal function in monkeys. J. Appl. Physiol. 29: 570, 1970.

Birndorf, N. I. and H. Lopas. Disseminated intravascular coagulation and renal failure: Production in the monkey with autologous red cell stroma. USAMRL Report No. 902, Oct 1970 (DDC AD No. 716354); presented (by Birndorf) at the 23rd Annual Meeting, American Association of Blood Banks, San Francisco, Calif, Oct 1970.

Birndorf, N. I., H. Lopas, S. J. Robboy, W. E. Biddison, M. Ann Wredman, and R. L. Zimmerman. Plasma transfusion reactions in iso-immunized monkeys. USAMRL Report No. 929, Apr 1971.

Camp, F. R., Jr. and N. F. Conte. Military blood banking (civil disasters). USAMRL Report No. 931, May 1971.

Detail Sheet #2

- Camp, F. R., Jr., N. F. Conte, N. I. German, R. M. Nalbandian, H. S. Kaplan, and K. I. Tobias. Progress notes in military blood banking. A systematic approach to early recognition and treatment of incompatible blood transfusion injury. USAMPL Report No. 919, Feb. 1971 (DDC AD No. 721006).
- Camp, F. R., Jr., R. M. Nalbandian, N. F. Conte, and F. R. Ellis. Forensic aspects of transfusion reactions. USAMP. Report No. 933, May 1971; presented (by Camp) at the 23rd Annual Meeting, American Academy of Forensic Sciences, Phoenix, Ariz., Feb. 1971.
- Lopas, H. and N. I. Birndorf. Hemolysis and intravascular coagulation due to incompatible red cell transfusion in isoimmunized monkeys. USAMRL Report No. 900, Sep 1970 (DDC AD No. 716352); presented (by Lopas) at the 23rd Annual Meeting, American Association of Blood Banks, San Francisco, Calif., Oct 1970
- Rosenfield, R. E., E. M. Berkman, and F. P. Camp, Jr. Transfusion reactions: Method of In: H. F. Conn (Ed.), Current Therapy, Philadelphia: W. B. Saunders Co., pp. 270-274, 1971

Selected Bibliography:

- Bender, M. A. Blood volume of the rhesus monkey. Science. 122: 156, 1955.
- Brandt, J. L., N. R. Frank, and H. C. Enchtman. The effects of hemoglobin solutions on renal functions in man. Flood, 5: 1752-1158, 1951.
- Breen, F. A. and J. L. Tullis. Ethanol helation: 4 mapid screening test for intravascular coagulation. Ann. Inter. Med. 69: 1197-1206, 1968.
- Brun, C. A rapid method for the meters of the paraaminohippuric acid in kidney function tests. I Lat 1997 1997 1998, 1951.
- PeNava (see a constant of the constant of the
- Hamilton, R., E. C. Streearation of help and the second second

										
RESEARCH AND TECHNOLOG	DA OB 6077	70 09 01	DD DRAF (AR)636							
70 07 01 H. TENTINA	S SUMMARY SETS A BINE SECURITY		B'N IMSTR'H ON SPECIFIC I	ACCESS						
10 NU DES PHI HAM F. CHE.	T PROJECT NUMBER	NA TASK AREA NUMBER	NL 20 ves C	J MO						
621174	3AC62110A821	00	176							
t Contribution										
1174141 CDOG 1412A(3)									
(U) Evaluation of Blood Banking Methods and Transfusion Practices (18)										
003500 Clinical Medicine										
69 01	CONT	DA	C. In-House							
CONTRACT ORAST		M RESOURCES ESTIMATE	& PROFESSIONAL MAN YES	h FUNDS (In thousands)						
NA NA	LEPIRATION	70	.6	35						
The same of the sa	4 AMOUNT	PISCAL PURENT		33						
	f, CUM. AMT.	71	.6	59						
s RESPUNSIBLE DOO DRGAM EATION		PERFORMING URGANIZA	TION							
Hq, US Army Medical Research Laboratory Fort Knox, KY 40121 **********************************										
Conte, Nicholas	PRINCIPAL INVESTIGATOR (Pumier SEAR II U.S. Academic Institution) mane * Shields, C. E., LTC TELEPHONE 502-6246750 BOCIAL SECURITY ACCOUNT NUMBER ASSOCIATE INVESTIGATORS									
]	wame Camp, F. R., Jr., LTC									
FOREIGN INTELLIGENCE CO		name DA								
(U) Transfusion; (U) Blood Components; (U) Blood Therapy; (U) Transfusion Reactions;										
23. (U) To evaluate whole blood and blood components in the treatment of the military combat casualty with particular emphasis on improving the quality and efficacy of the transfused product.										
24. (U) One phase will consist of collecting data on the usage of blood and components and their outcome. The second phase will consist of simulating transfusion practices in an animal model.										
25. (U) 70 07 01 - 70 08 31 This work unit was terminated and combined with existing work units which have related areas of research.										
				ĺ						

A821 00 176 (cont)

Detail Sheet #1

Progress:

Results of a transfusion reaction survey in military hospitals is reported in Work Unit No. 172 (A821).

A model for the study of plasma transfusion reactions in subhuman primates was developed in *Macaca irus* monkeys. Plasma transfusion reactions in this species resulted in hemolysis, disseminated intravascular coagulation, and with evidence of intravascular fibrin deposition at autopsy. These reactions appeared very similar to those observed human cases.

Publications and/or Presentations:

Camp, F. R., Jr. and C. E. Shields. The role of automated blood grouping as an information retrieval system. Milit. Med. <u>135</u>: 636, 1970.

Forrester, R. H., C. E. Shields, F. R. Camp, Jr., and T. P. Harville. Evaluation of an automated method for blood grouping in the military service--A system analysis. Milit. Med. 135: 740, 1970.

Shields, C. E. Quality control approach to improved donor care. Transfusion, 10: 272, 1970.

Shields, C. E., A. H. Schipul, Jr., and J. Williams. Elevated carboxymonoxide levels from smoking in blood donors. Presented (by LTC Camp) at the 13th International Society of Hematology Congress, Munich, Germany, Aug 1970; Transfusion, 11: 89, 1971 (Abstract).

Selected Bibliography:

Barnes, A. and T. E. Allen. Transfusions subsequent to administration of universal donor blood in Vietnam. JAMA, <u>204</u>: 695, 1968.

Birndorf, N. I., H. Lopas, S. J. Robboy, W. E. Biddison, M. Arn Wredman, and R. L. Zimmerman. Plasma transfusion reactions in iso-immunized monkeys. USAMRL Report No. 929, Apr 1971.

Dauber, L. G., L. J. Reed, H. P. Fortwengler, and F. R. Camp, Jr. The occurrence of blood group substances A and B in proprietary gamma globulin of placental origin. USAMRL Report No. 807, Dec 1968 (DDC AD No. 686269).

A821 00 176 (cont)

Detail Sheet #2

Grove-Rasmussen, M., R. S. Shaw, and E. Marceau. Hemolytic transfusion reaction in a group-A patient receiving group 0 blood containing immune anti-A antibodies in high titer. Amer. J. Clin. Path. 23: 828, 1953.

Springer, G. F. and R. Schuster. Stimulation of isohemolysins and isoagglutinins by influenza virus vaccines. Vox Sang. 9: 589, 1964.

Stevens, A. R. and C. A. Finch. A dangerous universal donor. Acute renal failure following transfusion of group 0 blood. Amer. J. Clin. Path. <u>24</u>: 612, 1954.

Zettner, A. and J. R. Bove. Hemolytic transfusion reaction due to interdonor incompatibility. Transfusion, $\underline{3}$: 48, 1963.

RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY								CONTROL SYMBOL				
					6078	70 09				RAL(AR)616		
70 07 01	H. TERMINA-	U	U	NA	A DING	10 to (1)	NL NL	' *	AL SPECIFIC CONTRACTOR DES		A FORE UNIT	
IO NO CODES	PROGRAM ELEMENT	PROJECT	NUMBER	TASK	AREA	HUMBER	WORK UNIT NUMBER					
s PRIMARY	62110A	3A062110A8	00			177						
b. CONTRIBUTING	CDOC 14124/2											
(U) Blood Antibodies and Their Identification and Selection of Human Histocompatibility Antiponic System (18)												
003500 Clinical Medicine												
IS START DATE		14 ESTIMATED COMP	ETION DATE	IS PURTING AGENCY				16 PERFORMANCE METHOD				
69 01		CONT		DA		C. In-House			56			
II CONTRACT GRANT			M RESOURCES ESTIMATE		E & PRO	& PROFESSIONAL MAN YES			DL (1-1 thousands)			
A DATES/EFFECTIVE:		EXPIRATION:		FISCAL 70 .5		5	22					
C TYPE.	4 AMOUNT		YEAR	VEAR SOUNDRY								
A RIND OF AWARD	ND OF AWARD: f. CUM. AMT.		i	71			.4			35		
19 RESPONSIBLE DOD 0	REANIZATION			20 PERI	ORMIN	G ORGANIZ	ATION					
Hq. US Army Medical Research Laboratory Fort Knox, KY 40121 ADDRESS FORT KNOX, KY 40121 ADDRESS FORT KNOX, KY 40121 ADDRESS FORT KNOX, KY 40121												
nesponsible individual name. Conte, Nicholas F., COL velfphone 502-6241759				PRINCIPAL INVESTIGATOR (Pumich SEAN II U.S. Acodemic provincion) HAME: Camp. F. R., Jr., LTC VELEPHONE: 502-6241251 SOCIAL SECURITY ACCOUNT NUMBER:								
EODETCH INTELLIGENCE CONSIDERED				HAME: Bell, C. E., Jr., MAJ NAME: DA								
(U) Blood Antibodies; (U) Blood Antigens; (U) Blood Antibodies; (U) Histocompatibility;												

25 TECHNICAL GBIECTIVE. 2 & APPROACH. 28 PROGRESS (Puntah Individual paragraphs Identified by number Procedo last of each with Security Classification Code ,

- 23. (U) To explore the role of blood group and leucocyte antigens and antibodies as they affect the compatibility status of donor and recipient in organ transplantation, particularly as it applies to the treatment of the military compat casualty and related conditions.
- 24. (U) Blood banking technics will be expanded to investigate lymphocyte/leucocyte antigens along with the appropriate antisera. These will then be applied to study donor and recipient antigenic systems and degree of histocompatibility.
- .25. (U) 70 07 01 70 08 31 This work unit was terminated and combined with existing work units which have related areas of research.

A821 00 177 (cont)

Detail Sheet #1

Progress:

A laboratory has been developed with a capability of typing lymphocytes. This laboratory can now support research concerning the antigents systems of red cells, white cells, and eventually platelets.

Publications and/or Presentations:

Camp, F. R., Jr., N. F. Conte, and F. R. Ellis. The significance of early 20th century Germanic and other European scientific contributions in the advancement of present-day research in organ transplant hematology. Presented (by Camp) at the 13th International Society of Hematology Congress, Munich, Germany, Aug 1970.

Selected Bibliography:

Rapaport, F. P., J. Dausset, L. Legrand, A. Barge, H. S. Lawrence, and J. M. Converse. Erythrocytes in human transplantation: effects of pre-treatment with ABO group-specific antigens. J. Clin. Invest. 47: 2206-2216, 1968.

Walford, R. L. The isoantigenic systems of human leukocytes. Medical and biological significance. Haematologica, 2: 2, 1969.

Walford, R. L., R. Gallagher, and G. M. Troup. Human lymphocyte typing with isologous antisera; technical considerations and a preliminary study of the cytotoxic reaction system. Transplantation, $\underline{3}(3)$: 387-401, 1965.

ADDITIONAL PUBLICATIONS*

Kocholaty, W. F., Edith Bowles-Ledford, Joyce G. Daly, and T. A. Billings. Preparation of a coral snake antivenin from goat serum. USAMRL Report No. 899, Sep 1970 (DDC AD No. 715699).

Kocholaty, W. F., Edith Bowles-Ledford, Joyce G. Daly, and T. A. Billings. Toxicity and some enzymatic properties and activities in the venoms of crotalidae, elapidae, and viperidae. Toxicon, $\underline{9}$: 131, 1971.

^{*}Research was performed under Work Unit No. 149, Project No. 3A061101A91C 00; the Work Unit was terminated as of 30 June 1967 and the papers were published during FY 1971